

Chemical Analysis Report

SW-DIST-2016-03-18-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **1535, 1440A**
Request ID: **RQ-2016-03-14-45**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Matt Bearden

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Timothy Fitzpatrick, Program Administrator

Date Certified: 05-APR-2016 10:10

A handwritten signature in black ink, appearing to read "Timothy Fitzpatrick", with a stylized flourish at the end.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: G5SW0042

Collection Date/Time: 03/17/2016 11:05

Field ID: G5SW0042

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1781594	EPA 180.1 Rev. 2.0	Turbidity	3.2	A	NTU	P300669	
	SM 2320 B-97	Total Alkalinity	146		mg CaCO3/L	P301029	
	SM 2540 D-97	TSS	3	U	mg/L	P301202	
	SM 4500 F-C-97	Fluoride	0.99		mg F/L	P301033	
1781599	EPA 350.1 Rev. 2.0	Ammonia-N	0.19		mg N/L	P301263	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P301209	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P301157	
	EPA 365.1 Rev. 2.0	Total-P	0.085		mg P/L	P301181	
	SM 5310 B-00	Organic Carbon	7.3		mg C/L	P301065	
1781604	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.021		mg P/L	P300645	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: G5SW0125

Collection Date/Time: 03/17/2016 12:05

Field ID: G5SW0125

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1781595	EPA 180.1 Rev. 2.0	Turbidity	2.6		NTU	P300669	
	SM 2320 B-97	Total Alkalinity	130		mg CaCO3/L	P301029	
	SM 2540 D-97	TSS	8	I	mg/L	P301202	
	SM 4500 F-C-97	Fluoride	0.90		mg F/L	P301033	
1781600	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P301263	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.69		mg N/L	P301209	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P301158	
	EPA 365.1 Rev. 2.0	Total-P	0.051		mg P/L	P301181	
	SM 5310 B-00	Organic Carbon	5.7		mg C/L	P301143	
1781605	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P300645	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: G5SW0078

Collection Date/Time: 03/17/2016 12:20

Field ID: G5SW0078

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1781596	EPA 180.1 Rev. 2.0	Turbidity	1.9		NTU	P300669	
	SM 2320 B-97	Total Alkalinity	127		mg CaCO3/L	P301029	
	SM 2540 D-97	TSS	4	I	mg/L	P301202	
	SM 4500 F-C-97	Fluoride	0.91		mg F/L	P301033	
1781601	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P301263	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.61		mg N/L	P301209	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P301158	
	EPA 365.1 Rev. 2.0	Total-P	0.038		mg P/L	P301181	
	SM 5310 B-00	Organic Carbon	5.6		mg C/L	P301143	
1781606	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P300645	

Field ID: G5SW0078

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
Ref. Method and Comment: SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.							

Sample Location: G5SW0079

Collection Date/Time: 03/17/2016 12:40

Field ID: G5SW0079

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1781597	EPA 180.1 Rev. 2.0	Turbidity	1.8		NTU	P300669	
	SM 2320 B-97	Total Alkalinity	128		mg CaCO3/L	P301029	
	SM 2540 D-97	TSS	4	I	mg/L	P301202	
	SM 4500 F-C-97	Fluoride	0.97		mg F/L	P301033	
1781602	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P301263	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.57		mg N/L	P301209	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P301158	
	EPA 365.1 Rev. 2.0	Total-P	0.032		mg P/L	P301181	
	SM 5310 B-00	Organic Carbon	5.6		mg C/L	P301143	
1781607	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P300645	

Ref. Method and Comment:
 SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: G5SW0124

Collection Date/Time: 03/17/2016 13:10

Field ID: G5SW0124

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1781598	EPA 180.1 Rev. 2.0	Turbidity	1.8		NTU	P300669	
	SM 2320 B-97	Total Alkalinity	129		mg CaCO3/L	P301029	
	SM 2540 D-97	TSS	5	I	mg/L	P301202	
	SM 4500 F-C-97	Fluoride	0.87		mg F/L	P301033	
1781603	EPA 350.1 Rev. 2.0	Ammonia-N	0.006		mg N/L	P301263	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.57		mg N/L	P301209	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P301158	
	EPA 365.1 Rev. 2.0	Total-P	0.040		mg P/L	P301181	
	SM 5310 B-00	Organic Carbon	5.6		mg C/L	P301143	
1781608	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P300645	

Ref. Method and Comment:
 SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P300669

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Quality Assurance Report

Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301263

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301209

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301157

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301158

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301181

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300645

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-97
Batch ID: P301029

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-97
Batch ID: P301202

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P301033

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report Method Blank Results

Reference Method: SM 5310 B-00
Batch ID: P301065

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P301143

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301263

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301209

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301157

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	99.5		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301158

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	98.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301181

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	95.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300645

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P301029

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-97
Batch ID: P301029

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P301033

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.0		P	94 - 108

Reference Method: SM 5310 B-00
Batch ID: P301065

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.6		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P301143

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	105		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301263

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1781588	Ammonia-N	101	103	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301209

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1781293	Kjeldahl Nitrogen	102	91.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301157

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1779888	NO2NO3-N	98.6	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301158

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1781600	NO2NO3-N	98.5	97.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301181

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301181

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1781599	Total-P	90.1	90.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300645

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1781592	O-Phosphate-P	98.6	99.3	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P301033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1780305	Fluoride	95.5	97.1	P/P	94 - 107

Reference Method: SM 5310 B-00
Batch ID: P301065

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1781220	Organic Carbon	93.0	93.5	P/P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P301143

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1781600	Organic Carbon	93.4	93.2	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P300669

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781594	Turbidity	1.90	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301263

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781588	Ammonia-N	1.46	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301209

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781293	Kjeldahl Nitrogen	6.37	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301157

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1779888	NO2NO3-N	1.19	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301158

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781600	NO2NO3-N	1.02	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301181

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781599	Total-P	0.176	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P300645

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781592	O-Phosphate-P	0.707	Spike	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P301029

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1780305	Total Alkalinity	0.388	Sample	P	0 - 4.8

Reference Method: SM 4500 F-C-97
Batch ID: P301033

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1780305	Fluoride	0.986	Spike	P	0 - 3.7

Reference Method: SM 5310 B-00
Batch ID: P301065

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781220	Organic Carbon	0.504	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P301143

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1781600	Organic Carbon	0.139	Spike	P	0 - 20

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A68312

Included Lab Sample IDs: 1781604, 1781605, 1781606, 1781607, 1781608

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.6	98.6	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A68319

Included Lab Sample IDs: 1781594, 1781595, 1781596, 1781597, 1781598

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.5	P/P	95 - 105

Reference Method: SM 2320 B-97

Run ID: A68432

Included Lab Sample IDs: 1781594, 1781595, 1781596, 1781597, 1781598

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	104	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A68432

Included Lab Sample IDs: 1781594, 1781595, 1781596, 1781597, 1781598

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.0	100	P/P	90 - 110
Fluoride	99.5	99.0	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A68443

Included Lab Sample IDs: 1781599

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	92.8	94.0	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A68477

Included Lab Sample IDs: 1781600, 1781601, 1781602, 1781603

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	96.4	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A68481

Included Lab Sample IDs: 1781599, 1781600, 1781601, 1781602, 1781603

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A68481

Included Lab Sample IDs: 1781599, 1781600, 1781601, 1781602, 1781603

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A68526

Included Lab Sample IDs: 1781599, 1781600, 1781601, 1781602, 1781603

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.7	98.7	P/P	90 - 110
Ammonia-N	98.7	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68542

Included Lab Sample IDs: 1781599, 1781600, 1781601, 1781602, 1781603

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.0	99.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A68568

Included Lab Sample IDs: 1781599, 1781600, 1781601, 1781602, 1781603

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				1.90	
EPA 350.1 Rev. 2.0	Ammonia-N	96.8	101 103			1.46
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103	102 91.2			6.37
EPA 353.2 Rev. 2.0	NO2NO3-N	99.5	98.6 100			1.19
	NO2NO3-N	98.5	98.5 97.5			1.02
EPA 365.1 Rev. 2.0	Total-P	95.8	90.1 90.3			0.176
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	98.6 99.3			0.707
SM 2320 B-97	Total Alkalinity	103			0.388	
SM 4500 F-C-97	Fluoride	98.0	95.5 97.1			0.986
SM 5310 B-00	Organic Carbon	96.6	93.0 93.5			0.504
	Organic Carbon	105	93.4 93.2			0.139

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
---------------------	-------------	--------------------

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1781594, 1781595, 1781596, 1781597, 1781598
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1781599, 1781600, 1781601, 1781602, 1781603
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1781599, 1781600, 1781601, 1781602, 1781603
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1781599, 1781600, 1781601, 1781602, 1781603
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1781599, 1781600, 1781601, 1781602, 1781603
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1781604, 1781605, 1781606, 1781607, 1781608
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1781594, 1781595, 1781596, 1781597, 1781598
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1781594, 1781595, 1781596, 1781597, 1781598
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1781594, 1781595, 1781596, 1781597, 1781598
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1781599, 1781600, 1781601, 1781602, 1781603

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/18/2016			03/18/2016 15:24	Sima Feizi	1781594, 1781595, 1781596, 1781597, 1781598
EPA 350.1 Rev. 2.0	03/18/2016			03/29/2016	Diana M. Turner	1781599, 1781600, 1781601, 1781602, 1781603
EPA 351.2 Rev. 2.0	03/18/2016	03/29/2016	Sofia Elnemr	03/31/2016	Rochelle Y Jackson	1781599, 1781600, 1781601, 1781602, 1781603
EPA 353.2 Rev. 2.0	03/18/2016			03/28/2016	Virginia P. Brown	1781599, 1781600, 1781601, 1781602, 1781603
EPA 365.1 Rev. 2.0	03/18/2016	03/29/2016	Christopher Armour	03/30/2016	Lipi Saha	1781599, 1781600, 1781601, 1781602, 1781603
EPA 365.1 Rev. 2.0 dissolved	03/18/2016			03/18/2016 12:57	Julia Storbeck	1781604
	03/18/2016			03/18/2016 12:58	Julia Storbeck	1781605
	03/18/2016			03/18/2016 12:59	Julia Storbeck	1781606, 1781607
	03/18/2016			03/18/2016 13:00	Julia Storbeck	1781608
SM 2320 B-97	03/18/2016			03/24/2016	Dale L. Simmons	1781594, 1781595, 1781596, 1781597, 1781598
SM 2540 D-97	03/18/2016			03/22/2016	Sima Feizi	1781594, 1781595, 1781596, 1781597, 1781598
SM 4500 F-C-97	03/18/2016			03/24/2016	Dale L. Simmons	1781594, 1781595, 1781596, 1781597, 1781598
SM 5310 B-00	03/18/2016			03/25/2016	Sofia Elnemr	1781599
	03/18/2016			03/26/2016	Sofia Elnemr	1781600, 1781601, 1781602, 1781603