

1579A

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By:

Project ID: SMP

Collected By:

J. Ashton, A. Stinson, S. Cunningham

Sampling Agency:

FDEP

Location BELLOWS LAKE		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-23-16 Time 11:10	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 8.4 ☒ mg/L 109 ☒ % sat	Total Res. Chlorine (mg/L)		A	
STORET # RQ-2016-06-20-45 Date: 06/23/2016 Time: _____	Temp (C) 30.8	pH 9.0	Sample Depth 0.3	Sp. Conductance (umho/cm) 145		
Latitude	Salinity (ppt) 0.07	Comments LOTS OF ALGAE				
Location BELLOWS LAKE		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-23-16 Time 11:15	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 8.4 ☒ mg/L 109 ☒ % sat	Total Res. Chlorine (mg/L)		A	
STORET # RQ-2016-06-20-45 Date: 06/23/2016 Time: _____	Temp (C) 30.8	pH 9.0	Sample Depth 0.3	Sp. Conductance (umho/cm) 145		
Latitude	Salinity (ppt) 0.07	Comments LOTS OF ALGAE				
Location FIELD BLANK		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-23-16 Time 11:20	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		A	
STORET # RQ-2016-06-20-45 Date: 06/23/2016 Time: _____	Temp (C)	pH	Sample Depth 0.3	Sp. Conductance (umho/cm)		
Latitude	Salinity (ppt)	Comments				
Location LAKE WOODL		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 6-23-16 Time 13:55	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 8.1 ☒ mg/L 104 ☒ % sat	Total Res. Chlorine (mg/L)		A	
STORET # RQ-2016-06-20-45 Date: 06/23/16 Time: 23	Temp (C) 30.5	pH 7.9	Sample Depth 0.3	Sp. Conductance (umho/cm) 255		
Latitude	Salinity (ppt) 0.12	Comments				

Relinquished By: Judy Ashton	Date/Time 6-23-16 5:00	Shipping Method FED EX	Number of Coolers Shipped: 2	Received By: CW	Date/Time 6/24/16 10:30
--	----------------------------------	----------------------------------	--	---------------------------	-----------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
----------	--------------	------	-----------------	---------------	-----	-------------------------------------	---

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
----------	--------------	-------	-----------------	---------------	-----	-------------------------------------	---

CHLSUITE-W

Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
----------	--------------	---------	-----------------	---------------	---------------	-------------------------------------	---

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	4
----------	--------------	---------	-----------------	---------------	----------	-------------------------------------	---

W-PO4-F

Date of Request: 02-JUN-2016
 Created By: ASHTON_J On: 02-JUN-2016
 Modified By: MATTHEWS_D On: 06-JUN-2016
 Customer: SW-DIST
 Project: SMP
 Division:
 District: Southwest District
 Sampling Event: 1579A

Send Coolers To:

Phone: 813-470-5951
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 06-JUN-2016
 Biology Request Reviewed By: MATTHEWS_D On: 06-JUN-2016
 Sampling Kit Required: YES Ship on: 10-JUN-2016
 Sampling Kit Shipped: YES On: 10-JUN-2016
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 23-JUN-2016
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Stephen Clingerman

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ- 2016-06-20-45

Shipping Method: Fedex

Date/Time of Receipt: 6/24/16

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	2.1	8		✓			8100 1917 4933
Red	1.9	8		✓			8100 1917 4911

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: cu

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: cu

Coolers Unpacked/Checked by: cu Date: 6/24/16 NCRs (Y/N)? N

Event ID: SW-DDST-2016-06-24-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: