

Chemical Analysis Report

SW-DIST-2016-09-08-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **1508A, 1550, 1473W**

Request ID: **RQ-2016-09-05-27**

Customer: **SW-DIST**

Project ID: **SMP**

Send Reports to:


FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Stephen Clingerman

For additional information please contact

Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Timothy Fitzpatrick, Program Administrator

Date Certified: 27-SEP-2016 11:26

A handwritten signature in black ink, appearing to read 'Timothy W. Fitzpatrick', with a stylized flourish at the end.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Juanita

Collection Date/Time: 09/07/2016 12:25

Field ID: G1SW0019

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1829621	EPA 180.1 Rev. 2.0	Turbidity	2.2		NTU	P310872	
	EPA 300.0 Rev. 2.1	Chloride	23		mg Cl/L	P311401	
		Sulfate	4.0		mg SO4/L	P311407	
	SM 2120 B	Color (true)	69	A	PCU	P310846	
	SM 2320 B-97	Total Alkalinity	14		mg CaCO3/L	P311257	
	SM 2540 C-97	TDS	92		mg/L	P311457	
	SM 2540 D-97	TSS	3	I	mg/L	P311486	
	SM 4500 F-C-97	Fluoride	0.059	I	mg F/L	P311260	
1829622	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P311172	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.67		mg N/L	P311015	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P311280	
	EPA 365.1 Rev. 2.0	Total-P	0.034		mg P/L	P311323	
	SM 5310 B-00	Organic Carbon	16		mg C/L	P311343	
1829623	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P310836	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P310872

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311401

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P311407

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P311172

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P311015

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311280

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P311323

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P310836

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P310846

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P311257

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P311457

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P311486

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P311260

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P311343

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311401

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311407

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311172

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.3		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311015

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.2		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311280

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P311323

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	92.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P310836

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.9		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P311257

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P311260

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.7		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P311343

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311401

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1829786	Chloride	101		P	90 - 110
1829961	Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311407

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1829786	Sulfate	98.6		P	90 - 110
1829961	Sulfate	99.9		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311015

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1829622	Kjeldahl Nitrogen	108	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311280

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1829610	NO2NO3-N	105	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P311323

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1829595	Total-P	96.8	90.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P310836

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1829623	O-Phosphate-P	100	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P311260

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1830470	Fluoride	100	100	P/P	91 - 105

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 5310 B-00
Batch ID: P311343

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1829595	Organic Carbon	97.1	97.3	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P310872

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829586	Turbidity	0.554	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311401

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829786	Chloride	0.205	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P311407

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829786	Sulfate	0.237	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311172

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829531	Ammonia-N	1.15	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311015

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829622	Kjeldahl Nitrogen	2.02	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311280

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829610	NO2NO3-N	1.92	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P311323

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829595	Total-P	6.24	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P310836

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829623	O-Phosphate-P	0.896	Spike	P	0 - 20

Reference Method: SM 2120 B

Batch ID: P310846

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829621	Color (true)	7.40	Sample	P	0 - 20

Reference Method: SM 2320 B-97

Batch ID: P311257

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1830470	Total Alkalinity	0.137	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97

Batch ID: P311457

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829608	TDS	3.26	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97

Batch ID: P311260

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1830470	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00

Batch ID: P311343

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1829595	Organic Carbon	0.176	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A71491

Included Lab Sample IDs: 1829623

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	101	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A71492

Included Lab Sample IDs: 1829621

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	97.4	97.0	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A71499

Included Lab Sample IDs: 1829621

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.0	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A71576

Included Lab Sample IDs: 1829621

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	102	P/P	90 - 110
Sulfate	100	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A71633

Included Lab Sample IDs: 1829622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.5	99.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A71644

Included Lab Sample IDs: 1829622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.9	99.3	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A71651

Included Lab Sample IDs: 1829622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	104	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A71657

Included Lab Sample IDs: 1829621

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97
Run ID: A71657
Included Lab Sample IDs: 1829621

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	102	P/P	90 - 110

Reference Method: SM 5310 B-00
Run ID: A71683
Included Lab Sample IDs: 1829622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	101	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A71716
Included Lab Sample IDs: 1829622

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				0.554	
EPA 300.0 Rev. 2.1	Chloride	101	101 100		0.205	
	Sulfate	100	98.6 99.9		0.237	
EPA 350.1 Rev. 2.0	Ammonia-N	99.3				1.15
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	99.2	108 104			2.02
EPA 353.2 Rev. 2.0	NO2NO3-N	106	105 103			1.92
EPA 365.1 Rev. 2.0	Total-P	92.2	96.8 90.8			6.24
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.9	100 101			0.896
SM 2120 B	Color (true)				7.40	
SM 2320 B-97	Total Alkalinity	104			0.137	
SM 2540 C-97	TDS				3.26	
SM 4500 F-C-97	Fluoride	98.7	100 100			0.0
SM 5310 B-00	Organic Carbon	96.6	97.1 97.3			0.176

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1829621
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1829621
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1829621
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1829622

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1829622
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1829622
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1829622
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1829623
SM 2120 B / E31780	True Color measured at 450 nm	1829621
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1829621
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1829621
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1829621
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1829621
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1829622

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/08/2016			09/08/2016 17:32	Sima Feizi	1829621
EPA 300.0 Rev. 2.1	09/08/2016			09/16/2016	Ping Hua	1829621
EPA 350.1 Rev. 2.0	09/08/2016			09/09/2016	Joseph Suarez	1829622
EPA 351.2 Rev. 2.0	09/08/2016	09/13/2016	Adrian Shelby	09/15/2016	Christopher Armour	1829622
EPA 353.2 Rev. 2.0	09/08/2016			09/15/2016	Peter D. Kaus	1829622
EPA 365.1 Rev. 2.0	09/08/2016	09/16/2016	Vijayalakshmi Reddy	09/19/2016	Lipi Saha	1829622
EPA 365.1 Rev. 2.0 dissolved	09/08/2016			09/08/2016 15:05	Julia Storbeck	1829623
SM 2120 B	09/08/2016			09/08/2016 19:06	Julie Michelle Frank	1829621
SM 2320 B-97	09/08/2016			09/15/2016	Dale L. Simmons	1829621
SM 2540 C-97	09/08/2016			09/13/2016	Yijie Li	1829621
SM 2540 D-97	09/08/2016			09/13/2016	Yijie Li	1829621
SM 4500 F-C-97	09/08/2016			09/15/2016	Dale L. Simmons	1829621
SM 5310 B-00	09/08/2016			09/15/2016	Sofia Elnemr	1829622