

Chemical Analysis Report

SW-DIST-2016-09-16-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **ENRW4_Mason**
Request ID: **RQ-2016-09-12-35**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Matt Bearden

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Environmental Administrator

Date Certified: 13-OCT-2016 14:11

A handwritten signature in black ink, appearing to read "Colin Wright", is written on a light-colored rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ENRW-4 Mason Crk. @ Mouth

Collection Date/Time: 09/15/2016 11:15

Field ID: G5SW0005

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1832218	EPA 180.1 Rev. 2.0	Turbidity	4.9		NTU	P311350	
	SM 2320 B-97	Total Alkalinity	151		mg CaCO3/L	P311737	
	SM 2540 D-97	TSS	4	I	mg/L	P311788	
	SM 4500 F-C-97	Fluoride	0.35		mg F/L	P312274	
1832221	EPA 350.1 Rev. 2.0	Ammonia-N	0.048		mg N/L	P311516	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.75		mg N/L	P311724	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.032		mg N/L	P311938	
	EPA 365.1 Rev. 2.0	Total-P	0.033		mg P/L	P312012	
	SM 5310 B-00	Organic Carbon	9.8		mg C/L	P311980	
1832224	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.014		mg P/L	P311355	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: ENRW-4 Mason Crk. @ Mouth

Collection Date/Time: 09/15/2016 11:20

Field ID: Duplicate

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1832219	EPA 180.1 Rev. 2.0	Turbidity	4.6		NTU	P311350	
	SM 2320 B-97	Total Alkalinity	150		mg CaCO3/L	P311737	
	SM 2540 D-97	TSS	4	I	mg/L	P311788	
	SM 4500 F-C-97	Fluoride	0.35		mg F/L	P312274	
1832222	EPA 350.1 Rev. 2.0	Ammonia-N	0.049		mg N/L	P311516	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.62		mg N/L	P311724	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.032		mg N/L	P311938	
	EPA 365.1 Rev. 2.0	Total-P	0.031		mg P/L	P312012	
	SM 5310 B-00	Organic Carbon	9.9		mg C/L	P311729	
1832225	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.014		mg P/L	P311355	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: BLANK

Collection Date/Time: 09/15/2016 11:35

Field ID: BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1832220	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P311350	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P311736	
	SM 2540 D-97	TSS	2	U	mg/L	P311788	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P311740	MS
1832223	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P311516	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P311726	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P312045	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P312011	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P311980	
1832226	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P311354	

Field ID: BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
Ref. Method and Comment:							
SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.							
EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.							

Quality Assurance Report
Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P311350

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311516

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311724

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311726

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311938

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312045

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312011

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312012

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311354

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311355

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-97
Batch ID: P311736

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2320 B-97
Batch ID: P311737

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-97
Batch ID: P311788

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P311740

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P312274

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P311729

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
Batch ID: P311980

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311516

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311724

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	97.1		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311726

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.5		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311938

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312045

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312011

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312012

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.7		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311354

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311355

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-97
Batch ID: P311736

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 2320 B-97
Batch ID: P311737

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P311740

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.8		P	92 - 103

Reference Method: SM 4500 F-C-97
Batch ID: P312274

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.9		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P311729

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.1		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P311980

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	104		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311516

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832221	Ammonia-N	104	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311724

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832241	Kjeldahl Nitrogen	99.0	95.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311938

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311938

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831767	NO2NO3-N	103	102	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312045

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832196	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312011

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831525	Total-P	101	99.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312012

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832221	Total-P	99.2	97.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311354

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832139	O-Phosphate-P	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311355

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832283	O-Phosphate-P	102	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P311740

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832112	Fluoride	105	107	P/F	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P312274

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832219	Fluoride	97.8	98.5	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P311729

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1831186	Organic Carbon	93.1	92.0	P/P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 5310 B-00
Batch ID: P311980

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1832221	Organic Carbon	96.0	96.2	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P311350

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832177	Turbidity	2.04	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P311516

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832221	Ammonia-N	1.12	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311724

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832241	Kjeldahl Nitrogen	3.49	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P311726

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832196	Kjeldahl Nitrogen	4.86	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P311938

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831767	NO2NO3-N	1.41	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P312045

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832196	NO2NO3-N	0.471	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312011

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831525	Total-P	1.25	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P312012

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832221	Total-P	1.52	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311354

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832139	O-Phosphate-P	0.692	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P311355

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832283	O-Phosphate-P	0.685	Spike	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P311736

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832112	Total Alkalinity	0.347	Sample	P	0 - 4.8

Reference Method: SM 2320 B-97
Batch ID: P311737

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832281	Total Alkalinity	0.725	Sample	P	0 - 4.8

Reference Method: SM 4500 F-C-97
Batch ID: P311740

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832112	Fluoride	1.97	Spike	P	0 - 3.0

Reference Method: SM 4500 F-C-97
Batch ID: P312274

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832219	Fluoride	0.473	Spike	P	0 - 3.0

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P311729

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1831186	Organic Carbon	1.01	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P311980

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1832221	Organic Carbon	0.138	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A171685
Included Lab Sample IDs: 1832218, 1832219, 1832220

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.0	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A71686
Included Lab Sample IDs: 1832224, 1832225, 1832226

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.6	P/P	90 - 110
O-Phosphate-P	101	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A71731
Included Lab Sample IDs: 1832221, 1832222, 1832223

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.9	99.1	P/P	90 - 110

Reference Method: SM 5310 B-00
Run ID: A71797
Included Lab Sample IDs: 1832222

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	103	97.0	P/P	90 - 110

Reference Method: SM 2320 B-97
Run ID: A71798
Included Lab Sample IDs: 1832218, 1832219, 1832220

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	103	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2320 B-97

Run ID: A71798

Included Lab Sample IDs: 1832218, 1832219, 1832220

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A71798

Included Lab Sample IDs: 1832220

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A71833

Included Lab Sample IDs: 1832221, 1832222

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.5	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A71845

Included Lab Sample IDs: 1832221, 1832222

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	99.7	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A71850

Included Lab Sample IDs: 1832223

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	97.4	96.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A71861

Included Lab Sample IDs: 1832223

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.5	99.5	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A71877

Included Lab Sample IDs: 1832221, 1832223

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	102	103	P/P	90 - 110
Organic Carbon	103	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A71947

Included Lab Sample IDs: 1832221, 1832222, 1832223

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	99.8	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97

Run ID: A71961

Included Lab Sample IDs: 1832218, 1832219

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.0	98.5	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				2.04	
EPA 350.1 Rev. 2.0	Ammonia-N	99.8	104 102			1.12
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	97.1	99.0 95.0			3.49
	Kjeldahl Nitrogen	99.5				4.86
EPA 353.2 Rev. 2.0	NO2NO3-N	104	103 102			1.41
	NO2NO3-N	103	102 102			0.471
EPA 365.1 Rev. 2.0	Total-P	104	101 99.0			1.25
	Total-P	97.7	99.2 97.6			1.52
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	104	101 102			0.692
	O-Phosphate-P	102	102 102			0.685
SM 2320 B-97	Total Alkalinity	103			0.347	
	Total Alkalinity	103			0.725	
SM 4500 F-C-97	Fluoride	98.8	105 107			1.97
	Fluoride	96.9	97.8 98.5			0.473
SM 5310 B-00	Organic Carbon	97.1	93.1 92.0			1.01
	Organic Carbon	104	96.0 96.2			0.138

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1832218, 1832219, 1832220
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1832221, 1832222, 1832223
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1832221, 1832222, 1832223
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1832221, 1832222, 1832223
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1832221, 1832222, 1832223
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1832224, 1832225, 1832226
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1832218, 1832219, 1832220
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1832218, 1832219, 1832220
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1832218, 1832219, 1832220
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1832221, 1832222, 1832223

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/16/2016			09/16/2016 16:25	Sima Feizi	1832218, 1832219, 1832220
EPA 350.1 Rev. 2.0	09/16/2016			09/19/2016	Joseph Suarez	1832221, 1832222, 1832223
EPA 351.2 Rev. 2.0	09/16/2016	09/23/2016	Adrian Shelby	09/26/2016	Virginia P. Brown	1832221, 1832222
	09/16/2016	09/23/2016	Adrian Shelby	09/27/2016	Christopher Armour	1832223
EPA 353.2 Rev. 2.0	09/16/2016			09/26/2016	Beverly Y. Sanders	1832221, 1832222
	09/16/2016			09/27/2016	Beverly Y. Sanders	1832223
EPA 365.1 Rev. 2.0	09/16/2016	09/28/2016	Lipi Saha	09/30/2016	Lipi Saha	1832221, 1832222, 1832223
EPA 365.1 Rev. 2.0 dissolved	09/16/2016			09/16/2016 15:29	Julia Storbeck	1832224
	09/16/2016			09/16/2016 15:30	Julia Storbeck	1832225
	09/16/2016			09/16/2016 15:38	Julia Storbeck	1832226
SM 2320 B-97	09/16/2016			09/23/2016	Dale L. Simmons	1832218, 1832219, 1832220
SM 2540 D-97	09/16/2016			09/19/2016	Yijie Li	1832218, 1832219, 1832220
SM 4500 F-C-97	09/16/2016			09/23/2016	Dale L. Simmons	1832220
	09/16/2016			09/30/2016	Dale L. Simmons	1832218, 1832219
SM 5310 B-00	09/16/2016			09/22/2016	Julie Michelle Frank	1832222
	09/16/2016			09/26/2016	Sofia Elnemr	1832221, 1832223