

Request Number: RQ-2016-11-14-42

Florida Department of Environmental Protection Central Laboratory Submittal Form

Page 1 of 2

last revised Apr 7, 2016

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: J. Ashton, S. Cunningham

Sampling Agency: FDEP

Location <u>FISHWALK CREEK REF. SITE</u>		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID <u>RQ-2016-11-14-42</u> Date: <u>11/16/16</u> Time: <u>12:00</u>		☒ Grab	Date <u>11-16-16</u> Time <u>12:00</u>	Central	Date	
STOR # <u>FISHWKREF</u> Ref. Stream SCI Fishwalk Creek		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>10.3</u> ☒ mg/L	Total Res. Chlorine (mg/L)	A/B
Field ID <u>STORET</u> 24020114		Temp (C) <u>16.7</u>	pH <u>6.6</u>	Sample Depth <u>0.3</u> ☒ m	Sp. Conductance (umho/cm) <u>236</u>	
Latitude ☐ dd ☐ dms		Salinity (ppt) <u>0-11</u>	Comments			
Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID		☐ Grab	Date	Central	Date	
STOR #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L	Total Res. Chlorine (mg/L)	
Temp (C)		pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID		☐ Grab	Date	Central	Date	
STOR #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L	Total Res. Chlorine (mg/L)	
Temp (C)		pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		
Location		☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID		☐ Grab	Date	Central	Date	
STOR #		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L	Total Res. Chlorine (mg/L)	
Temp (C)		pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)		
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: <u>Judy Ashton</u>	Date/Time: <u>11/16/16 1700</u>	Shipping Method: <u>Fed Ex</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>ABP</u>	Date/Time: <u>11-17-16 11033</u>
-------------------------------------	---------------------------------	--------------------------------	-------------------------------------	-------------------------	----------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY ● W-BR-IC W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	● PCR-HF183						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	● W-ICP						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	● W-SUC-AA-R ● W-UHB-AA-R						
Group: B	Bottle Type:	PJ-2L	# of Bottles: 2	Preservative:	Formalin	Enter Number of Bottles Sent to Lab	1
	● MI-FW-QLDC						
Group: C	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	● SWD-AEL-FC <i>DROPPED 2 AEL</i> "						

Date of Request: 27-OCT-2016
 Created By: ASHTON_J On: 27-OCT-2016
 Modified By: MATTHEWS_D On: 04-NOV-2016
 Customer: SW-DIST
 Project: SCIREF
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: Ref SCI

Send Coolers To:

Phone: 813-470-5951
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 28-OCT-2016
 Biology Request Reviewed By: MATTHEWS_D On: 04-NOV-2016
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped:
 Sampling Kit Packed By:
 Preservatives Needed: NO
 Date to Receive Samples: 17-NOV-2016
 Received By: SHAIK_A On: 17-NOV-2016

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: matthew.bearden@dep.state.fl.us

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Add PCR-HF183 To Analysis

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-BR-IC	Template: DEFAULT	(EPA 300.0) Bromide in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Magnesium		
Potassium		
Sodium		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Biological) With 2 Samples:

Bottle Type: PJ-2L	Number of Bottles: 4	Preserved With: Formalin
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

Bottle Group C (Water) With 2 Samples:

Bottle Type:	Number of Bottles: 2	Preserved With: ICE
SWD-AEL-FC	Template: DEFAULT	(SM 9222 D) Fecal coliforms by membrane filter method by Advanced Environmental Overflow Laboratories for SWD

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2016-11-14-42

Shipping Method: Fed Ex

Date/Time of Receipt: 11-17-16 11:33

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Green	1.4C	9		✓			8065 3802 65

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☐ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ABJ

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☐ NA ☒ Init:

Coolers Unpacked/Checked by: ABJ Date: 11-17-16 NCRs (Y/N)?

Event ID: Ref SC1
SW-DIST-2016-11-17-01 (SC1REF)
 Date Received: 17-NOV-2016 10:33
 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: