



Advanced Environmental Laboratories, Inc
9610 Princess Palm Ave Tampa, FL 33619
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580
Phone: (813)630-9616
Fax: (813)630-4327

December 7, 2016

Francis Moore
FDEP-Bureau of Labs-Bio Section -Twin Towers Lab Complex A
Rm 216 MS 6515
2600 Blair Stone Rd.
Tallahassee, FL 32399

RE: Workorder: T1618998 TMDL/SMP

Dear Francis Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Tuesday, November 29, 2016. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads 'Heidi Brooks'.

Heidi Brooks - Project Manager
HBrooks@AELLab.com

Enclosures

Report ID: 458348 - 7806204

Page 1 of 7

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



SAMPLE SUMMARY

Workorder: T1618998 TMDL/SMP

Lab ID	Sample ID	Matrix	Date Collected	Date Received
T1618998001	TP11	Water	11/29/2016 12:20	11/29/2016 13:43

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS

Workorder: T1618998 TMDL/SMP

Lab ID: **T1618998001**

Date Received: 11/29/16 13:43 Matrix: Water

Sample ID: **TP11**

Date Collected: 11/29/16 12:20

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Fecal Coliform MF,SM9222D,Water			Analytical Method: SM 9222D					
Coliform Fecal	1250	B	#/100 mL	9	9	9	11/29/2016 15:31	T

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



ANALYTICAL RESULTS QUALIFIERS

Workorder: T1618998 TMDL/SMP

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- B Results based upon colony counts outside the acceptable range.

LAB QUALIFIERS

- T DOH Certification #E84589(AEL-T)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



QUALITY CONTROL DATA

Workorder: T1618998 TMDL/SMP

QC Batch:	MICt/2226	Analysis Method:	SM 9222D
QC Batch Method:	SM 9222D	Prepared:	
Associated Lab Samples:	T1618998001		

METHOD BLANK: 2211465

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology Coliform Fecal	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: T1618998 TMDL/SMP

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
T1618998001	TP11			SM 9222D	MICt/2226

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc.



[illegible]