

Central Laboratory Submittal Form

Customer: SE-DIST

Requester: Jordan Skaggs

Field Report Prepared By:

Rachel Brewster + Tom Wippick

Project ID: SMP

Collected By:

Rachel Brewster, Kalina Warren, Tom Wippick

Sampling Agency:

FDEP SE ROX

Location 02/29/2016 Field ID 12:15 G5SE0010 02/29/2016 Field ID Ocean Canal 3.3 Miles W of US98/US441 3252A 26.679167 -80.417500 A-kit G5SE0010 STORET G5SE0010		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/29/2016 Time 12:15	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 6.3		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
Temp (C) 21.2		pH 7.6	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 1894	
☐ dd ☐ dms		Salinity (ppt) 1.0	Comments			
Location 02/29/2016 Field ID 12:30 G5SE0007 02/29/2016 Field ID Ocean Canal @ CR 880 East 3252A 26.678492 -80.457140 A-kit G5SE0007 STORET G5SE0007		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/29/2016 Time 12:30	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.3		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
Temp (C) 20.0		pH 7.8	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 2104	
☐ dd ☐ dms		Salinity (ppt) 1.09	Comments No flow			
Location 02/29/2016 Field ID 13:20 G5SE0025 02/29/2016 Field ID Hillsboro Canal @ SR715 3248A 26.694056 -80.684250 A-kit G5SE0025 STORET G5SE0025		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/29/2016 Time 13:20	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 5.4		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
Temp (C) 20.2		pH 7.6	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 1873	
☐ dd ☐ dms		Salinity (ppt) 1.0	Comments Flow 0.3 ft/sec West			
Location Field ID Field Cleared Equipment Blank		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/29/2016 Time 13:40	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C
Temp (C)		pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
☐ dd ☐ dms		Salinity (ppt)	Comments Flow 0.3 ft/sec West			

Relinquished By:	Date/Time	Shipping Method	Received By:	Date/Time	Relinquished By:	Date/Time	Received By:	Date/Time
Rachel Brewster + Tom Wippick	02/29/2016 17:00	FedEx	[Signature]	03/01/16				

Tom Wippick

09:30

03-01-16

Request Number: RQ-2016-02-22-24

Florida Department of Environmental Protection

2 of 2
Page 1 of 4

SMP_2016_Yellow_weekof2/22_plus blank

Central Laboratory Submittal Form

last revised Nov 10, 2015

Customer: SE-DIST

Requester: Jordan Skaggs

Field Report Prepared By:

Rachel Brewster, Kalina Warren, & Tam Wippick

Project ID: SMP

Collected By:

Sampling Agency:

FDEP-SE-ROC

Location N New River Canal @ SR80 3248 26.664353 -80.712419 A-kit	28010912 02/29/2016 Field ID STORET Date: 2/29/2016 Time: 14:00 28010912	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/29/16 Time 14:00	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 7.6	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
STORET #	Temp (C) 21.5	pH 7.8	Sample Depth 0.3	Sp. Conductance (umho/cm) 1099		
Latitude	Salinity (ppt) 0.9	Comments Flow = 0.2 ft/sec south				
Location SEWMD Canal C2444	28011001-02/29/2016 Field ID STORET # 28011001	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/29/16 Time 14:40	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 1.5	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
STORET #	Temp (C) 23.8	pH 7.1	Sample Depth 0.3	Sp. Conductance (umho/cm) 1391		
Latitude	Salinity (ppt) 0.7	Comments Construction nearby, turbid, barriers, dead algal mats, No flow.				
Location L25 Canal at Corkscrew Rd. 3251 26.696017 -80.806781 A-kit	28010980 02/29/2016 Field ID STORET Date: 2/29/16 Time: 15:20 28010980	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 02/29/16 Time 15:20	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 5.2	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		B
STORET #	Temp (C) 19.2	pH 7.4	Sample Depth 0.3	Sp. Conductance (umho/cm) 1536		
Latitude	Salinity (ppt) 0.8	Comments				
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)		
STORET #	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)		
Latitude	Salinity (ppt)	Comments				

Relinquished By:	Date/Time	Shipping Method	Received By:	Date/Time	Relinquished By:	Date/Time	Received By:	Date/Time
Rachel Brewster + Tam Wippick	02/29/2016 17:00	12dEx	[Signature]	03-01-16 09:30				

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	BOD-UNIN						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	60 total
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						

Date of Request: 02-FEB-2016
 Created By: SKAGGS_J On: 02-FEB-2016
 Modified By: WATTS_J On: 19-FEB-2016
 Customer: SE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Sampling Event: SMP_2016_Yellow_weekof2/22_plus blank

Send Coolers To:

Phone: (772) 579-3039
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-FEB-2016
 Biology Request Reviewed By: SWANSON_C On: 03-FEB-2016
 Sampling Kit Required: YES Ship on: 10-FEB-2016
 Sampling Kit Shipped: YES On: 09-FEB-2016
 Sampling Kit Packed By: BOWDEN_M
 Preservatives Needed: NO
 Date to Receive Samples: 29-FEB-2016
 Received By: BOWDEN_M On: 01-MAR-2016

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Chromium

Copper

Lead

Silver

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 6 Samples:

Bottle Type: P-500ML	Number of Bottles: 6	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 6	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Type: P-1L	Number of Bottles: 6	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 6	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 6	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Calcium

Iron

Magnesium

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Chromium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ- 2016-02-22-24

Shipping Method: Fed Ex

Date/Time of Receipt: 03-01-16 19:30

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.7C	10		✓			
Red	1.1C	10		✓			
Red	0.8C	10		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain Of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: [Signature]

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: 1

Coolers Unpacked/Checked by: ARJ Date: 03-01-16

NCRs (Y/N)? —

Event ID: SMP_2016_Yellow_weekof2/22_plus bla

SE-DIST-2016-03-01-01 (SMP)

NCR # —

Date Received: 01-MAR-2016 09:30

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and Time Placed in Freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

Samples Preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____


Additional Comments:

TRK# 7824 8861 7916
0201

TUE - 01 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US TLH



TRK# 7824 8860 5599
0201

TUE - 01 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US TLH



TRK# 7824 8862 8074
0201

TUE - 01 MAR 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US TLH

