

Chemical Analysis Report

SE-DIST-2016-03-25-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SMP_2016 Red week of 3/14**
Request ID: **RQ-2016-03-14-10**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Jordan Skaggs

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Environmental Administrator

Date Certified: 14-APR-2016 14:59

A handwritten signature in black ink, appearing to read "Colin Wright", is positioned on a light-colored rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: WCA2B @ S-141

Collection Date/Time: 03/24/2016 13:30

Field ID: G5SE0040_03242016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1783635	EPA 180.1 Rev. 2.0	Turbidity	0.55		NTU	P301069	
	EPA 300.0 Rev. 2.1	Chloride	130		mg Cl/L	P301381	
		Sulfate	54		mg SO4/L	P301385	
	SM 2120 B	Color (true)	100		PCU	P301078	
	SM 2320 B-97	Total Alkalinity	247		mg CaCO3/L	P301476	
	SM 2540 C-97	TDS	602		mg/L	P301399	
	SM 2540 D-97	TSS	2	I	mg/L	P301471	
	SM 4500 F-C-97	Fluoride	0.65		mg F/L	P301481	
1783638	EPA 350.1 Rev. 2.0	Ammonia-N	0.022		mg N/L	P301684	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	2.0		mg N/L	P301588	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	I	mg N/L	P301497	
	EPA 365.1 Rev. 2.0	Total-P	0.01		mg P/L	P301456	
	SM 5310 B-00	Organic Carbon	32		mg C/L	P301424	
1783641	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P301072	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: WCA-3 L-67 @ S-151

Collection Date/Time: 03/24/2016 14:15

Field ID: G5SE0041_03242016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1783636	EPA 180.1 Rev. 2.0	Turbidity	0.75		NTU	P301069	
	EPA 300.0 Rev. 2.1	Chloride	100		mg Cl/L	P301389	
		Sulfate	41		mg SO4/L	P301384	
	SM 2120 B	Color (true)	91		PCU	P301078	
	SM 2320 B-97	Total Alkalinity	223		mg CaCO3/L	P301476	
	SM 2540 C-97	TDS	493		mg/L	P301399	
	SM 2540 D-97	TSS	2	I	mg/L	P301471	
	SM 4500 F-C-97	Fluoride	0.48		mg F/L	P301481	
1783639	EPA 350.1 Rev. 2.0	Ammonia-N	0.032		mg N/L	P301684	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.7		mg N/L	P301588	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.020		mg N/L	P301497	
	EPA 365.1 Rev. 2.0	Total-P	0.012		mg P/L	P301459	
	SM 5310 B-00	Organic Carbon	28		mg C/L	P301424	
1783642	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P301073	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: WCA-3 L-65 @ S-151

Collection Date/Time: 03/24/2016 14:16

Field ID: DUPE_03242016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1783637	EPA 180.1 Rev. 2.0	Turbidity	0.85		NTU	P301069	
	EPA 300.0 Rev. 2.1	Chloride	100		mg Cl/L	P301389	
		Sulfate	41		mg SO4/L	P301384	

Field ID: DUPE_03242016

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1783637	SM 2120 B	Color (true)	92		PCU	P301078	
	SM 2320 B-97	Total Alkalinity	223		mg CaCO3/L	P301476	
	SM 2540 C-97	TDS	498		mg/L	P301400	
	SM 2540 D-97	TSS	2	U	mg/L	P301472	
	SM 4500 F-C-97	Fluoride	0.48		mg F/L	P301481	
1783640	EPA 350.1 Rev. 2.0	Ammonia-N	0.032		mg N/L	P301684	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.8		mg N/L	P301589	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.018		mg N/L	P301497	
	EPA 365.1 Rev. 2.0	Total-P	0.012		mg P/L	P301459	
	SM 5310 B-00	Organic Carbon	28		mg C/L	P301424	
1783643	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P301073	

Ref. Method and Comment:
 SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P301069

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P301381

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P301384

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P301385

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P301389

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P301684

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301588

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301589

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301497

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301456

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301459

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301072

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301073

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P301078

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P301476

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 C-97
Batch ID: P301399

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P301400

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P301471

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P301472

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P301481

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P301424

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301381

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301384

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301385

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301385

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301389

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	98.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301684

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301588

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	95.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301589

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	94.5		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301497

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301456

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301459

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301072

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	103		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301073

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P301476

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P301481

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	96.6		P	94 - 108

Reference Method: SM 5310 B-00
Batch ID: P301424

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	100		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301381

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783607	Chloride	94.6		P	90 - 110
1783608	Chloride	95.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301384

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783613	Sulfate	94.3		P	90 - 110
1783614	Sulfate	94.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301385

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783607	Sulfate	94.7		P	90 - 110
1783608	Sulfate	94.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301389

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783613	Chloride	95.0		P	90 - 110
1783614	Chloride	96.7		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301684

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783623	Ammonia-N	98.9	102	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301588

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783617	Kjeldahl Nitrogen	88.6	86.8	F/F	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301589

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783754	Kjeldahl Nitrogen	101	99.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301497

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783638	NO2NO3-N	100	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301456

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783624	Total-P	103	98.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301459

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783639	Total-P	95.4	95.8	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301072

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783626	O-Phosphate-P	99.9	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301073

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783719	O-Phosphate-P	98.2	99.5	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P301481

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783590	Fluoride	98.8	101	P/P	94 - 107

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 5310 B-00
Batch ID: P301424

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1783564	Organic Carbon	92.2	93.7	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P301069

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783557	Turbidity	4.46	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301381

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783607	Chloride	0.179	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301384

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783613	Sulfate	0.373	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301385

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783607	Sulfate	0.0992	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P301389

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783613	Chloride	0.198	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P301684

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783623	Ammonia-N	2.94	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301588

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783617	Kjeldahl Nitrogen	1.14	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P301589

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783754	Kjeldahl Nitrogen	0.664	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P301497

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783638	NO2NO3-N	0.491	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301456

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783624	Total-P	4.03	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P301459

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783639	Total-P	0.334	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301072

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783626	O-Phosphate-P	1.10	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P301073

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783719	O-Phosphate-P	1.23	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P301078

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783563	Color (true)	1.82	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
Batch ID: P301476

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783590	Total Alkalinity	0.297	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P301399

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783552	TDS	3.74	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P301400

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783713	TDS	3.32	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P301481

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783590	Fluoride	1.46	Spike	P	0 - 3.7

Reference Method: SM 5310 B-00
Batch ID: P301424

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1783564	Organic Carbon	0.871	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A68445
Included Lab Sample IDs: 1783635, 1783636, 1783637

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.0	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A68446
Included Lab Sample IDs: 1783641, 1783642, 1783643

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.2	98.7	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B

Run ID: A68449

Included Lab Sample IDs: 1783635, 1783636, 1783637

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	97.0	98.0	P/P	90 - 115

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A68546

Included Lab Sample IDs: 1783635, 1783636, 1783637

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	101	P/P	90 - 110
Chloride	101	102	P/P	90 - 110
Sulfate	99.1	101	P/P	90 - 110
Sulfate	99.5	99.1	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A68589

Included Lab Sample IDs: 1783638, 1783639, 1783640

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	94.2	94.5	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A68607

Included Lab Sample IDs: 1783635, 1783636, 1783637

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	99.8	P/P	90 - 110
Total Alkalinity	99.8	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A68607

Included Lab Sample IDs: 1783635, 1783636, 1783637

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	99.5	P/P	90 - 110
Fluoride	99.5	99.5	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A68614

Included Lab Sample IDs: 1783638, 1783639, 1783640

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A68662

Included Lab Sample IDs: 1783638, 1783639, 1783640

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	99.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A68692

Included Lab Sample IDs: 1783638, 1783639, 1783640

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	99.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A68744

Included Lab Sample IDs: 1783638, 1783639, 1783640

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.6	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				4.46	
EPA 300.0 Rev. 2.1	Chloride	97.4	94.6 95.8		0.179	
	Chloride	98.2	95.0 96.7		0.198	
	Sulfate	97.4	94.3 94.8		0.373	
	Sulfate	101	94.7 94.4		0.0992	
EPA 350.1 Rev. 2.0	Ammonia-N	100	98.9 102			2.94
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	95.0	88.6 86.8			1.14
	Kjeldahl Nitrogen	94.5	101 99.7			0.664
EPA 353.2 Rev. 2.0	NO2NO3-N	102	100 99.5			0.491
EPA 365.1 Rev. 2.0	Total-P	97.1	103 98.5			4.03
	Total-P	101	95.4 95.8			0.334
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	103	99.9 101			1.10
	O-Phosphate-P	102	98.2 99.5			1.23
SM 2120 B	Color (true)				1.82	
SM 2320 B-97	Total Alkalinity	103			0.297	
SM 2540 C-97	TDS				3.74	
	TDS				3.32	
SM 4500 F-C-97	Fluoride	96.6	98.8 101			1.46
SM 5310 B-00	Organic Carbon	100	92.2 93.7			0.871

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1783635, 1783636, 1783637
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1783635, 1783636, 1783637
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1783635, 1783636, 1783637
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1783638, 1783639, 1783640

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1783638, 1783639, 1783640
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1783638, 1783639, 1783640
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1783638, 1783639, 1783640
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1783641, 1783642, 1783643
SM 2120 B / E31780	True Color measured at 450 nm	1783635, 1783636, 1783637
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1783635, 1783636, 1783637
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1783635, 1783636, 1783637
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1783635, 1783636, 1783637
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1783635, 1783636, 1783637
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1783638, 1783639, 1783640

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/25/2016			03/25/2016 14:31	Sima Feizi	1783635, 1783636, 1783637
EPA 300.0 Rev. 2.1	03/25/2016			03/31/2016	Ping Hua	1783635, 1783636, 1783637
EPA 350.1 Rev. 2.0	03/25/2016			04/05/2016	Diana M. Turner	1783638, 1783639, 1783640
EPA 351.2 Rev. 2.0	03/25/2016	04/05/2016	Sofia Elnemr	04/07/2016	Virginia P. Brown	1783638, 1783639, 1783640
EPA 353.2 Rev. 2.0	03/25/2016			04/01/2016	Diana M. Turner	1783638, 1783639, 1783640
EPA 365.1 Rev. 2.0	03/25/2016	04/04/2016	Christopher Armour	04/06/2016	Rochelle Y Jackson	1783638, 1783639, 1783640
EPA 365.1 Rev. 2.0 dissolved	03/25/2016			03/25/2016 15:28	Ping Hua	1783641
	03/25/2016			03/25/2016 15:29	Ping Hua	1783642
	03/25/2016			03/25/2016 15:30	Ping Hua	1783643
SM 2120 B	03/25/2016			03/25/2016 16:30	Rochelle Y Jackson	1783635
	03/25/2016			03/25/2016 16:31	Rochelle Y Jackson	1783636
	03/25/2016			03/25/2016 16:32	Rochelle Y Jackson	1783637
SM 2320 B-97	03/25/2016			03/31/2016	Dale L. Simmons	1783635, 1783636, 1783637
SM 2540 C-97	03/25/2016			03/29/2016	Yijie Li	1783635, 1783636, 1783637
SM 2540 D-97	03/25/2016			03/29/2016	Yijie Li	1783635, 1783636, 1783637
SM 4500 F-C-97	03/25/2016			03/31/2016	Dale L. Simmons	1783635, 1783636, 1783637
SM 5310 B-00	03/25/2016			03/31/2016	Sofia Elnemr	1783638, 1783639, 1783640