

Chemical Analysis Report

SE-DIST-2016-06-09-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **SMP-Goob Run**
Request ID: **RQ-2016-06-13-34**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 05-JUL-2016 14:08

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: C-9 Snake Creek Canal East @ NW 57th Ave. Collection Date/Time: 06/08/2016 10:40

Field ID: G4SE0075

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1807028	EPA 180.1 Rev. 2.0	Turbidity	0.65		NTU	P306013	
	EPA 300.0 Rev. 2.1	Chloride	65		mg Cl/L	P306580	
		Sulfate	6.2		mg SO4/L	P306582	
	SM 2120 B	Color (true)	41		PCU	P305950	
	SM 2320 B-97	Total Alkalinity	205		mg CaCO3/L	P306031	
	SM 2540 C-97	TDS	346		mg/L	P306557	
	SM 2540 D-97	TSS	2	U	mg/L	P306282	
	SM 4500 F-C-97	Fluoride	0.28		mg F/L	P306036	
1807032	EPA 350.1 Rev. 2.0	Ammonia-N	0.61		mg N/L	P306272	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.5		mg N/L	P306059	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.032		mg N/L	P306151	
	EPA 365.1 Rev. 2.0	Total-P	0.008		mg P/L	P306221	
	SM 5310 B-00	Organic Carbon	12		mg C/L	P306402	
1807036	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P305930	
1807075	EPA 200.7 Rev. 4.4	Calcium	71.1		mg/L	P306117	
		Iron	370		ug/L	P306117	
		Magnesium	10.8		mg/L	P306117	
		Potassium	3.0		mg/L	P306117	
		Sodium	44.5		mg/L	P306117	
	EPA 200.8 Rev. 5.4	Zinc	5.0	U	ug/L	P306117	
		Arsenic	1.14		ug/L	P306117	
		Cadmium	0.020	U	ug/L	P306117	
		Chromium	0.13	I	ug/L	P306117	
		Copper	0.17	I	ug/L	P306117	
		Lead	0.063	I	ug/L	P306117	
		Nickel	0.25		ug/L	P306117	
		Silver	0.0050	U	ug/L	P306117	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: C-7 Little River (LR-10 Miami-Dade) Collection Date/Time: 06/08/2016 11:20

Field ID: G4SELR10

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1807029	EPA 180.1 Rev. 2.0	Turbidity	0.55		NTU	P306013	
	EPA 300.0 Rev. 2.1	Chloride	74		mg Cl/L	P306580	
		Sulfate	15		mg SO4/L	P306582	
	SM 2120 B	Color (true)	78	A	PCU	P305950	
	SM 2320 B-97	Total Alkalinity	200		mg CaCO3/L	P306031	
	SM 2540 C-97	TDS	378		mg/L	P306557	
	SM 2540 D-97	TSS	2	U	mg/L	P306282	
	SM 4500 F-C-97	Fluoride	0.35		mg F/L	P306036	
1807033	EPA 350.1 Rev. 2.0	Ammonia-N	1.9		mg N/L	P306425	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	3.1		mg N/L	P306059	MS

Field ID: G4SELR10

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1807033	EPA 353.2 Rev. 2.0	NO2NO3-N	0.015		mg N/L	P306151	
	EPA 365.1 Rev. 2.0	Total-P	0.015		mg P/L	P306221	
	SM 5310 B-00	Organic Carbon	19		mg C/L	P306403	
1807037	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.005	I	mg P/L	P305930	
1807076	EPA 200.7 Rev. 4.4	Calcium	67.1		mg/L	P306117	
		Iron	35	I	ug/L	P306117	
		Magnesium	13.1		mg/L	P306117	
		Potassium	5.3		mg/L	P306117	
		Sodium	48.0		mg/L	P306117	
		Zinc	5.0	U	ug/L	P306117	
	EPA 200.8 Rev. 5.4	Arsenic	0.90		ug/L	P306117	
		Cadmium	0.020	U	ug/L	P306117	
		Chromium	0.23		ug/L	P306117	
		Copper	0.21	I	ug/L	P306117	
		Lead	0.050	U	ug/L	P306117	
		Nickel	0.28		ug/L	P306117	
		Silver	0.0050	U	ug/L	P306117	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: Tamiami Canal L-67 @ SR41

Collection Date/Time: 06/08/2016 13:15

Field ID: G4SE0087

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1807030	EPA 180.1 Rev. 2.0	Turbidity	1.1		NTU	P306013	
	EPA 300.0 Rev. 2.1	Chloride	70		mg Cl/L	P306581	
		Sulfate	20		mg SO4/L	P306583	
		Color (true)	98		PCU	P305950	
	SM 2320 B-97	Total Alkalinity	173		mg CaCO3/L	P306031	
	SM 2540 C-97	TDS	371		mg/L	P306557	
	SM 2540 D-97	TSS	2	I	mg/L	P306282	
	SM 4500 F-C-97	Fluoride	0.35		mg F/L	P306036	
1807034	EPA 350.1 Rev. 2.0	Ammonia-N	0.046		mg N/L	P306425	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.6		mg N/L	P306059	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.040		mg N/L	P306151	
	EPA 365.1 Rev. 2.0	Total-P	0.014		mg P/L	P306221	
	SM 5310 B-00	Organic Carbon	23		mg C/L	P306403	
1807038	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P305930	
1807077	EPA 200.7 Rev. 4.4	Calcium	58.3		mg/L	P306117	
		Iron	210		ug/L	P306117	
		Magnesium	14.7		mg/L	P306117	
		Potassium	4.9		mg/L	P306117	
		Sodium	44.7		mg/L	P306117	
		Zinc	5.0	U	ug/L	P306117	
	EPA 200.8 Rev. 5.4	Arsenic	1.23		ug/L	P306117	

Field ID: G4SE0087

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1807077	EPA 200.8 Rev. 5.4	Cadmium	0.020	U	ug/L	P306117	
		Chromium	0.070	I	ug/L	P306117	
		Copper	0.12	I	ug/L	P306117	
		Lead	0.052	I	ug/L	P306117	
		Nickel	0.11	I	ug/L	P306117	
		Silver	0.0050	U	ug/L	P306117	

Ref. Method and Comment:

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: Field Blank

Collection Date/Time: 06/08/2016 13:20

Field ID: Field Blank_G4SE0087

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1807040	EPA 180.1 Rev. 2.0	Turbidity	0.20		NTU	P306013	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P306581	
		Sulfate	0.20	U	mg SO4/L	P306583	
	SM 2120 B	Color (true)	2.5	U	PCU	P305950	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P306031	
	SM 2540 C-97	TDS	15	U	mg/L	P306558	
	SM 2540 D-97	TSS	2	U	mg/L	P306283	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P306036	
1807041	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P306272	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P306059	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P306151	
	EPA 365.1 Rev. 2.0	Total-P	0.003	I	mg P/L	P306222	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P306403	
1807042	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P305930	
1807079	EPA 200.7 Rev. 4.4	Calcium	0.075	U	mg/L	P306117	
		Iron	30	U	ug/L	P306117	
		Magnesium	0.040	U	mg/L	P306117	
		Potassium	0.30	U	mg/L	P306117	
		Sodium	0.50	U	mg/L	P306117	
		Zinc	5.0	U	ug/L	P306117	
	EPA 200.8 Rev. 5.4	Arsenic	0.050	U	ug/L	P306117	
		Cadmium	0.020	U	ug/L	P306117	
		Chromium	0.050	U	ug/L	P306117	
		Copper	0.10	U	ug/L	P306117	
		Lead	0.050	U	ug/L	P306117	
		Nickel	0.050	U	ug/L	P306117	
		Silver	0.0050	U	ug/L	P306117	

Ref. Method and Comment:

EPA 180.1 Rev. 2.0: The result was confirmed on 06/17/2016.

SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Sample Location: Snake Creek West @ HWY 27

Collection Date/Time: 06/08/2016 14:45

Field ID: G4SE0019

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1807031	EPA 180.1 Rev. 2.0	Turbidity	1.0		NTU	P306013	
	EPA 300.0 Rev. 2.1	Chloride	87		mg Cl/L	P306581	
		Sulfate	1.1		mg SO4/L	P306583	
	SM 2120 B	Color (true)	58		PCU	P305950	
	SM 2320 B-97	Total Alkalinity	223		mg CaCO3/L	P306031	
	SM 2540 C-97	TDS	405	A	mg/L	P306558	
	SM 2540 D-97	TSS	2	U	mg/L	P306283	
	SM 4500 F-C-97	Fluoride	0.28		mg F/L	P306036	
1807035	EPA 350.1 Rev. 2.0	Ammonia-N	0.16		mg N/L	P306272	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P306059	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P306151	
	EPA 365.1 Rev. 2.0	Total-P	0.008		mg P/L	P306221	
	SM 5310 B-00	Organic Carbon	19		mg C/L	P306403	
1807039	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P305930	
1807078	EPA 200.7 Rev. 4.4	Calcium	71.5		mg/L	P306117	
		Iron	200		ug/L	P306117	
		Magnesium	14.4		mg/L	P306117	
		Potassium	3.8		mg/L	P306117	
		Sodium	57.8		mg/L	P306117	
		Zinc	5.0	U	ug/L	P306117	
	EPA 200.8 Rev. 5.4	Arsenic	0.81		ug/L	P306117	
		Cadmium	0.020	U	ug/L	P306117	
		Chromium	0.086	I	ug/L	P306117	
		Copper	0.10	U	ug/L	P306117	
		Lead	0.056	I	ug/L	P306117	
		Nickel	0.11	I	ug/L	P306117	
		Silver	0.0050	U	ug/L	P306117	

Ref. Method and Comment:
 SM 2540 D-97: The precision data is unavailable due to the low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P306013

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
 Batch ID: P306117

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P306117

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.050	U	ug/L
Copper	0.10	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.050	U	ug/L
Silver	0.0050	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306580

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306581

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306582

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306583

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306272

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306425

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306059

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306151

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306221

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306222

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305930

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P305950

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P306031

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P306557

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P306558

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P306282

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
 Batch ID: P306283

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
 Batch ID: P306036

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
 Batch ID: P306402

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: SM 5310 B-00
 Batch ID: P306403

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
 Batch ID: P306117

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	105		P	85 - 115
Iron	107		P	85 - 115
Magnesium	105		P	85 - 115
Potassium	104		P	85 - 115
Sodium	103		P	85 - 115
Zinc	99.7		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
 Batch ID: P306117

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	98.7		P	85 - 115
Cadmium	97.5		P	85 - 115
Chromium	96.5		P	85 - 115
Copper	98.5		P	85 - 115
Lead	96.2		P	85 - 115
Nickel	99.3		P	85 - 115
Silver	98.8		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P306580

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	99.1		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306581

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306582

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306583

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	90.8		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306272

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306425

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.3		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306059

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306151

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	98.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306221

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306222

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.1		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305930

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P306031

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P306036

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	101		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P306402

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.4		P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P306403

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.2		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P306117

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807077	Calcium	110		P	80 - 120
1807077	Iron	110	109	P/P	80 - 120
1807077	Magnesium	108		P	80 - 120
1807077	Potassium	107		P	80 - 120
1807077	Sodium	110		P	80 - 120
1807077	Zinc	104	104	P/P	80 - 120
1807319	Calcium	109		P	80 - 120
1807319	Iron	112		P	80 - 120
1807319	Magnesium	109		P	80 - 120
1807319	Potassium	104		P	80 - 120
1807319	Sodium	104		P	80 - 120
1807319	Zinc	109		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P306117

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807077	Arsenic	103	103	P/P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P306117

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807077	Cadmium	103	99.3	P/P	80 - 120
1807077	Chromium	98.3	99.4	P/P	80 - 120
1807077	Copper	99.5	99.0	P/P	80 - 120
1807077	Lead	99.1	98.8	P/P	80 - 120
1807077	Nickel	98.2	98.5	P/P	80 - 120
1807077	Silver	99.8	100	P/P	80 - 120
1807319	Arsenic	100		P	80 - 120
1807319	Cadmium	104		P	80 - 120
1807319	Chromium	99.9		P	80 - 120
1807319	Copper	98.5		P	80 - 120
1807319	Lead	99.0		P	80 - 120
1807319	Nickel	98.1		P	80 - 120
1807319	Silver	101		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306580

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806956	Chloride	98.1		P	90 - 110
1806977	Chloride	97.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306581

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807297	Chloride	96.2		P	90 - 110
1807327	Chloride	97.1		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306582

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806956	Sulfate	96.0		P	90 - 110
1806977	Sulfate	97.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306583

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807297	Sulfate	97.2		P	90 - 110
1807327	Sulfate	96.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306272

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807005	Ammonia-N	100	99.7	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306425

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306425

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806763	Ammonia-N	99.2	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306059

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807006	Kjeldahl Nitrogen	95.4	110	P/F	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306151

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807004	NO2NO3-N	95.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306221

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807004	Total-P	102	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306222

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807067	Total-P	93.6	96.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305930

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807011	O-Phosphate-P	104	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P306036

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807000	Fluoride	98.9	100	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P306402

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1806860	Organic Carbon	93.9	94.8	P/P	85 - 115

Reference Method: SM 5310 B-00
Batch ID: P306403

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1807034	Organic Carbon	102		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P306013

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807001	Turbidity	4.68	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P306117

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807077	Calcium	1.02	Spike	P	0 - 20
1807077	Iron	0.488	Spike	P	0 - 20
1807077	Magnesium	1.14	Spike	P	0 - 20
1807077	Potassium	0.721	Spike	P	0 - 20
1807077	Sodium	0.874	Spike	P	0 - 20
1807077	Zinc	0.398	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P306117

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807077	Arsenic	0.139	Spike	P	0 - 20
1807077	Cadmium	3.93	Spike	P	0 - 20
1807077	Chromium	1.04	Spike	P	0 - 20
1807077	Copper	0.564	Spike	P	0 - 20
1807077	Lead	0.262	Spike	P	0 - 20
1807077	Nickel	0.310	Spike	P	0 - 20
1807077	Silver	0.344	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306580

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806956	Chloride	0.0333	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306581

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807327	Chloride	0.257	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306582

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806956	Sulfate	1.01	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P306583

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807327	Sulfate	0.961	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306272

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807005	Ammonia-N	0.654	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P306425

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806763	Ammonia-N	0.795	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P306059

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807006	Kjeldahl Nitrogen	8.09	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P306151

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807004	NO2NO3-N	0.451	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306221

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807004	Total-P	1.70	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P306222

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807067	Total-P	2.47	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P305930

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807011	O-Phosphate-P	0.385	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
Batch ID: P305950

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807029	Color (true)	2.07	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P306031

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807000	Total Alkalinity	0.254	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P306557

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807000	TDS	1.64	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P306558

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807031	TDS	0.494	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P306036

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807000	Fluoride	0.974	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P306402

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1806860	Organic Carbon	0.605	Spike	P	0 - 20

Reference Method: SM 5310 B-00
Batch ID: P306403

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1807034	Organic Carbon	0.625	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A69952

Included Lab Sample IDs: 1807036, 1807037, 1807038, 1807039, 1807042

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.0	P/P	90 - 110
O-Phosphate-P	99.0	99.1	P/P	90 - 110
O-Phosphate-P	99.1	98.2	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A69960

Included Lab Sample IDs: 1807028, 1807029, 1807030, 1807031, 1807040

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	101	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A69980

Included Lab Sample IDs: 1807028, 1807029, 1807030, 1807031, 1807040

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	100	P/P	95 - 105

Reference Method: SM 2320 B-97

Run ID: A69989

Included Lab Sample IDs: 1807028, 1807029, 1807030, 1807031, 1807040

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.6	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A69989

Included Lab Sample IDs: 1807028, 1807029, 1807030, 1807031, 1807040

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A70020

Included Lab Sample IDs: 1807032, 1807033, 1807034, 1807035, 1807041

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A70038

Included Lab Sample IDs: 1807032, 1807033, 1807034, 1807035, 1807041

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	97.4	P/P	90 - 110
Kjeldahl Nitrogen	98.1	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A70045

Included Lab Sample IDs: 1807028, 1807029, 1807030, 1807031, 1807040

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	99.6	P/P	90 - 110
Chloride	99.6	100	P/P	90 - 110
Sulfate	95.2	97.8	P/P	90 - 110
Sulfate	97.8	94.8	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A70068

Included Lab Sample IDs: 1807032, 1807035, 1807041

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	100	P/P	90 - 110
Ammonia-N	101	100	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A70072

Included Lab Sample IDs: 1807075, 1807076, 1807077, 1807078, 1807079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	101	102	P/P	90 - 110
Calcium	102	101	P/P	90 - 110
Iron	102	103	P/P	90 - 110
Iron	103	102	P/P	90 - 110
Magnesium	101	104	P/P	90 - 110
Magnesium	104	101	P/P	90 - 110
Potassium	100	99.8	P/P	90 - 110
Potassium	99.8	101	P/P	90 - 110
Sodium	100	101	P/P	90 - 110
Sodium	100	100	P/P	90 - 110
Zinc	101	99.7	P/P	90 - 110
Zinc	99.7	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A70093

Included Lab Sample IDs: 1807032, 1807033, 1807034, 1807035, 1807041

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110
Total-P	100	102	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A70096

Included Lab Sample IDs: 1807075, 1807076, 1807077, 1807078, 1807079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	101	99.9	P/P	90 - 110
Arsenic	99.9	98.7	P/P	90 - 110
Cadmium	96.6	98.0	P/P	90 - 110
Cadmium	98.0	98.4	P/P	90 - 110
Chromium	97.1	97.5	P/P	90 - 110
Chromium	97.5	98.0	P/P	90 - 110
Copper	100	99.4	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A70096

Included Lab Sample IDs: 1807075, 1807076, 1807077, 1807078, 1807079

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Copper	102	100	P/P	90 - 110
Lead	94.2	95.3	P/P	90 - 110
Lead	95.3	94.9	P/P	90 - 110
Nickel	101	99.4	P/P	90 - 110
Nickel	99.4	98.8	P/P	90 - 110
Silver	97.0	98.9	P/P	90 - 110
Silver	98.9	97.8	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A70103

Included Lab Sample IDs: 1807032, 1807033, 1807034, 1807035, 1807041

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.2	96.6	P/P	90 - 110
Organic Carbon	96.6	95.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A70105

Included Lab Sample IDs: 1807033, 1807034

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						4.68	
EPA 200.7 Rev. 4.4	Calcium	105	110	109				1.02
	Iron	107	110	109	112			0.488
	Magnesium	105	108	109				1.14
	Potassium	104	107	104				0.721
	Sodium	103	110	104				0.874
	Zinc	99.7	104	104	109			0.398
EPA 200.8 Rev. 5.4	Arsenic	98.7	103	103	100			0.139
	Cadmium	97.5	103	99.3	104			3.93
	Chromium	96.5	98.3	99.4	99.9			1.04
	Copper	98.5	99.5	99.0	98.5			0.564
	Lead	96.2	99.1	98.8	99.0			0.262
	Nickel	99.3	98.2	98.5	98.1			0.310
	Silver	98.8	99.8	100	101			0.344
EPA 300.0 Rev. 2.1	Chloride	99.1	98.1	97.3			0.0333	
	Chloride	97.7	97.1	96.2			0.257	
	Sulfate	97.2	96.0	97.4			1.01	
	Sulfate	90.8	96.6	97.2			0.961	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 350.1 Rev. 2.0	Ammonia-N	100	100	99.7		0.654
	Ammonia-N	99.3	99.2	100		0.795
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	95.4	110		8.09
EPA 353.2 Rev. 2.0	NO2NO3-N	98.5	95.8			0.451
EPA 365.1 Rev. 2.0	Total-P	101	102	104		1.70
	Total-P	97.1	93.6	96.0		2.47
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	104	104		0.385
SM 2120 B	Color (true)				2.07	
SM 2320 B-97	Total Alkalinity	102			0.254	
SM 2540 C-97	TDS				1.64	
	TDS				0.494	
SM 4500 F-C-97	Fluoride	101	98.9	100		0.974
SM 5310 B-00	Organic Carbon	94.4	93.9	94.8		0.605
	Organic Carbon	95.2	102			0.625

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1807028, 1807029, 1807030, 1807031, 1807040
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	1807075, 1807076, 1807077, 1807078, 1807079
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	1807075, 1807076, 1807077, 1807078, 1807079
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1807028, 1807029, 1807030, 1807031, 1807040
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1807028, 1807029, 1807030, 1807031, 1807040
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1807032, 1807033, 1807034, 1807035, 1807041
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1807032, 1807033, 1807034, 1807035, 1807041
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1807032, 1807033, 1807034, 1807035, 1807041
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1807032, 1807033, 1807034, 1807035, 1807041
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1807036, 1807037, 1807038, 1807039, 1807042
SM 2120 B / E31780	True Color measured at 450 nm	1807028, 1807029, 1807030, 1807031, 1807040
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO3/L	1807028, 1807029, 1807030, 1807031, 1807040
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1807028, 1807029, 1807030, 1807031, 1807040
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1807028, 1807029, 1807030, 1807031, 1807040
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1807028, 1807029, 1807030, 1807031, 1807040
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1807032, 1807033, 1807034, 1807035, 1807041

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	06/09/2016			06/09/2016 15:51	Rochelle Y Jackson	1807028, 1807029, 1807030, 1807031, 1807040
EPA 200.7 Rev. 4.4	06/09/2016	06/14/2016	Elliott D. Healy	06/15/2016	Joshua Ayres	1807075, 1807076, 1807077, 1807078, 1807079
EPA 200.8 Rev. 5.4	06/09/2016	06/14/2016	Elliott D. Healy	06/16/2016	Charles J. Peterson	1807075, 1807076, 1807077, 1807078, 1807079
EPA 300.0 Rev. 2.1	06/09/2016			06/15/2016	Elisa J Lutz	1807028, 1807029
	06/09/2016			06/16/2016	Elisa J Lutz	1807030, 1807031, 1807040
EPA 350.1 Rev. 2.0	06/09/2016			06/15/2016	Diana M. Turner	1807032, 1807035, 1807041
	06/09/2016			06/17/2016	Diana M. Turner	1807033, 1807034
EPA 351.2 Rev. 2.0	06/09/2016	06/13/2016	Sofia Elnemr	06/14/2016	Christopher Armour	1807032, 1807033, 1807034, 1807035, 1807041
EPA 353.2 Rev. 2.0	06/09/2016			06/13/2016	Beverly Y. Sanders	1807032, 1807033, 1807034, 1807035, 1807041
EPA 365.1 Rev. 2.0	06/09/2016	06/15/2016	Vijayalakshmi Reddy	06/16/2016	Lipi Saha	1807032, 1807033, 1807034, 1807035, 1807041
EPA 365.1 Rev. 2.0 dissolved	06/09/2016			06/09/2016 15:02	Julia Storbeck	1807042
	06/09/2016			06/09/2016 15:22	Julia Storbeck	1807036
	06/09/2016			06/09/2016 15:27	Julia Storbeck	1807037
	06/09/2016			06/09/2016 15:28	Julia Storbeck	1807038
	06/09/2016			06/09/2016 15:29	Julia Storbeck	1807039
SM 2120 B	06/09/2016			06/09/2016 17:18	Chrisoulla Rakowski	1807028
	06/09/2016			06/09/2016 17:19	Chrisoulla Rakowski	1807029
	06/09/2016			06/09/2016 17:20	Chrisoulla Rakowski	1807030
	06/09/2016			06/09/2016 17:21	Chrisoulla Rakowski	1807031, 1807040
SM 2320 B-97	06/09/2016			06/11/2016	Dale L. Simmons	1807028, 1807029, 1807030, 1807031, 1807040
SM 2540 C-97	06/09/2016			06/13/2016	Blanca Fach	1807028, 1807029, 1807030, 1807031, 1807040
SM 2540 D-97	06/09/2016			06/13/2016	Blanca Fach	1807028, 1807029, 1807030, 1807031, 1807040
SM 4500 F-C-97	06/09/2016			06/11/2016	Dale L. Simmons	1807028, 1807029, 1807030, 1807031, 1807040
SM 5310 B-00	06/09/2016			06/16/2016	Diana M. Turner	1807032, 1807034
	06/09/2016			06/17/2016	Diana M. Turner	1807033, 1807035, 1807041