



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

February 2016

PAGE 1 OF

Data Qualified?
Yes / No

STORET Station Name: Moriah Creek at St Marks River

Date: (mm/dd/yyyy)

STORET Station ID: G1WA0037

Latitude: 30.18194 (Decimal Degrees)

WBID: 1121 RQ - 2016-04-25-64

ORG ID: 21FLA

Longitude: 84.18967 (Decimal Degrees)

Receiving Body of Water: St. Marks River

Field ID: G1WA0037

County: Wakulla

Sampling Team Members							WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Duplicate Collection	Blank Collection	
Curtis Musson														
Ben Ralys														
Justin Wallheiser														

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☒ Syringe	
☐ Dipper	☐ Other	
Equipment ID		

Collection Method	
☐ Wading	☐ Via Boat
☐ From Shore	☐ Canoe/Kayak
☐ Other (note below)	☐ Electric Motor
	☒ Gasoline Motor

Water Level: Dry / Low / Normal / <u>High</u> / Flooded	Matrix: <u>Fresh</u> / Marine / DI
Meter ID# <u>Biggs #2</u>	Photos: <u>Yes</u> / No
	Tide Falling: Yes / No / <u>NA</u>

Field Sample

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (µmhos/cm)	Temp. (C°)
<u>EST</u>	<u>11:00</u>	<u>0.3</u>	<u>1.4</u>	<u>4.96</u>	<u>55.4</u>	<u>7.42</u>	<u>0.17</u>	<u>VOB</u>	<u>354</u>	<u>20.82</u>
CEN										

Biological Samples Collected: None HA SCI LVS RPS LVI Other						
Parameter Suite	Parameter Methods		Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP		☒ Ice ☒ H2SO4	<u>529020</u>	<u>9-16-16</u>	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP		☐ Ice ☐ HNO2			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter		☒ Ice			
Chlorophyll	☒ CHLSUITE-W		☒ Ice			
Physical/Aggregate (Kit A/C)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS		☒ Ice			
Physical/Aggregate (Kit B/D)	☐ Alkalinity / W-F / W-TSS / TURBIDITY		☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC		☐ Formalin			
Microbiology	☐ E Coli ☐ F Coli ☐ Entero ☐ QPCR		☐ Ice			
Periphyton	☐ ALGAE-ID		☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH		☐ Ice ☐ Other			

Contains
1:1
Sulfuric Acid
SA-5259020
EXP: 09/16/16
Warning!

Sticker(s) Here
(available)

QA/QC Sample Information

Duplicate

Time Zone: EST CEN		Sample Depth (m): _____		Field ID: _____	
Time: _____		Total Depth (m): _____			
Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☐ Ice ☐ H ₂ SO ₄			☐ < 2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO ₃			☐ < 2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice	Place Preservative Sticker(s) Here (If Available)		
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Kit A/C)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Kit B/D)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococcus ☐ QPCR	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other			

Blank

Time Zone: EST CEN		Time: 0945		Field ID: G1WA0028 B		Location: Wakefield below US 98	
☒ Field Blank ☐ Equipment Blank ☐ Field Cleaned Equipment Blank		Equipment ID: _____					
Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check		
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H ₂ SO ₄	5259020	1/16/16	☒ < 2		
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice			☐ < 2		
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice	Place Preservative Sticker(s) Here (If Available)				
Chlorophyll	☒ CHLSUITE-W	☒ Ice					
Physical/Aggregate (Kit A/C)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice					
Physical/Aggregate (Kit B/D)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice					
Microbiology	☐ E Coli ☐ F Coli ☐ Enterococcus ☐ QPCR	☐ Ice					
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other					

Notes:		Place Label Here (If Available)	
Signature: <i>[Signature]</i>		Date: 4/27/16	

Field Parameters Entered into LIMS: <i>CM 4/28/16</i>	Field Parameters QC in LIMS: _____
(Initials/Date)	(Initials/Date)
Date Migrated to STORET: _____	Field Sheets Scanned/Saved: _____
(Initials/Date)	(Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this name.

Meter Biodex # 2

RQ- RQ-2016-04-25-64

Project SMP

- Notes:** (1) Numbers ≤ 4 , are rounded down; numbers ≥ 5 are rounded up (e.g., 5.15 becomes 5.2).
 (2) Always wait for meter to stabilize before recording any readings.
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site _____

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 03/04/2016

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Curtis Musson	4/27/16	0711	23.5	8.5	8.50	100.0	71.7	—	P	L
ICV	Curtis Musson	4-27-16	0713	23.5	8.5	8.50	100.0	71.7	—	P	L
CCV	Curtis Musson	4/27/16	1538	30.1	7.55	7.60	100.0	52.3	—	P	L
CCV											

Report DO mg/L with one decimal figure and DO % saturation as a whole number with no decimals.

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard $\mu\text{mhos/cm}$	Meter Reading $\mu\text{mhos/cm}$	Pass / Fail	Lab / Field
Calibr.	Curtis Musson	4/27/16	0717	CC14162	10/15/16	996	996	P	L
ICV	Curtis Musson	4/27/16	0721	CC13882	7/15/16	101.1	101	P	L
CCV	Curtis Musson	4/27/16	1540	CC14162	10/15/16	996	1022	P	L
CCV									

Report specific conductance as a whole number with no decimal figure.

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Sustine Wallhiser	4/29/16	0723	153035	07/20/17	7.0	7.00	-8.6	P	L
Calibr.	Sustine Wallhiser	4/29/16	0724	154634	07/20/17	4.0	4.01	165.3	P	L
Calibr.	Sustine Wallhiser	4/29/16	0726	146934	10/20/16	10.0	10.02	-189.2	P	L
ICV	Sustine Wallhiser	4/29/16	0728	153035	07/20/17	7.0	6.96	-8	P	L
CCV	Curtis Musson	4/27/16	1542	146934	10/20/16	10.0	10.04	-189.4	P	L
CCV										

Report pH with one decimal place; pH Acceptance criteria ± 0.2 SU;

mV pH7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

Slope from 7 to 10 and 4 to 7 must be between 165 and 180 mV

Depth (Quarterly)

Date of Last Depth Verification _____

Depth Sensor (Daily)	Name	Date	Time CT-ET	Zero the Sensor	ICV Value	Pass / Fail	Lab / Field
Pressure mode in air				0.000			

ICV acceptance criteria $\pm 5\%$ or $\pm 0.05\text{m}$, whichever is greater

Moriah Creek, Wakulla River Below Highway 98 Bridge

Requester: Benjamin Ralys

Collected By:

Benjamin Ralys

Benjamin Ralys, Curtis Mussen

Field Report Prepared By:

Sampling Agency:

Curtis Mussen
FDEP

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Curtis Mussen	4/27/16	Drop Off		S/L	4/27/16 / 3:16
Wesley	15:21				

Moriah Creek, Wakulla River Below Highway 98 Bridge

Customer: WQAP

Requester: Benjamin Ralys

Project ID: SMP

Collected By: Benjamin Reilly

Requester: Benjamin Ralys

Field Report Prepared By:

Sampling Agency: **FDEP**

Location	Field ID	STORET #	Latitude	Longitude	dd	dms	dd	dms	Comp	Grab	Collection (comp begin or grab)	Date	Matrix (type, e.g., Salt, Fresh, etc)	pH	Temp (C)	Salinity (ppt)	Comments	Time	Eastern	Central	Composite end	Date	mg/L	% sat	Total Res. Chlorine (mg/L)	Bottle Group(s)
Morianh Creek at St Marks River	GLWA0037		30.18194	84.18967	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.42	20.82	0.17	0.17	7.42	11:00	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A	
Morianh Creek at US 98	GLWA0027		30.1961	84.1965	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.32	21.92	0.19	0.19	7.32	13:00	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L	% sat	Total Res. Chlorine (mg/L)	A, B	
Morianh Creek 100 Meters upstream	GLWA0057		30.1857	84.1929	dd	dms	dd	dms	☐	☒	Matrix (type, e.g., Salt, Fresh, etc)	4/27/16	Fresh	7.47	21.76	0.19	0.19	7.47	13:05	☒	☐	mg/L				

Relinquished By: Curtis Musson	Date/Time 4/27/16	Shipping Method Drop Off	Number of Coolers Shipped:	Received By: SK	Date/Time 4/27/16
-----------------------------------	----------------------	-----------------------------	----------------------------	--------------------	----------------------

Group: D	Bottle Type: BOD-UNIN	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab
Group: D	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab
Group: E	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-TDS W-TSS	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: E	Bottle Type: BOD-UNIN	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: E	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab
Group: E	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab
Group: E	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab

Printed: 4/26/2016 4:27:40 PM

Page 1 of 3

Date of Request: 12-APR-2016
 Created By: RALYS_B On: 12-APR-2016
 Modified By: SWANSON_C On: 13-APR-2016
 Customer: WQAP
 Project: SMP
 Division:
 District:
 Sampling Event: Moriah Creek, Wakulla River Below Highway 98 Bridge

Send Coolers To:

Phone: 850-245-8443
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Benjamin Ralys

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 12-APR-2016
 Biology Request Reviewed By: SWANSON_C On: 13-APR-2016
 Sampling Kit Required: YES Ship on: 18-APR-2016
 Sampling Kit Shipped: YES On: 18-APR-2016
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 27-APR-2016
 Received By:

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Katrina Sanders

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Bottle Group A: Freshwater Chemistry bottle set
 Bottle Group B: Biology (SCI)
 Bottle Group C: Biology Algal
 Bottle Group D: Freshwater Chemistry bottle set Duplicate
 Bottle Group E: Freshwater Chemistry bottle set field blank

4 - liters of DI water

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Biochemical Oxygen Demand-5 Day		

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Chlorophyll/Phaeophytin Ratio
 Chlorophyll-a, Corrected

Bottle Group A (Water) With 3 Samples:

Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

Bottle Group B (Biological) With 2 Samples:

Bottle Type: PJ-2L	Number of Bottles: 4	Preserved With: Formalin
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.
*Macroinvert-FW-Qual-DipnetX20-#Taxa-Rep2		
*Stream Condition Index (SCI)		

Bottle Group C (Biological) With 2 Samples:

Bottle Type: PT-50ML	Number of Bottles: 2	Preserved With: ICE
ALGAL_ID	Template: DEFAULT	(SOP-AB05) Qualitative assessment of algal taxa present without counts
*Dominant sample taxon		

Bottle Group D (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Biochemical Oxygen Demand-5 Day		

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Biochemical Oxygen Demand-5 Day		
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Cooler Packing Worksheet for Request: RQ-2016-04-25-64

Moriah Creek, Wakulla River Below Highway 98 Bridge

Ship Cooler On: 4/12/2016
Customer/Project: WQAP/SMP

Requester: Benjamin Ralys
Priority: 3

850-245-8443
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400

Attn: Benjamin Ralys

Comments:

No preservatives needed.

Bottle Group A: Freshwater Chemistry bottle set
Bottle Group B: Biology (SCI)
Bottle Group C: Biology Algal
Bottle Group D: Freshwater Chemistry bottle set Duplicate
Bottle Group E: Freshwater Chemistry bottle set field blank

4 - liters of DI water

Requested Analyses:

Bottle Group: A

of Sites: 3

Container ID: P-1L

Qty: 3 Preservation: ICE

Lot # 00064563

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices

Container ID: P-1L

Qty: 3 Preservation: ICE

Lot # 00064563

Description: Plastic Bottle 1L

Analysis

BOD-UNIN

Description

BOD, NOT nitrogen-inhibited

Container ID: BP-1L

Qty: 3 Preservation: ICE

Lot # 1166621

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Container ID: P-500ML

Qty: 3 Preservation: ICE And H2SO4

Lot # 00064521

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 3 Preservation: ICE-FLTR

Lot # 00064632

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 2

Container ID: PJ-2L

Qty: 4 Preservation: Formalin

Lot # 03064820

Description: Plastic Jar 2 L

Analysis

MI-FW-QLDC

Description

No. Taxa of FW macroinverts, qual samp, 20 dipnets.

Bottle Group: C

of Sites: 2

Container ID: PT-50ML

Qty: 2 Preservation: ICE

Lot # 03715003

Description: Plastic Tube 50 mL

Analysis

ALGAL_ID

Description

Qualitative assessment of algal taxa present without counts

Bottle Group: D**# of Sites: 1**

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 00064523

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-TDS

W-TSS

DescriptionAlkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 00064523

Description: Plastic Bottle 1L

Analysis

BOD-UNIN

Description

BOD, NOT nitrogen-inhibited

Container ID: BP-1L

Qty: 1 Preservation: ICE

Lot # 116664

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Container ID: P-500ML

Qty: 1 Preservation: ICE And H₂SO₄Lot # 00064521

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

AnalysisW-NH₃W-NO₂NO₃

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: ICE-FLTR

Lot # 00064539

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: E

of Sites: 1

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 00064523

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 00064523

Description: Plastic Bottle 1L

Analysis

BOD-UNIN

Description

BOD, NOT nitrogen-inhibited

Container ID: BP-1L

Qty: 1 Preservation: ICE

Lot # 1166621

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Container ID: P-500ML

Qty: 1 Preservation: ICE And H₂SO₄

Lot # 00064521

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH₃

W-NO₂NO₃

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

W-S-A-TP

W-TKN

W-TOC

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: ICE-FLTR

Lot # 0064682

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: R18

Date: 4-18-16

DEP Cooler ID #(s): 3

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle (1 per cooler)
- ☐ FedEx Bills, if applicable (1 per cooler)
- ☒ Plastic Bags
- ☐ Zip Ties

If Preservation Included:

ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2016-04-25-64