



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION STRATEGIC MONITORING PROGRAM FIELD SHEET

PAGE 1 OF

Data Qualified?

Yes / No

October 2016

STORET Station Name: Ochlockonee River 350m upstream of SR 12

Date: 11/17/2016

(mm/dd/yyyy)

STORET Station ID: G1WA0042

WBID: 1297F

Latitude: 30.6722

(Decimal Degrees)

County: Gadsden RQ - 2016-11-14-40

ORG ID: 21FLWQA

Longitude: -84.3040

(Decimal Degrees)

Receiving Body of Water: Gulf of Mexico

Field ID: G1WA0042-11172016

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check	Sampling Equipment			
Ben Ralys				X	X				☐ Sample Container	☐ Van Dorn	☐ Pole	
Diana Turner						X	X	X	☐ Carboy	☒ Syringe		
									☐ Dipper	☐ Other		
									Equipment ID			
									Collection Method			
									☐ Wading	Via Boat		
									☐ From Shore	☒ Canoe/Kayak		
									☐ Other (note below)	☐ Electric Motor		
										☐ Gasoline Motor		
Water Level: Dry / Low / Normal / High / Flooded				Matrix: Fresh / Marine / DI				Tide Falling: Yes / No / NA				
Meter ID# Biology 2				Photos: Yes / No				Tide Falling: Yes / No / NA				
Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (umhos/cm)	Temp. (C°)		
EST	10:50	0.3	0.5	11.59	115.9	7.44	0.09	VOB	198	15.42		
CEN												
Biological Samples Collected: None HA SCI LVS RPS LVI Other												
Parameter Suite		Parameter Methods				Preservation		Acid Lot#		Expiration	pH Check	
Preserved Nutrients		☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				☒ Ice ☒ H2SO4		6209120		7/27/17	☒ <2	
Metals		☒ W-ICPMS ☒ W-ICP				☒ Ice ☒ HNO3		6218060		8/5/17	☒ <2	
Filtered Nutrients		☒ W-PO4-F ☒ Field Filtered 0.45 um Filter				☒ Ice						
Chlorophyll		☒ CHL-SUITE-W				☒ Ice						
Physical/Aggregate (Fresh)		☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS				☐ Ice						
Physical/Aggregate (Marine)		☐ Alkalinity / W-F / W-TSS / TURBIDITY				☐ Ice						
Macroinvertebrates		☐ MI-FW-QLDC				☐ Formalin						
Microbiology		☐ E Coli ☐ F Coli ☐ Entero ☐ QPCR				☐ Ice						
Periphyton		☐ ALGAE-ID				☐ Ice						
Pesticides		☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R				☐ Ice						
		☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH				☐ Other						

Notes:

Field ID →
Ochlockonee
River 350m
upstream of
SR 12
Nov 17, 2016

G1WA0042-11172016

Ochlockonee River
350m upstream
of SR 12

STORET ↓



G1WA0042

Signature:

Date:

11/17/16

Field Parameters Entered into LIMS: DT 11/21/16
(Initials/Date)

Field Parameters QC in LIMS: (Initials/Date)

Date Migrated to STORET: (Initials/Date)

Field Sheets Scanned/Saved: (Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

boldly "X" the box if there is any data on this page.

Meter Biology #2

RQ- 2016-11-14-40

Project SMP

- Notes: (1) Numbers ≤ 4 , are rounded down; numbers ≥ 5 are rounded up (e.g., 5.15 becomes 5.2).
 (2) Always wait for meter to stabilize before recording any readings.
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site _____

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 09/23/2016

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Ben Ralys	11/17/16	7:08	20.25	9.056	9.04	99.9	36.9	-	P	L
ICV	Ben Ralys	11/17/16	7:09	20.23	9.056	9.03	99.8	36.9	-	P	L
CCV	Ben Ralys	11/17/16	1:45	21.38	8.86	9.30	105.1	36.9	-	F	L
CCV											

Report DO mg/L with one decimal figure and DO % saturation as a whole number with no decimals.

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Ben Ralys	11/17/16	7:11	160330D	04/2017	1,000	1,000	P	L
ICV	Ben Ralys	11/17/16	7:12	160330D	04/2017	1,000	1,001	P	L
CCV	Ben Ralys	11/17/16	1:47	161111E	05/2017	100	101	P	L
CCV									

Report specific conductance as a whole number with no decimal figure.

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Ben Ralys	11/17/16	7:14	160330B	10/2017	7.0	7.0	-28.0	P	L
Calibr.	Ben Ralys	11/17/16	7:17	160330A	4/2017	4.0	3.99	150.7	P	L
Calibr.	Ben Ralys	11/17/16	7:20	160330C	10/2017	10.0	9.99	-193.6	P	L
ICV	Ben Ralys	11/17/16	7:21	160330C	10/2017	10.0	9.99	-193.3	P	L
CCV	Ben Ralys	11/17/16	1:50	160330A	04/2017	4.0	3.97	152.3	P	L
CCV										

Report pH with one decimal place; pH Acceptance criteria ± 0.2 SU; mV pH7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

Slope from 7 to 10 and 4 to 7 must be between 165 and 180 mV

Depth (Quarterly)

Date of Last Depth Verification _____

Depth Sensor (Daily)	Name	Date	Time CT-ET	Zero the Sensor	ICV Value	Pass / Fail	Lab / Field
Pressure mode in air				0.000			

ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater

Request Number: RQ-2016-11-14-40

Alford Arm Trib, Lake Arrowhead, Sally Ward Spring,
Black Creek and Ochlockonee River

Customer: WQAP

Project ID: SMP

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Requester: Benjamin Ralys

Collected By:

Benjamin Ralys Diana Turner

Field Report Prepared By:

Diana Turner

Sampling Agency:

FDER

Location		Field ID		STORET #		Latitude		Longitude		Temp		pH		Sample Depth		Diss. Oxygen		Sp. Conductance		Total Res. Chlorine		Bottle Group(s)	
Field ID		STORET #		Latitude		Longitude		Temp		pH		Sample Depth		Diss. Oxygen		Sp. Conductance		Total Res. Chlorine		Bottle Group(s)			
Sally Ward Spring @ Wakulla Park Dr		G1WA0021-21172016		30.2414		-84.3109		20.75		7.59		0.3		3.75		0.3		329		B			
Ochlockonee River 350m upstream SR 12		G1WA0042-21172016		30.6722		-84.3010		15.42		7.44		0.3		11.59		0.3		198		A			
Lake Arrowhead @ boat dock		G1WA0004-21172016		30.67062		-84.30511		15.16		7.46		0.3		11.48		0.3		199		A			
STORET #		G1WA0038		30.67062		-84.30511		15.16		7.46		0.3		11.48		0.3		199		A			
Lake Arrowhead @ boat dock		G1WA0004-21172016		30.67062		-84.30511		15.16		7.46		0.3		11.48		0.3		199		A			
STORET #		G1WA0004		30.67062		-84.30511		15.16		7.46		0.3		11.48		0.3		199		A			
Latitude		30.67062		-84.30511		15.16		7.46		0.3		11.48		0.3		199		A					
Longitude		-84.30511		15.16		7.46		0.3		11.48		0.3		199		A							
Temp		15.16		7.46		0.3		11.48		0.3		199		A									
pH		7.46		0.3		11.48		0.3		199		A											
Sample Depth		0.3		11.48		0.3		199		A													
Diss. Oxygen		11.48		0.3		199		A															
Sp. Conductance		11.48		0.3		199		A															
Total Res. Chlorine		11.48		0.3		199		A															
Bottle Group(s)		A		B		C		D		E		F		G		H		I		J			

Relinquished By:		Date/Time		Shipping Method		Number of Coolers Shipped:		Received By:		Date/Time	
Diana Turner		1:20 PM		Hand Delivery		2		S/C		11/17/16/1:19	

Group: B

Bottle Type:

P-500ML

of Bottles: 3

Preservative: ICE And H2SO4

Enter Number of Bottles Sent to Lab

2

Page 3 of 3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Group: B

Bottle Type:

P-125ML

of Bottles: 3

Preservative: ICE-FLTR

Enter Number of Bottles Sent to Lab

2

W-PO4-F

Cooler Packing Worksheet for Request: RQ-2016-11-14-40
Alford Arm Trib, Lake Arrowhead, Sally Ward Spring, Black Creek and Ochlockonee River

Ship Cooler On: 11/14/2016
Customer/Project: WQAP/SMP

Requester: Benjamin Ralys
Priority: 3

850-245-8443
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400
Attn: Benjamin Ralys

Comments:

No preservatives needed.

Bottle Group A: freshwater kits including metals

Bottle Group B: freshwater kits no metals

Requested Analyses:

Bottle Group: A

of Sites: 2

Container ID: P-1L

Qty: 2 Preservation: ICE

Lot # 00065893

Description: Plastic Bottle 1L

Analysis

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-TDS
W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L
Turbidity in aqueous matrices
Chloride in aqueous matrices
True Color measured at 450 nm
Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Total Dissolved Solids in aqueous matrices
Total Suspended Solids in aqueous matrices

Container ID: BP-1L

Qty: 2 Preservation: ICE

Lot # 1170333

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Container ID: P-500ML

Qty: 2 Preservation: HNO3

Lot # 55066045

Description: Plastic Bottle 500 mL

Affix RED nitric acid dot to container.

Analysis

W-ICP

W-ICPMS

Description

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Container ID: P-500ML

Qty: 2 Preservation: ICE And H2SO4

Lot # 55066045

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 2 Preservation: ICE-FLTR

Lot # 55065781

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 3

Container ID: P-1L

Qty: 3 Preservation: ICE

Lot # 55065893

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices

Container ID: BP-1L

Qty: 3 Preservation: ICE

Lot # 1170333

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Container ID: P-500ML

Qty: 3 Preservation: ICE And H2SO4

Lot # 58065045

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 3 Preservation: ICE-FLTR

Lot # 58065781

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Cooler Packed By: MB

Date: 11-14-10

DEP Cooler ID #(s): 2

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle (1 per cooler)
- ☒ FedEx Bills, if applicable (1 per cooler)
- ☒ Plastic Bags
- ☒ Zip Ties

If Preservation Included:

ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2016-11-14-40