



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
STRATEGIC MONITORING PROGRAM FIELD SHEET

February 2016

PAGE 1 OF 5

STORET Station Name: Eight Mile Pond Middle

Date Qualified?
Yes / No

Date: 5/18/2016

(mm/dd/yyyy)

STORET Station ID: G1WA0024

Latitude: 30.32635

(Decimal Degrees)

WBID: 807A

RQ: 2016-05-16-33

ORG ID: 21FLWQA

Longitude: -84.30273

(Decimal Degrees)

Receiving Body of Water: Wakulla River

Field ID: G1WA0024

County: Leon

Sampling Team Members

Ben Ralys

Justin Wallheiser

WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
☒	☒	☒	☒	☒
☒	☒	☒	☒	☒
☒	☒	☒	☒	☒
☒	☒	☒	☒	☒

Sampling Equipment

- ☒ Sample Container ☐ Van Dorn ☐ Pole
☐ Carboy ☒ Syringe
☐ Dipper ☐ Other Filter

Equipment ID

Collection Method

- ☐ Wading ☒ Via Boat
☐ From Shore ☒ Canoe/Kayak
☐ Other (note below) ☐ Electric Motor
☐ Gasoline Motor

Water Level: Dry / Low / Normal / High / Flooded

Meter ID# Biology #2

Photos: Yes / No

Matrix: Fresh / Marine / DI

Tide Falling: Yes / No / NA

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (µmhos/cm)	Temp. (C°)
EST	10:45	0.3	0.5	7.73	94.9	7.15	0.04	VOB	86	25.92
CEN										

Biological Samples Collected:

None

HA

SCI

LVS

RPS

LVI

Other

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4	5259020	9/16/16	☒ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO2			☐ <2
Filtered Nutrients	☒ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Kit A/C)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Kit B/D)	☒ Alkalinity / W-F / W-TSS / TURBIDITY	☒ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Ice			
Microbiology	☐ E Coli ☐ F Coli ☐ Entero ☐ QPCR	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PC-AA-SF ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other			

Contains
1:1

Sulfuric Acid
SA-5259020

EXP: 09/16/16

Warning!

See MSDS

Preservative Sticker(s) Here
(If Available)

Notes:

Do did not Pass CCL



G1WA0024 18 May 2016

Eight Mile Pond Middle

Signature:

Ben Ralys

Date:

5/18/16

Field Parameters Entered into LIMS:

CM 5/23/16

(Initials/Date)

Field Parameters QC in LIMS:

Date Migrated to STORET:

(Initials/Date)

Field Sheets Scanned/Saved:

CM 5/23/16

(Initials/Date)

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there is qualified data on this page.

Meter Biology #2

RQ- 2016-05-16-33

Project SMP

- Notes:** (1) Numbers ≤ 4 , are rounded down; numbers ≥ 5 are rounded up (e.g., 5.15 becomes 5.2).
 (2) Always wait for meter to stabilize before recording any readings.
 (3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Circle/Fill In: Lab Calibration or Calibration/Verification on Site _____

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification 03/04/2016

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	Ben Ralys	5/18/16	8:15	22.63	8.64	8.67	100.3	43.1	NA	Pass	Lab
ICV	Ben Ralys	5/18/16	8:17	22.64	8.64	8.70	100.7	43.1	NA	Pass	Lab
CCV	Sust. Calluser	5/18/16	8:18	22.9	8.27	8.9	107.6	48.2	NA	Fail	Lab
CCV			14:30								

Report DO mg/L with one decimal figure and DO % saturation as a whole number with no decimals.

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15; DO charge N/A.

Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	Ben Ralys	5/18/16	8:18	160330D	4/2017	1,000	1,000	P	Lab
ICV	Ben Ralys	5/18/16	8:19	160330D	4/2017	1,000	1,001	P	Lab
CCV	Sust. Calluser	5/18/16	8:20	CC13882	7/15/2016	101.1	98	P	Lab
CCV			14:32						

Report specific conductance as a whole number with no decimal figure.

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	Ben Ralys	5/18/16	8:20	160330B	10/2017	7.0	7.0	-15.5	P	Lab
Calibr.	Ben Ralys	5/18/16	8:22	154634	02/2017	4.0	4.0	163.4	P	Lab
Calibr.	Ben Ralys	5/18/16	8:25	160330C	10/2017	10.0	9.88	78.5	P	Lab
ICV	Ben Ralys	5/18/16	8:22	154634	02/2017	4.0	4.0	163.5	P	Lab
CCV										
CCV										

Report pH with one decimal place; pH Acceptance criteria ± 0.2 SU;

mV pH7 Range 0 ± 50 ;

mV pH 4 Range $+180 \pm 50$;

mV pH 10 Range -180 ± 50 ;

Slope from 7 to 10 and 4 to 7 must be between 165 and 180 mV

Depth (Quarterly)

Date of Last Depth Verification _____

Depth Sensor (Daily)	Name	Date	Time CT-ET	Zero the Sensor	ICV Value	Pass / Fail	Lab / Field
Pressure mode in air				0.000			

ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater

Request Number: RQ-2016-05-16-33

Florida Department of Environmental Protection Central Laboratory Submittal Form

Page 1 of 2
last revised Apr 7, 2016Sally Ward Spring, Eight Mile Pond, Godby Ditch and
Black Creek

Customer: WQAP

Requester: Benjamin Ralys

Field Report Prepared By: Justin Wallheiser

Project ID: SMP

Collected By: B. Ralys J. Wallheiser

Sampling Agency: FDEP

Location Sally Ward spring at Wabulla Park Dr.		☒ Grab	Collection (comp begin or grab) Date 5/18/16 Time 9:55	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID GIWA0021		Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 3.23	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A
STORET # GIWA0021		Temp (C) 20.72	pH 7.41	Sample Depth 0.3	Sp. Conductance (umho/cm) 333	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.16	Comments			
Location Black Creek upstream of Blenheim Cutoff		☒ Grab	Collection (comp begin or grab) Date 5/18/16 Time 9:20	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID GIWA0023		Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 1.04	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A
STORET # GIWA0023		Temp (C) 20.88	pH 5.74	Sample Depth 0.3	Sp. Conductance (umho/cm) 55	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.02	Comments			
Location Eight Mile Pond Middle		☒ Grab	Collection (comp begin or grab) Date 5/18/16 Time 10:45	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID GIWA0024		Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 7.73	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A
STORET # GIWA0024		Temp (C) 25.92	pH 7.15	Sample Depth 0.3	Sp. Conductance (umho/cm) 86	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.04	Comments			
Location Godby Drainage Ditch at Vega Dr.		☒ Grab	Collection (comp begin or grab) Date 5/18/16 Time 1:38	☒ Eastern ☐ Central	Composite end Date Time	Bottle Group(s)
Field ID GIWA0025		Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 9.53	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A, B
STORET # GIWA0025		Temp (C) 22.30	pH 7.75	Sample Depth 0.2	Sp. Conductance (umho/cm) 241	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.12	Comments			

Relinquished By: Justin Wallheiser	Date/Time 5/18/16 2:05	Shipping Method	Number of Coolers Shipped:	Received By: SK	Date/Time 5-18-16/2:06
---------------------------------------	---------------------------	-----------------	----------------------------	--------------------	---------------------------

Cooler Packing Worksheet for Request: RQ-2016-05-16-33
Sally Ward Spring, Eight Mile Pond, Godby Ditch and Black Creek

Ship Cooler On: 5/2/2016
Customer/Project: WQAP/SMP

Requester: Benjamin Ralys
Priority: 3

850-245-8443
2600 Blair Stone Rd
MS #3560
Tallahassee, FL 32399-2400
Attn: Benjamin Ralys

Comments:

No preservatives needed.

Bottle Group A: freshwater kit no metals

Bottle Group B: Algal

Requested Analyses:

Bottle Group: A

of Sites: 4

Container ID: P-1L

Qty: 4 Preservation: ICE

Lot # 00664525

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO₃/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices

Container ID: BP-1L

Qty: 4 Preservation: ICE

Lot # 1107333

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry

Container ID: P-500ML

Qty: 4 Preservation: ICE And H2SO4

Lot # 0004947

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 4 Preservation: ICE-FLTR

Lot # 0004632

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 1

Container ID: PT-50ML

Qty: 1 Preservation: ICE

Lot # 03715003

Description: Plastic Tube 50 mL

Analysis

ALGAL_ID

Description

Qualitative assessment of algal taxa present without counts

Cooler Packed By:

Tyler Reynolds
1 cooler

Date:

5/11/16

DEP Cooler ID #(s):

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle (1 per cooler)
- ☒ FedEx Bills, if applicable (1 per cooler)
- ☒ Plastic Bags
- ☒ Zip Ties

If Preservation Included:

ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____
ID _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2016-05-16-33