

Caney Creek, Ward Creek and Lake Lafayette Drain

## Central Laboratory Submittal Form

last revised Nov 10, 2015

Customer: WQAP

Requester: Benjamin Ralys


Field Report Prepared By:

Project ID: SMP

Collected By: Ben Ralys / CURS MURSON

Sampling Agency: FDEP

|                                                                  |                                                                        |                                                                           |                                                                            |                                                                                 |                                        |                               |
|------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------|----------------------------------------|-------------------------------|
| Location Lake Lafayette Drain 2.50 Meters Downstream of Weems Rd |                                                                        | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 01-26-2016 Time 0845               | <input checked="" type="checkbox"/> Eastern<br><input type="checkbox"/> Central | Composite end<br>Date _____ Time _____ | Bottle Group(s)<br>(See pg 2) |
| Field ID<br>GIWA0007                                             | Matrix (type, e.g., Salt, Fresh, etc)<br>Fresh                         | Diss. Oxygen<br>6.80                                                      | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) _____                                             | A                                      |                               |
| STORET #<br>GIWA0007                                             | Temp (C)<br>10.35                                                      | pH<br>6.22                                                                | Sample Depth<br>0.3                                                        | Sp. Conductance (umho/cm)<br>102                                                |                                        |                               |
| Latitude<br>30.4544                                              | <input type="checkbox"/> dd<br><input checked="" type="checkbox"/> dms | Longitude<br>-84.2204                                                     | <input type="checkbox"/> dd<br><input checked="" type="checkbox"/> dms     | Salinity (ppt)<br>0.05                                                          | Comments                               |                               |
| Location Caney Creek upstream of US 90                           |                                                                        | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 01-26-2016 Time 0945               | <input checked="" type="checkbox"/> Eastern<br><input type="checkbox"/> Central | Composite end<br>Date _____ Time _____ | Bottle Group(s)               |
| Field ID<br>GIWA0014                                             | Matrix (type, e.g., Salt, Fresh, etc)<br>Fresh                         | Diss. Oxygen<br>8.07                                                      | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) _____                                             | A, B, C                                |                               |
| STORET #<br>GIWA0014                                             | Temp (C)<br>0945                                                       | pH<br>6.57                                                                | Sample Depth<br>0.1                                                        | Sp. Conductance (umho/cm)<br>79                                                 |                                        |                               |
| Latitude<br>30.5325                                              | <input type="checkbox"/> dd<br><input checked="" type="checkbox"/> dms | Longitude<br>-83.9501                                                     | <input type="checkbox"/> dd<br><input checked="" type="checkbox"/> dms     | Salinity (ppt)<br>0.04                                                          | Comments                               |                               |
| Location Ward Creek upstream of Bridge at CR 259                 |                                                                        | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 01/26/2016 Time 11300              | <input checked="" type="checkbox"/> Eastern<br><input type="checkbox"/> Central | Composite end<br>Date _____ Time _____ | Bottle Group(s)               |
| Field ID<br>GIWA002                                              | Matrix (type, e.g., Salt, Fresh, etc)<br>Fresh                         | Diss. Oxygen<br>6.20                                                      | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) _____                                             | A                                      |                               |
| STORET #<br>GIWA002                                              | Temp (C)<br>9.42                                                       | pH<br>6.38                                                                | Sample Depth<br>0.3                                                        | Sp. Conductance (umho/cm)<br>74                                                 |                                        |                               |
| Latitude<br>30.6050                                              | <input type="checkbox"/> dd<br><input checked="" type="checkbox"/> dms | Longitude<br>-83.893257                                                   | <input type="checkbox"/> dd<br><input checked="" type="checkbox"/> dms     | Salinity (ppt)<br>0.03                                                          | Comments                               |                               |
| Location                                                         |                                                                        | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date _____ Time _____                   | <input type="checkbox"/> Eastern<br><input type="checkbox"/> Central            | Composite end<br>Date _____ Time _____ | Bottle Group(s)               |
| Field ID                                                         | Matrix (type, e.g., Salt, Fresh, etc)                                  | Diss. Oxygen                                                              | <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat            | Total Res. Chlorine<br>(mg/L)                                                   |                                        |                               |
| STORET #                                                         | Temp (C)                                                               | pH                                                                        | Sample Depth                                                               | Sp. Conductance (umho/cm)                                                       |                                        |                               |
| Latitude                                                         | <input type="checkbox"/> dd<br><input type="checkbox"/> dms            | Longitude                                                                 | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                | Salinity (ppt)                                                                  | Comments                               |                               |

|                                                                                                  |            |                 |              |           |                  |           |              |                |
|--------------------------------------------------------------------------------------------------|------------|-----------------|--------------|-----------|------------------|-----------|--------------|----------------|
| Relinquished By:                                                                                 | Date/Time  | Shipping Method | Received By: | Date/Time | Relinquished By: | Date/Time | Received By: | Date/Time      |
| CURS MURSON                                                                                      | 01/26/2016 | DPR OFF         |              |           |                  |           | MB           | 1/26/16/2:25pm |
| Cured<br> 2:25 |            |                 |              |           |                  |           |              |                |

|          |              |         |                 |               |               |                                     |   |
|----------|--------------|---------|-----------------|---------------|---------------|-------------------------------------|---|
| Group: A | Bottle Type: | P-1L    | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
|          | ALKALINITY   |         |                 |               |               |                                     |   |
|          | TURBIDITY    |         |                 |               |               |                                     |   |
|          | W-CL-IC      |         |                 |               |               |                                     |   |
|          | W-COLOR      |         |                 |               |               |                                     |   |
|          | W-F          |         |                 |               |               |                                     |   |
|          | W-NO2        |         |                 |               |               |                                     |   |
|          | W-TDS        |         |                 |               |               |                                     |   |
|          | W-TSS        |         |                 |               |               |                                     |   |
| Group: A | Bottle Type: | P-1L    | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
|          | BOD-UNIN     |         |                 |               |               |                                     |   |
| Group: A | Bottle Type: | BP-1L   | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
|          | CHL-CORR-W   |         |                 |               |               |                                     |   |
| Group: A | Bottle Type: | P-500ML | # of Bottles: 2 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 2 |
|          | W-NH3        |         |                 |               |               |                                     |   |
|          | W-NO2NO3     |         |                 |               |               |                                     |   |
|          | W-S-A-TP     |         |                 |               |               |                                     |   |
|          | W-TKN        |         |                 |               |               |                                     |   |
|          | W-TOC        |         |                 |               |               |                                     |   |
| Group: A | Bottle Type: | P-125ML | # of Bottles: 2 | Preservative: | ICE-FLTR      | Enter Number of Bottles Sent to Lab | 2 |
|          | W-PO4-F      |         |                 |               |               |                                     |   |
| Group: B | Bottle Type: | P-1L    | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1 |
|          | ALKALINITY   |         |                 |               |               |                                     |   |
|          | TURBIDITY    |         |                 |               |               |                                     |   |
|          | W-CL-IC      |         |                 |               |               |                                     |   |
|          | W-COLOR      |         |                 |               |               |                                     |   |
|          | W-F          |         |                 |               |               |                                     |   |
|          | W-NO2        |         |                 |               |               |                                     |   |
|          | W-TDS        |         |                 |               |               |                                     |   |
|          | W-TSS        |         |                 |               |               |                                     |   |
| Group: B | Bottle Type: | P-1L    | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1 |
|          | BOD-UNIN     |         |                 |               |               |                                     |   |
| Group: B | Bottle Type: | BP-1L   | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1 |

|          |              |       |                 |               |     |                                     |   |
|----------|--------------|-------|-----------------|---------------|-----|-------------------------------------|---|
| Group: B | Bottle Type: | BP-1L | # of Bottles: 1 | Preservative: | ICE | Enter Number of Bottles Sent to Lab | 1 |
|          | CHL-CORR-W   |       |                 |               |     |                                     | 1 |

|          |              |         |                 |               |      |                                     |   |
|----------|--------------|---------|-----------------|---------------|------|-------------------------------------|---|
| Group: B | Bottle Type: | P-500ML | # of Bottles: 1 | Preservative: | HNO3 | Enter Number of Bottles Sent to Lab | 1 |
|          | W-ICP        |         |                 |               |      |                                     |   |
|          | W-ICPMS      |         |                 |               |      |                                     |   |

|          |              |         |                 |               |               |                                     |   |
|----------|--------------|---------|-----------------|---------------|---------------|-------------------------------------|---|
| Group: B | Bottle Type: | P-500ML | # of Bottles: 1 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 1 |
|          | W-NH3        |         |                 |               |               |                                     |   |
|          | W-NO2NO3     |         |                 |               |               |                                     |   |
|          | W-S-A-TP     |         |                 |               |               |                                     |   |
|          | W-TKN        |         |                 |               |               |                                     |   |
|          | W-TOC        |         |                 |               |               |                                     |   |

|          |              |         |                 |               |          |                                     |   |
|----------|--------------|---------|-----------------|---------------|----------|-------------------------------------|---|
| Group: B | Bottle Type: | P-125ML | # of Bottles: 1 | Preservative: | ICE-FLTR | Enter Number of Bottles Sent to Lab | 1 |
|          | W-PO4-F      |         |                 |               |          |                                     |   |

Group C MI-FW-QLDC 1 Bottle Forming

2

Printed: 1/26/2016 2:31:27 PM

Page 1 of 2

Date of Request: 08-JAN-2016  
 Created By: RALYS\_B On: 08-JAN-2016  
 Modified By: WATTS\_J On: 25-JAN-2016  
 Customer: WQAP  
 Project: SMP  
 Division:  
 District:  
 Sampling Event: Caney Creek, Ward Creek and Lake Lafayette Drain

**Send Coolers To:**

Phone: 850-245-8443  
 2600 Blair Stone Rd  
 MS #3560  
 Tallahassee, FL 32399-2400  
 Attn: Benjamin Ralys

Program Module Number:  
 Priority: 3  
 Event Status: A  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 25-JAN-2016  
 Biology Request Reviewed By: SWANSON\_C On: 25-JAN-2016  
 Sampling Kit Required: NO Ship on:  
 Sampling Kit Shipped: YES On: 13-JAN-2016  
 Sampling Kit Packed By: BOWDEN\_M  
 Preservatives Needed: NO  
 Date to Receive Samples: 26-JAN-2016  
 Received By:

**Send Final Report To:**

2600 Blair Stone Rd  
 MS #3560  
 Tallahassee, FL 32399-2400  
 Attn: Katrina Sanders

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: 1 - case of Nitric Acid  
 added 1 MI-FW-QLDC on 01/25/2016 per customer request.

**Bottle Group A (Water) With 2 Samples:**

|                                   |                      |                                                                                                                  |
|-----------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L                 | Number of Bottles: 2 | Preserved With: ICE                                                                                              |
| ALKALINITY                        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                         |
| TURBIDITY                         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                               |
| W-CL-IC                           | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                |
| W-COLOR                           | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                        |
| Color (true)                      |                      |                                                                                                                  |
| W-F                               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)             |
| W-NO <sub>2</sub>                 | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite in aqueous matrices as mg N/L                                                       |
| W-TDS                             | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                        |
| W-TSS                             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                        |
| Bottle Type: P-1L                 | Number of Bottles: 2 | Preserved With: ICE                                                                                              |
| BOD-UNIN                          | Template: DEFAULT    | (SM 5210 B) BOD, NOT nitrogen-inhibited                                                                          |
| Bottle Type: BP-1L                | Number of Bottles: 2 | Preserved With: ICE                                                                                              |
| CHL-CORR-W                        | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a (corrected for phaeophytin) and phaeophytin by spectrophotometry |
| Bottle Type: P-500ML              | Number of Bottles: 2 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>                                                           |
| W-NH <sub>3</sub>                 | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                       |
| W-NO <sub>2</sub> NO <sub>3</sub> | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                               |
| W-S-A-TP                          | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                              |
| W-TKN                             | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                 |
| W-TOC                             | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                   |
| Bottle Type: P-125ML              | Number of Bottles: 2 | Preserved With: ICE-FLTR                                                                                         |
| W-PO <sub>4</sub> -F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                         |

**Bottle Group B (Water) With 1 Samples:**

|                                   |                      |                                                                    |
|-----------------------------------|----------------------|--------------------------------------------------------------------|
| Bottle Type: P-500ML              | Number of Bottles: 1 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>             |
| W-NH <sub>3</sub>                 | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L         |
| W-NO <sub>2</sub> NO <sub>3</sub> | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L |

**Bottle Group B (Water) With 1 Samples:**

|                      |                      |                                                                                                                                                |
|----------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                                                  |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                                            |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                                               |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                                                 |
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: ICE-FLTR                                                                                                                       |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                                       |
| Bottle Type: P-1L    | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| ALKALINITY           | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                                                    |
| TURBIDITY            | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                                             |
| W-CL-IC              | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                                              |
| W-COLOR              | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                                                      |
| Color (true)         |                      |                                                                                                                                                |
| W-F                  | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                                           |
| W-NO2                | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite in aqueous matrices as mg N/L                                                                                     |
| W-TDS                | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                                      |
| W-TSS                | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                                      |
| Bottle Type: P-1L    | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| BOD-UNIN             | Template: DEFAULT    | (SM 5210 B) BOD, NOT nitrogen-inhibited                                                                                                        |
| Bottle Type: BP-1L   | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| CHL-CORR-W           | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a (corrected for phaeophytin) and phaeophytin by spectrophotometry                               |
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: HNO3                                                                                                                           |
| W-ICP                | Template:            | (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects |
| Calcium              |                      |                                                                                                                                                |
| Chromium             |                      |                                                                                                                                                |
| Iron                 |                      |                                                                                                                                                |
| Magnesium            |                      |                                                                                                                                                |
| Nickel               |                      |                                                                                                                                                |
| Potassium            |                      |                                                                                                                                                |
| Sodium               |                      |                                                                                                                                                |
| Zinc                 |                      |                                                                                                                                                |
| W-ICPMS              | Template:            | (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects                    |
| Arsenic              |                      |                                                                                                                                                |
| Cadmium              |                      |                                                                                                                                                |
| Copper               |                      |                                                                                                                                                |
| Lead                 |                      |                                                                                                                                                |
| Silver               |                      |                                                                                                                                                |

**Bottle Group C (Biological) With 1 Samples:**

|                    |                      |                                                                |
|--------------------|----------------------|----------------------------------------------------------------|
| Bottle Type: PJ-2L | Number of Bottles: 2 | Preserved With: Formalin                                       |
| MI-FW-QLDC         | Template: DEFAULT    | (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets. |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

# Log-in Checklist

RQ- 2016-01-25-58

Shipping Method: H.D.

Date/Time of Receipt: 1/26/16/2:25pm

| Cooler ID | Cooler Temperature* | No. Sample Containers in Cooler | Evidence Tape |    |          |    | Tracking # (fill out only if waybill copy is damaged) |
|-----------|---------------------|---------------------------------|---------------|----|----------|----|-------------------------------------------------------|
|           |                     |                                 | Present?      |    | *Intact? |    |                                                       |
|           |                     |                                 | Yes           | No | Yes      | No |                                                       |
| Red       | -1.6                | 18                              |               | ✓  |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |

\*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**\*\*Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

\*\*Chain Of Custody/ Field Sheet(s) Included? Yes ✓ No     

## CONTAINER CHECK

\*\*Evidence Tape on Bottles? Yes      No ✓ If yes, is it intact? Yes      No     

\*\*Caps on tight? Yes ✓ No      \*\*Containers intact? Yes ✓ No     

\*\*Sufficient Sample Volume: Yes ✓ No     

## CHLORINE CHECK (Blue dot on container)

| Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required. |     |    |               |     |    |
|------------------------------------------------------------------------------------------------------|-----|----|---------------|-----|----|
| Analysis                                                                                             | Yes | No | Analysis      | Yes | No |
| W-1,4 DIOX                                                                                           |     |    | W-PC-AA-SF    |     |    |
| W-AHERB-AA (-AHB-AA-R)                                                                               |     |    | W-PCL-SQ (-R) |     |    |
| W-BNA (-625, -R)                                                                                     |     |    | W-PDQUAT      |     |    |
| W-CARB-AA (-CAB-AA-R)                                                                                |     |    | W-PESTNP-R    |     |    |
| W-ENDO-AA                                                                                            |     |    | W-PSCL-TQ     |     |    |
| W-GLYPH                                                                                              |     |    | W-PSNP-TQ     |     |    |
| W-NP-AA-SF                                                                                           |     |    | W-PST-CL-R    |     |    |
| W-PAH (-R)                                                                                           |     |    | W-TR-TQ       |     |    |
| W-PCB-R                                                                                              |     |    |               |     |    |

## PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

\*\*Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No      NA      Init: MB

\*\*W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes      No      NA ✓ Init: MB

Coolers Unpacked/Checked by: MB Date: 1-26-16 NCRs (Y/N)? N

Event ID: WQAP-2016-01-26-01 NCR # 5672

## Log-in Checklist

### Samples with Incorrect pH Preservation or presence of Chlorine

| Field ID | Bottle Test ID(s) | pH / Cl | Action Taken |
|----------|-------------------|---------|--------------|
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |

### Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

| Cooler ID | Field ID | Bottle Test ID(s) |
|-----------|----------|-------------------|
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |

### Bottles Not Intact

| Field ID | Bottle Test ID(s) | Loose Cap | Damaged Cap |    | Damaged Container |    | Evidence Tape Not Intact |
|----------|-------------------|-----------|-------------|----|-------------------|----|--------------------------|
|          |                   |           | CK          | BR | CK                | BR |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |

### Samples with Insufficient Volume for Analyses

| Field ID | Bottle Test ID(s) | Action Taken |
|----------|-------------------|--------------|
|          |                   |              |
|          |                   |              |
|          |                   |              |
|          |                   |              |

## ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes \_\_\_\_\_ No ☒ \_\_\_\_\_

Date and Time Placed in Freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection? Yes \_\_\_\_\_ No \_\_\_\_\_

If no, were samples shipped on dry ice? Yes \_\_\_\_\_ No \_\_\_\_\_

#### FOR CLEAN LAB USE ONLY – Methyl Mercury Preservation Check:

Samples Preserved within 48 hours? Yes \_\_\_\_\_ No \_\_\_\_\_

Date and time samples preserved: \_\_\_\_\_

**Additional Comments:**