

Date of Request: 20-MAY-2016
 Created By: RALYS_B On: 20-MAY-2016
 Modified By: WATTS_J On: 07-JUN-2016
 Customer: WQAP
 Project: SMP
 Division:
 District:
 Sampling Event: Sally Ward Spring, Eight Mile Pond, Godby Ditch, Black Creek and Soapstone Branch

Send Coolers To:

Phone: 850-245-8443
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Benjamin Ralys

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-MAY-2016
 Biology Request Reviewed By: MATTHEWS_D On: 23-MAY-2016
 Sampling Kit Required: YES Ship on: 03-JUN-2016
 Sampling Kit Shipped: YES On: 06-JUN-2016
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 20-JUN-2016
 Received By: BOWDEN_M On: 23-JUN-2016

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Benjamin Ralys

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Bottle Group A: freshwater kit no metals
 Bottle Group B: Algal
 Bottle Group C: SCI

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-500ML Number of Bottles: 5 Preserved With: ICE And H2SO4
W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P
W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen
W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon
Bottle Type: P-125ML Number of Bottles: 5 Preserved With: ICE-FLTR
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P

Bottle Group B (Biological) With 2 Samples:

Bottle Type: PT-50ML Number of Bottles: 2 Preserved With: ICE
ALGAL_ID Template: DEFAULT (SOP-AB05) Qualitative assessment of algal taxa present without counts
*Dominant sample taxon

Bottle Group C (Biological) With 1 Samples:

Bottle Type: PJ-2L Number of Bottles: 2 Preserved With: Formalin
MI-FW-QLDC Template: DEFAULT (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.
*Macroinvert-FW-Qual-DipnetX20-#Taxa-Rep2
*Stream Condition Index (SCI)

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.