

Ochlockonee River

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: WQAP

Requester: Benjamin Ralys

Field Report Prepared By:

Justin Walkhiser

Project ID: SMP

Collected By:

Ben Ralys & Justin Walkhiser

Sampling Agency:

FDEP

Location Ochlockonee River downstream of Whitehead Lake campground		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/6/2016 Time 9:45	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s) (See pg 2)
Field ID G1WA0029	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 4.88	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A	
STORET # G1WA0029	Temp (C) 22.68	pH 6.41	Sample Depth 0.3	Sp. Conductance (umho/cm) 54		
Latitude 30.15286	☒ dd ☐ dms	Longitude -84.67056	☒ dd ☐ dms	Salinity (ppt) 0.02	Comments	
Location Ochlockonee River upstream of Telogia creek		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/6/2016 Time 11:05	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s)
Field ID G1WA0030	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 3.86	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A	
STORET # G1WA0030	Temp (C) 28.72	pH 6.54	Sample Depth 0.3	Sp. Conductance (umho/cm) 72		
Latitude 30.26643	☒ dd ☐ dms	Longitude -84.7355	☒ dd ☐ dms	Salinity (ppt) 0.03	Comments	
Location Ochlockonee River upstream of SR 12		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/6/2016 Time 13:50	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s)
Field ID G1WA0038	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 6.29	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A	
STORET # G1WA0038	Temp (C) 29.06	pH 6.87	Sample Depth 0.3	Sp. Conductance (umho/cm) 90		
Latitude 30.67062	☒ dd ☐ dms	Longitude -84.30511	☒ dd ☐ dms	Salinity (ppt) 0.04	Comments	
Location Ochlockonee River 300m upstream of SR 12		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/6/2016 Time 14:05	☒ Eastern ☐ Central	Composite end Date — Time —	Bottle Group(s)
Field ID G1WA0042	Matrix (type, e.g., Salt, Fresh, etc) Fresh	Diss. Oxygen 6.25	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —	A	
STORET # G1WA0042	Temp (C) 29.10	pH 6.85	Sample Depth 0.3	Sp. Conductance (umho/cm) 90		
Latitude 30.6722	☒ dd ☐ dms	Longitude -84.3040	☒ dd ☐ dms	Salinity (ppt) 0.04	Comments	

Relinquished By: Justin Walkhiser	Date/Time 7/6/2016/1530	Shipping Method By hand	Number of Coolers Shipped: —	Received By: PLW	Date/Time 7/6/16/1530
--------------------------------------	----------------------------	----------------------------	---------------------------------	---------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 4	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	4
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 4	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 4	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						
Group: B	Bottle Type:	PT-50ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	ALGAL_ID						

Date of Request: 13-JUN-2016
 Created By: RALYS_B On: 13-JUN-2016
 Modified By: MATTHEWS_D On: 14-JUN-2016
 Customer: WQAP
 Project: SMP
 Division:
 District:
 Sampling Event: Ochlockonee River

Send Coolers To:

Phone: 850-245-8443
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Benjamin Ralys

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 14-JUN-2016
 Biology Request Reviewed By: MATTHEWS_D On: 14-JUN-2016
 Sampling Kit Required: YES Ship on: 20-JUN-2016
 Sampling Kit Shipped: YES On: 20-JUN-2016
 Sampling Kit Packed By: KITCHEN_S
 Preservatives Needed: YES
 Date to Receive Samples: 06-JUL-2016
 Received By:

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Katrina Sanders

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Bottle Group A: Freshwater chemistry including metals
 Bottle Group B: Algal ID

1 - case of Nitric Acid
 1 - case of Sulfuric Acid

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-500ML Number of Bottles: 4 Preserved With: HNO3
W-ICPMS Template: (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Arsenic
Cadmium
Copper
Lead
Silver

Bottle Type: P-500ML Number of Bottles: 4 Preserved With: ICE And H2SO4
W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 4 Preserved With: ICE-FLTR
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 4 Samples:

Bottle Type: PT-50ML Number of Bottles: 4 Preserved With: ICE
ALGAL_ID Template: DEFAULT (SOP-AB05) Qualitative assessment of algal taxa present without counts

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2016-07-04-30

Shipping Method: Hand Delivery

Date/Time of Receipt: 7/6/16/1530

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	2.4°C	10		✓			
Red	1.6°C	10		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: MB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: EW

Coolers Unpacked/Checked by: EW Date: 7/6/16 NCRs (Y/N)? N

Event ID: WQAP-2016-07-06-04 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

NO-33-FJ-2100-9A0W