

Tanyard Branch, Little River and Chicken Branch

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: WQAP

Requester: Benjamin Ralys

Field Report Prepared By:

Project ID: SMP

Collected By:

Curtis Masson/Lobby Marshall

Sampling Agency:

8034

Location Chicken Branch @ Old Plank Rd		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/22/16 Time 0800	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID GIWA0031 - 08222016		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 5.9 67	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET # GIWA0031		Temp (C) 21.6	pH 7.3	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 276
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.13	Comments			
Location Killearn Chain of Lakes Outlet at Venter Derry Rd		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/22/16 Time 0930	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID GIWA0015 - 08222016		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 6.9 87	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET # GIWA0015		Temp (C) 27.2	pH 6.6	Sample Depth 0.15	☐ ft ☒ m	Sp. Conductance (umho/cm) 63
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.03	Comments			
Location Tanyard Branch 100 meters upstream of Ralph Rd.		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/22/16 Time 1035	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID GIWA0005 - 08222016		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 6.6 80.4	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET # GIWA0005		Temp (C) 25.4	pH 6.8	Sample Depth 0.2	☐ ft ☒ m	Sp. Conductance (umho/cm) 156
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.07	Comments			
Location Little River 100 meters upstream of SR 12		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/22/16 Time 1305	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID GIWA0020 - 08222016		Matrix (type, e.g., Salt, Fresh, etc) Fresh / Biology (SCI)		Diss. Oxygen 8.5 105	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET # GIWA0020		Temp (C) 26.2	pH 6.9	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 86
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.04	Comments			

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Curtis Masson

8/22/16 1425

Hand

1

[Signature]

8/22/16/1425

Group: A Bottle Type: P-1L # of Bottles: 3/4 Preservative: ICE Enter Number of Bottles Sent to Lab 4
ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-TDS
W-TSS

Group: A Bottle Type: BP-1L # of Bottles: 3/4 Preservative: ICE Enter Number of Bottles Sent to Lab 4
CHLSUITE-W

Group: A Bottle Type: P-500ML # of Bottles: 3/4 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 4
W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group: A Bottle Type: P-125ML # of Bottles: 3/4 Preservative: ICE-FLTR Enter Number of Bottles Sent to Lab 4
W-PO4-F

Group: B Bottle Type: PJ-2L # of Bottles: 2 Preservative: Formalin Enter Number of Bottles Sent to Lab 2
MI-FW-QLDC

Group: C Bottle Type: PT-50ML # of Bottles: 1 Preservative: ICE Enter Number of Bottles Sent to Lab
ALGAL_ID

Date of Request: 02-AUG-2016
 Created By: RALYS_B On: 02-AUG-2016
 Modified By: MATTHEWS_D On: 03-AUG-2016
 Customer: WQAP
 Project: SMP
 Division:
 District:
 Sampling Event: Tanyard Branch, Little River and Chicken Branch

Send Coolers To:

Phone: 850-245-8443
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Benjamin Ralys

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 02-AUG-2016
 Biology Request Reviewed By: MATTHEWS_D On: 03-AUG-2016
 Sampling Kit Required: YES Ship on: 16-AUG-2016
 Sampling Kit Shipped: YES On: 15-AUG-2016
 Sampling Kit Packed By: LASHLEY_C
 Preservatives Needed: NO
 Date to Receive Samples: 24-AUG-2016
 Received By:

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Katrina Sanders

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Bottle Group A: freshwater kits no metals
 Bottle Group B: Biology SCI
 Bottle Group C: Biology Algal

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 1 Samples:

Bottle Type: PJ-2L	Number of Bottles: 2	Preserved With: Formalin
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

Bottle Group C (Biological) With 1 Samples:

Bottle Type: PT-50ML	Number of Bottles: 1	Preserved With: ICE
ALGAL_ID	Template: DEFAULT	(SOP-AB05) Qualitative assessment of algal taxa present without counts

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2016-08-22-24

Shipping Method: Hand Delivery

Date/Time of Receipt: 8/22/16/1425

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.3°C	18		✓			N/A

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: AMB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: RKW

Coolers Unpacked/Checked by: RKW Date: 8/22/16 NCRs (Y/N)? N

Event ID: WQAP-2016-08-22-02 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes ☐ No ☒

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes ☐ No ☐

If no, were samples shipped on dry ice? Yes ☐ No ☐

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes ☐ No ☐

Date and time samples preserved: _____

Additional Comments: