



DEPARTMENT OF ENVIRONMENTAL PROTECTION WATER MONITORING PROGRAM FIELD SHEET

PAGE 1 OF 1

Field ID:

January 2017

Data Qualified?
Yes / No

Tumblin Creek @
SW 14th

STORET: G1NE0856

WBID: 2718A

Latitude: 29.6390

Date: 4/25/2017

County: Alachua FL 2017-04-17-10

ORG ID: 21 FLA

Longitude: 82.3383

Receiving Body of Water: Bivans Arm Lake

Field ID:

Sampling Team Members					WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Nicole Rodin						X	X		
Jeremy Parrish						X			

Sampling Equipment		
☒ Sample Container	☐ Van Dorn	☐ Pole
☐ Carboy	☐ Syringe	
☐ Dipper	☐ Other	
Equipment ID 010 Kit # NA		
Collection Method		
☐ Wading		
☒ From Shore		
☐ Other (note below)		
☐ Via Boat		
☐ Canoe/Kayak		
☐ Electric Motor		
☐ Gasoline Motor		

Water Level: Dry / Pooled / Low / Normal / High / Flooded
 Meter ID# Photos: Yes / No
 Matrix: Fresh / Marine / DI
 Tide Falling: Yes / No / NA

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1040	0.10	0.20	7.68	80.3	7.76	0.21		429	18.40
CEN								V03		

Biological Samples Collected: None HA SCI RPS Algae ID LVS LVI Other
 SBIO ID Numbers: SBIO-ID: RPS-ID: Macrophyte-ID: LIMS#:

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☐ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☐ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO2			☐ <2
Filtered Nutrients	☐ W-PO4-F ☐ Field Filtered 0.45 µm Filter	☐ Ice			
Chlorophyll	☐ CHLSUITE-W	☐ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS	☐ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☐ Entero ☒ RCP-FILTER H2-183	☒ Ice			
Tracers	☒ Succ ☒ W-UHERB-AA XW-AHERB-AA	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other			

Notes: Place Label Here
(If Available)

Signature: M. Allen Date: 4/25/2017

Field Parameters Entered into LIMS: 4/25/17 (Initials/Date) Field Parameters QC in LIMS: (Initials/Date)

Date Migrated to STORET: Field Sheets Scanned/Saved:



Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Gainesville

Client Name: FDEP		Project Name: 2017-04-17-10		BOTTLE SIZE & TYPE														LABORATORY I.D. NUMBER	
Address: 8800 Bay Meadows Way		P.O. Number or Project Number: 2017-04-17-10		ANALYSIS REQUIRED															
FAX: FL 32256		FDEP Facility No:																	
Phone: 904 256 1700		Project Address:																	
FAX:		Special Instructions: email send results Dep Overflow																	
Contact: Jeremy Parash																			
Sampled By:																			
Turn Around Time: ☒ STANDARD ☐ RUSH																			
Page: 1 of 1		☐ ADaPT ☐ EQUIS ☐ Other																	
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE TIME		MATRIX	NO. COUNT	PRESERVATION												
	GINE0083	G	4/23/17	0945	SW	1	X												
	GINE 0856	G		1040		1	X												
	GINE 0206	G		1055			X												
	GINE0871	G		1155			X												
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)																			
Received on Ice ☒ Yes ☐ No ☒ Temp taken from sample ☐ Temp from blank ☒ Where required, pH checked Temperature when received 4.1 (in degrees celcius)																			
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A (G: LT) LT-2 T: 10A A: 3A M: 3A S: 1V																			
Relinquished by:		Date	Time	Received by:		Date	Time	FOR DRINKING WATER USE:											
1	Jeremy Parash	4/23/17	1235	Booth P. Brown		4/23/17	1240	PWS ID: _____											
2								Contact Person: _____ Phone: _____											
3								Supplier of Water: _____											
4								Site Address: _____											