



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

WATER QUALITY MONITORING PROGRAM FIELD SHEET

PAGE 1 OF 1

Field ID:



G1NE0591 10182017

February 2017

Data Qualified?

Yes / No

Monteocha Creek @
CR 340 (NE 156th Ave)

STORET:

21030112

Date:

10/18/17
(mm/dd/yyyy)

WBID:

3654

Latitude:

29.7966

(Decimal Degrees)

County:

Alachua RQ

2017-09-18-19

ORG ID:

2PFLU

Longitude:

82.2886

(Decimal Degrees)

Receiving Body of Water:

Santa Fe River

Field ID:

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
B = V								
N Frederick								

Sampling Equipment	
☐ Sample Container	☐ Van Dorn ☒ Pole
☐ Carboy	☐ Syringe
☐ Dipper	☐ Other
Equipment ID: ORTID # 7	


Collection Method	
☐ Wading	☐ Via Boat
☒ From Shore	☐ Canoe/Kayak
☐ Other (note below)	☐ Electric Motor
	☐ Gasoline Motor

Water Level: Dry / Pooled / Low / <u>Normal</u> / High / Flooded					Matrix: <u>Fresh</u> / Marine / DI				
Meter ID# YSI 43					Photos: Yes / <u>No</u>				
Tide Falling: Yes / No / <u>NA</u>									

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp. COND (µmhos/cm)	Temp. (C°)
EST	1000	0.3	0.3	5.13	55.9	5.02	0.03	VOB	68	19.6
CEN								0.35		

Biological Samples Collected:	<u>None</u>	HA	SCI	RPS	Algae ID	LVS	LVI	Other
SBIO ID Numbers:	SBIO-ID:	RPS-ID:	Macrophyte-ID:	UMS#:				

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☐ Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ F Coli ☐ F Coli ☐ Entero ☒ PCR-FILTER	☒ Ice			
Tracers	☒ W-LCMS-DU ☒ W-UHERB-AA	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-LCMS-DU ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other			



Notes: Bottle group A/D/E/F		Place Label Here (If Available)
Signature: B = V	Date: 10/18/17	

Field Parameters Entered into LIMS: <u>grr 10/20/17</u> (Initials/Date)	Field Parameters QC in LIMS: <u>BT 10/23/17</u> (Initials/Date)
Date Migrated to STORET:	Field Sheets Scanned/Saved:



	<u>Altamonte Springs:</u> 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
X	<u>Gainesville:</u> 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
	<u>Jacksonville:</u> 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
	<u>Miramar:</u> 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
	<u>Tallahassee:</u> 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
	<u>Tampa:</u> 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP		Project Name:		Run name: SWWS	
Address: 8800 BAYMEADOWS WAY W JACKSONVILLE, FL. 32256		P.O. Number or Project Number: FDEP Facility No:		RQ-2017- 09-18-19	
Phone: 904-256-1541		Project Address:		N/A	
FAX:		Special Instructions:			
Contact: JEREMY PARRISH.		E-mail report to: Dep-Overflowmicro@dep.state.fl.us			
Sampled By: NED:					
Turn Around Time: ☒ STANDARD ☐ RUSH					
Page: 1 of 1		☐ ADaPT ☐ EQuIS ☐ Other			
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING DATE TIME	MATRIX	NO. COUNT
Field ID: [Barcode]	G1NE0557 10182017	GRAB	10/18/17 935	SW	1
Field ID: [Barcode]	G1NE0591 10182017		10/18/17 1000		
Field ID: [Barcode]	G1NE0018 10182017		10/18/17 1110		
Field ID: [Barcode]	G1NE0206 10182017		10/18/17 1310		
Field ID: [Barcode]	G1NE0027 10182017		10/18/17 1230		
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H ₂ SO ₄) N = (HNO ₃) T = (Sodium Thiosulfate)					
Received on Ice ☒ Yes ☐ No ☒ Temp taken from sample ☐ Temp from blank ☒ Where required, pH checked Temperature when received 7.8 (in degrees celcius)					
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V					
Relinquished by: [Signature]		Date: 10/18/17	Time: 1335	Received by: [Signature] Date: 10/18/17 Time: 1335	
FOR DRINKING WATER USE:		PWS ID:	Contact Person:	Phone:	
		Supplier of Water:	Site-Address:		



Page 206

Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

[illegible]