



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION DRINKING PROGRAM FIELD SHEET

PAGE 1 OF 1

Field ID:



G1NE0018 10182017

February 2017

Data Qualified?

Yes / No

Turkey Creek @
NW 59th

STORET



G1NE0018

Date:

10/18/17

WBID:

3671A

Latitude:

29.7488

County:

Alachua

2017-09-18-19

ORG ID:

21FLA

Longitude:

82.4007

Receiving Body of Water:

Blue's Creek

Field ID:

Sampling Team Members				WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
B Davis								
N Frederick								

Sampling Equipment	
☒ Sample Container	☐ Van Dorn ☒ Pole
☐ Carboy	☐ Syringe
☐ Dipper	☐ Other
Equipment ID: ORTHO # 7	

Collection Method	
☐ Wading	☐ Via Boat
☒ From Shore	☐ Canoe/Kayak
☐ Other (note below)	☐ Electric Motor
	☐ Gasoline Motor

Water Level: Dry / Pooled / Low / <u>Normal</u> / High / Flooded				Matrix: <u>Fresh</u> / Marine / DI			
Meter ID# <u>YSF#3</u>		Photos: <u>Yes</u> / <u>No</u>		Tide Falling: Yes / No / <u>NA</u>			

Time Zone	Time	Sample Depth (m)	Total Depth (m)	DO (mg/L)	DO (%SAT)	pH	Salinity (ppt)	Secchi Disk (m)	Sp COND (µmhos/cm)	Temp. (C°)
EST	1110	0.3	0.4	7.99	86.5	7.91	0.1	VOB 0.4 (s)	202	19.6
CEN										

Biological Samples Collected: <u>None</u> HA SCI RPS Algae ID LVS LVI Other									
SBIO ID Numbers: SBIO-ID: RPS-ID: Macrophyte-ID: LIMS#:									

Parameter Suite	Parameter Methods	Preservation	Acid Lot#	Expiration	pH Check
Preserved Nutrients	☒ W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	☒ Ice ☒ H2SO4			☐ <2
Metals	☐ W-ICPMS ☐ W-ICP	☐ Ice ☐ HNO3			☐ <2
Filtered Nutrients	☒ W-PO4-F ☒ Field Filtered 0.45 µm Filter	☒ Ice			
Chlorophyll	☒ CHLSUITE-W	☒ Ice			
Physical/Aggregate (Fresh)	☒ Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W-TDS	☒ Ice			
Physical/Aggregate (Marine)	☐ Alkalinity / W-F / W-TSS / TURBIDITY	☐ Ice			
Macroinvertebrates	☐ MI-FW-QLDC	☐ Formalin			
Periphyton	☐ ALGAE-ID	☐ Ice			
Microbiology	☒ E Coli ☐ F Coli ☒ Entero ☒ PCR-FILTER	☒ Ice			
Tracers	☒ W-LCMS-DU ☒ W-UHERB-AA	☒ Ice			
Pesticides	☐ W-PSNP-TQ ☐ W-AHERB-AA ☐ W-PYR-AA-R ☐ W-LCMS-DU ☐ W-PCL-SQ-R ☐ W-UHERB-AA ☐ W-GLYPH	☐ Ice ☐ Other			

Contains 1:1 Sulfuric Acid
Lot No.: SA7163030
Expires: 06/12/18
See Safety Data Sheet (SDS)

Place

(s) Here

Notes:

Bottle group: A/D/E/F

Place Label Here
(If Available)

Signature:

B - F

Date:

10/18/17

Field Parameters Entered into LIMS:

10/20/17

(Initials/Date)

Field Parameters QC in LIMS:

10/20/17

(Initials/Date)

Date Migrated to STORET:

Field Sheets Scanned/Saved:



	Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
X	Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
	Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name: FDEP		Project Name: Run name: <u>SWWS</u>		BOTTLE SIZE & TYPE												LABORATORY I.D. NUMBER	
Address: 8800 BAYMEADOWS WAY W		P.O. Number or Project Number: <u>RQ 2017 09-18-19</u>															
JACKSONVILLE, FL 32256		FDEP Facility No: <u>N/A</u>															
Phone: 904-256-1541		Project Address: <u>N/A</u>															
FAX:		Special Instructions:															
Contact: JEREMY PARRISH		E-mail report to: Dep-Overflowmicro@dep.state.fl.us		ANALYSIS REQUIRED		ECOLI-18QT (ECOLI) ENTERIC ENTERIC FOOTBALL (Fecal Coliforms)											
Sampled By: NED:																	
Turn Around Time: ☒ STANDARD ☐ RUSH																	
Page: 1 of 1		☐ ADaPT ☐ EQulS ☐ Other															
SAMPLE ID	SAMPLE DESCRIPTION	Grab Comp	SAMPLING		MATRIX	NO. COUNT	PRESERVATION										
			DATE	TIME													
Field ID: 	G1NE0557 10182017	GRAB	10/18/17	935	SW	1											
Field ID: 	G1NE0591 10182017		10/18/17	1000													
Field ID: 	G1NE0018 10182017		10/18/17	1110													
Field ID: 	G1NE0206 10182017		10/18/17	1310													
Field ID: 	G1NE0027 10182017		10/18/17	1230													
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S = (H2SO4) N = (HNO3) T = (Sodium Thiosulfate)																	
Received on Ice ☒ Yes ☐ No ☒ Temp taken from sample ☐ Temp from blank														☒ Where required, pH checked			
DCN: AD-051 Form last revised 04/30/2015														Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A <u>S</u> : LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V			
Relinquished by:		Date	Time	Received by:		Date	Time	FOR DRINKING WATER USE:									
1 <u>JS = PE</u>		10/18/17	1335	1 <u>JS = PE</u>		10/18/17	1335	PWS ID: _____									
2				2				Contact Person: _____ Phone: _____									
3				3				Supplier of Water: _____									
4				4				Site Address: _____									



Page 202

Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32218 • 904.363.9350 • Fax 904.363.9354
Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

[illegible]