



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP-Jacksonville
8800 Baymeadowsway, Suite 100
Jacksonville, FL 32256

PO #: n/a
Client Project #: Suwannee North RQ2016-01-3010
Date Sampled: Jan 31, 2017
Feb 1, 2017; Invoice: 322039

Report Summary

Date Received: Jan 31, 2017

FCL Project Manager: June S. Flowers

Laboratory #	Sample Description	Analysis	Chemist	Location	Sample Matrix
322039SW1	Falling Creek	SM9223B	CWF	North Lab	Surface Water
322039SW2	Deep Creek	SM9223B	CWF	North Lab	Surface Water
322039SW3	Little Creek	SM9223B	CWF	North Lab	Surface Water
322039SW4	Hunters Creek	SM9223B	CWF	North Lab	Surface Water
322039SW5	Swift Creek	SM9223B	CWF	North Lab	Surface Water
322039SW6	Camp Branch	SM9223B	CWF	North Lab	Surface Water

Certificate of Results

Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAP Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.



Jefferson S. Flowers, Ph.D.
President/Technical Director



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP-Jacksonville
8800 Baymeadowsway, Suite 100
Jacksonville, FL 32256

PO #: n/a
Client Project #: Suwannee North RQ2016-01-3010
Date Sampled: Jan 31, 2017
Feb 1, 2017; Invoice: 322039

Analysis Report

Lab #: 322039SW1		Sampled: 01/31/17 09:20 AM		Desc: Falling Creek						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	225	mpn/100mL	1.00	1.00	1.00	10332323	SM9223B		01/31/17	02:27 PM
Lab #: 322039SW2		Sampled: 01/31/17 09:55 AM		Desc: Deep Creek						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	60.2	mpn/100mL	1.00	1.00	1.00	10332323	SM9223B		01/31/17	02:27 PM
Lab #: 322039SW3		Sampled: 01/31/17 10:20 AM		Desc: Little Creek						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	613	mpn/100mL	1.00	1.00	1.00	10332323	SM9223B		01/31/17	02:27 PM
Lab #: 322039SW4		Sampled: 01/31/17 10:55 AM		Desc: Hunters Creek						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	1120	mpn/100mL	1.00	1.00	1.00	10332323	SM9223B		01/31/17	02:27 PM
Lab #: 322039SW5		Sampled: 01/31/17 11:30 AM		Desc: Swift Creek						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	119	mpn/100mL	1.00	1.00	1.00	10332323	SM9223B		01/31/17	02:27 PM
Lab #: 322039SW6		Sampled: 01/31/17 11:50 AM		Desc: Camp Branch						
Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	194	mpn/100mL	1.00	1.00	1.00	10332323	SM9223B		01/31/17	02:27 PM



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP-Jacksonville
8800 Baymeadowsway, Suite 100
Jacksonville, FL 32256

PO #: n/a
Client Project #: Suwannee North RQ2016-01-3010
Date Sampled: Jan 31, 2017
Feb 1, 2017; Invoice: 322039

Quality Report

Quality Control Batch: 10332323

Analyst: CWF

Blank

Result

Units

E. Coli

1.00U

mpn/100mL



FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986
812 SW Harvey Green Dr, Madison, FL 32340
3980 Overseas Hwy, Suite 103, Marathon, FL 33050

Phone: 407-339-5984 E83018 (Main Lab)
Phone: 772-343-8006 E86562 (South Lab)
Phone: 850-973-6878 E82405 (North Lab)
Phone: 305-743-8598 E35834 (Keys Lab)

FDEP-Jacksonville
8800 Baymeadowsway, Suite 100
Jacksonville, FL 32256

PO #: n/a
Client Project #: Suwannee North RQ2016-01-3010
Date Sampled: Jan 31, 2017
Feb 1, 2017; Invoice: 322039

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results are reported on a wet weight basis for aqueous matrices and on a dry weight basis for sludge and soil matrices unless otherwise noted. Sample results reported as dissolved were field filtered.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	Estimated value; one or more QC components associated with this data value exceed current QC limits.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
W	The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.
Z	Too numerous to count colonies on plate.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.