

Gainesville 1

last revised Apr 7, 2016

## Central Laboratory Submittal Form

Customer: NE-DIST

Requester: Nicole Frederick

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Field ID: 

20020109 02082017

Little Hatchett Creek  
@ SR 24

STORET: G1NE0083

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dmsField ID: 

21030089 02082017

Blues Creek @ NW  
71st St., Gainesville

STORET: 21030089

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dmsField ID: 

G1NE0856 02082017

Tumblin Creek @  
SW 14th

STORET: G1NE0856

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dmsField ID: 

G1NE0206 02082017

Lake Alice Outlet @  
Gale Lemmeron Rd.

STORET: G3NE0010

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms

|                                                                           |                                                                          |                                                                     |                                        |                               |
|---------------------------------------------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------|----------------------------------------|-------------------------------|
| <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>2-8-2017</u> Time <u>0950</u> | <u>Eastern</u><br>Central                                           | Composite end<br>Date _____ Time _____ | Bottle Group(s)<br>(See pg 2) |
| Matrix (type, e.g., Salt, <u>Fresh</u> , etc)                             |                                                                          | Diss. Oxygen <u>8.36</u> mg/L<br><u>86</u> % sat                    | Total Res. Chlorine (mg/L)             | A, B                          |
| Temp (C) <u>16.5</u>                                                      | pH <u>7.52</u>                                                           | Sample Depth <u>0.1</u> ft<br><input checked="" type="checkbox"/> m | Sp. Conductance (umho/cm) <u>183</u>   |                               |
| Comments <u>Slightly turbid - recent rain</u>                             |                                                                          |                                                                     |                                        |                               |
| <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>2-8-2017</u> Time <u>1015</u> | <u>Eastern</u><br>Central                                           | Composite end<br>Date _____ Time _____ | Bottle Group(s)               |
| Matrix (type, e.g., Salt, <u>Fresh</u> , etc)                             |                                                                          | Diss. Oxygen <u>8.23</u> mg/L<br><u>83</u> % sat                    | Total Res. Chlorine (mg/L)             | A, B                          |
| Temp (C) <u>15.8</u>                                                      | pH <u>7.27</u>                                                           | Sample Depth <u>0.1</u> ft<br><input checked="" type="checkbox"/> m | Sp. Conductance (umho/cm) <u>240</u>   |                               |
| Comments                                                                  |                                                                          |                                                                     |                                        |                               |
| <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>2-8-2017</u> Time <u>1055</u> | <u>Eastern</u><br>Central                                           | Composite end<br>Date _____ Time _____ | Bottle Group(s)               |
| Matrix (type, e.g., Salt, <u>Fresh</u> , etc)                             |                                                                          | Diss. Oxygen <u>9.06</u> mg/L<br><u>95</u> % sat                    | Total Res. Chlorine (mg/L)             | A, B                          |
| Temp (C) <u>17.6</u>                                                      | pH <u>7.96</u>                                                           | Sample Depth <u>0.3</u> ft<br><input checked="" type="checkbox"/> m | Sp. Conductance (umho/cm) <u>207</u>   |                               |
| Comments                                                                  |                                                                          |                                                                     |                                        |                               |
| <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date <u>2-8-2017</u> Time <u>1115</u> | <u>Eastern</u><br>Central                                           | Composite end<br>Date _____ Time _____ | Bottle Group(s)               |
| Matrix (type, e.g., Salt, <u>Fresh</u> , etc)                             |                                                                          | Diss. Oxygen <u>6.77</u> mg/L<br><u>71</u> % sat                    | Total Res. Chlorine (mg/L)             | A, B                          |
| Temp (C) <u>17.6</u>                                                      | pH <u>7.71</u>                                                           | Sample Depth <u>.20</u> ft<br><input checked="" type="checkbox"/> m | Sp. Conductance (umho/cm) <u>182</u>   |                               |
| Comments <u>Recent rain - water slightly turbid</u>                       |                                                                          |                                                                     |                                        |                               |

|                                       |                            |                                |                                  |                                   |                                     |
|---------------------------------------|----------------------------|--------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| Relinquished By: <u>J. Kalmbacher</u> | Date/Time: <u>2-8-2017</u> | Shipping Method: <u>Fed Ex</u> | Number of Coolers Shipped: _____ | Received By: <u>J. Kalmbacher</u> | Date/Time: <u>02/09/17 10:05 am</u> |
|---------------------------------------|----------------------------|--------------------------------|----------------------------------|-----------------------------------|-------------------------------------|

\* Storet # and Field Id # need to be switched on ALL Little Hatchett Creek Labels

|          |                                                                                    |                |                 |               |               |                                     |   |
|----------|------------------------------------------------------------------------------------|----------------|-----------------|---------------|---------------|-------------------------------------|---|
| Group: A | Bottle Type:                                                                       | P-1L           | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 4 |
|          | ALKALINITY<br>TURBIDITY<br>W-CL-IC<br>W-COLOR<br>W-F<br>W-SO4-IC<br>W-TDS<br>W-TSS |                |                 |               |               |                                     |   |
| Group: A | Bottle Type:                                                                       | BP-1L          | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 4 |
|          | CHLSUITE-W                                                                         |                |                 |               |               |                                     |   |
| Group: A | Bottle Type:                                                                       | P-120ML-WC-THI | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 4 |
|          | NED-AEG-EC                                                                         |                |                 |               |               |                                     |   |
| Group: A | Bottle Type:                                                                       | QPCR-P-250ML   | # of Bottles: 8 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 8 |
|          | PCR-FILTER                                                                         |                |                 |               |               |                                     |   |
| Group: A | Bottle Type:                                                                       | P-500ML        | # of Bottles: 4 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 4 |
|          | W-NH3<br>W-NO2NO3<br>W-S-A-TP<br>W-TKN<br>W-TOC                                    |                |                 |               |               |                                     |   |
| Group: A | Bottle Type:                                                                       | P-125ML        | # of Bottles: 4 | Preservative: | ICE-FLTR      | Enter Number of Bottles Sent to Lab | 4 |
|          | W-PO4-F                                                                            |                |                 |               |               |                                     |   |
| Group: A | Bottle Type:                                                                       | BG-1L          | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 4 |
|          | W-SUC-AA-R<br>W-UHERB-AA                                                           |                |                 |               |               |                                     |   |
| Group: B | Bottle Type:                                                                       | P-120ML-WC-THI | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1 |
|          | NED-AEG-EC                                                                         |                |                 |               |               |                                     |   |
| Group: B | Bottle Type:                                                                       | QPCR-P-250ML   | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2 |
|          | PCR-FILTER                                                                         |                |                 |               |               |                                     |   |
| Group: B | Bottle Type:                                                                       | BG-1L          | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1 |
|          | W-SUC-AA-R                                                                         |                |                 |               |               |                                     |   |

2017-02-06-15 - or the bottle shipped from previous day (2/1/17)

## Central Laboratory Submittal Form

Customer: NE-DIST

Project ID: SMP

Requester: Nicole Frederick

Field Report Prepared By:

A. Kumbacher

Collected By:

J. Parrish

Sampling Agency:

FDEP / NE ROC

|                                                                                                                                     |                                                                           |                                                            |                                                                                                            |                               |                               |
|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------|-------------------------------|
| Field ID: <br>G1NE0871 02082017                    | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 2-8-2017 Time 1145 | Eastern<br>Central                                                                                         | Composite end<br>Date Time    | Bottle Group(s)<br>(See pg 2) |
| Hogtown Creek @<br>SW 20th Ave<br>STORET G1NE0048  | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                            | Diss. Oxygen 6.37 <input checked="" type="checkbox"/> mg/L<br>67 <input checked="" type="checkbox"/> % sat | Total Res. Chlorine (mg/L)    | B                             |
| Temp (C) 17.3                                                                                                                       | pH 7.38                                                                   | Sample Depth 0.2                                           | <input type="checkbox"/> ft<br><input checked="" type="checkbox"/> m                                       | Sp. Conductance (umho/cm) 216 |                               |
| Latitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                                | Longitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms     | Salinity (ppt) 0.10                                        | Comments                                                                                                   |                               |                               |
| Location                                                                                                                            | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date Time               | Eastern<br>Central                                                                                         | Composite end<br>Date Time    | Bottle Group(s)               |
| Field ID                                                                                                                            | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                            | Diss. Oxygen <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat                               | Total Res. Chlorine (mg/L)    |                               |
| STORET #                                                                                                                            | Temp (C)                                                                  | pH                                                         | Sample Depth <input type="checkbox"/> ft<br><input type="checkbox"/> m                                     | Sp. Conductance (umho/cm)     |                               |
| Latitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                                | Longitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms     | Salinity (ppt)                                             | Comments                                                                                                   |                               |                               |
| Location                                                                                                                            | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date Time               | Eastern<br>Central                                                                                         | Composite end<br>Date Time    | Bottle Group(s)               |
| Field ID                                                                                                                            | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                            | Diss. Oxygen <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat                               | Total Res. Chlorine (mg/L)    |                               |
| STORET #                                                                                                                            | Temp (C)                                                                  | pH                                                         | Sample Depth <input type="checkbox"/> ft<br><input type="checkbox"/> m                                     | Sp. Conductance (umho/cm)     |                               |
| Latitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                                | Longitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms     | Salinity (ppt)                                             | Comments                                                                                                   |                               |                               |
| Location                                                                                                                            | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date Time               | Eastern<br>Central                                                                                         | Composite end<br>Date Time    | Bottle Group(s)               |
| Field ID                                                                                                                            | Matrix (type, e.g., Salt, Fresh, etc)                                     |                                                            | Diss. Oxygen <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat                               | Total Res. Chlorine (mg/L)    |                               |
| STORET #                                                                                                                            | Temp (C)                                                                  | pH                                                         | Sample Depth <input type="checkbox"/> ft<br><input type="checkbox"/> m                                     | Sp. Conductance (umho/cm)     |                               |
| Latitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms                                                                | Longitude <input type="checkbox"/> dd<br><input type="checkbox"/> dms     | Salinity (ppt)                                             | Comments                                                                                                   |                               |                               |

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

A. Kumbacher 2-8-2017

Fed Ex

J. Kumbacher

02/09/17 10:05a

|          |                                                                                    |                |                 |               |               |                                           |
|----------|------------------------------------------------------------------------------------|----------------|-----------------|---------------|---------------|-------------------------------------------|
| Group: A | Bottle Type:                                                                       | P-1L           | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | ALKALINITY<br>TURBIDITY<br>W-CL-IC<br>W-COLOR<br>W-F<br>W-SO4-IC<br>W-TDS<br>W-TSS |                |                 |               |               |                                           |
| Group: A | Bottle Type:                                                                       | BP-1L          | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | CHLSUITE-W                                                                         |                |                 |               |               |                                           |
| Group: A | Bottle Type:                                                                       | P-120ML-WC-THI | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | NED-AEG-EC                                                                         |                |                 |               |               |                                           |
| Group: A | Bottle Type:                                                                       | QPCR-P-250ML   | # of Bottles: 8 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | PCR-FILTER                                                                         |                |                 |               |               |                                           |
| Group: A | Bottle Type:                                                                       | P-500ML        | # of Bottles: 4 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab _____ |
|          | W-NH3<br>W-NO2NO3<br>W-S-A-TP<br>W-TKN<br>W-TOC                                    |                |                 |               |               |                                           |
| Group: A | Bottle Type:                                                                       | P-125ML        | # of Bottles: 4 | Preservative: | ICE-FLTR      | Enter Number of Bottles Sent to Lab _____ |
|          | W-PO4-F                                                                            |                |                 |               |               |                                           |
| Group: A | Bottle Type:                                                                       | BG-1L          | # of Bottles: 4 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | W-SUC-AA-R<br>W-UHERB-AA                                                           |                |                 |               |               |                                           |
| Group: B | Bottle Type:                                                                       | P-120ML-WC-THI | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | NED-AEG-EC                                                                         |                |                 |               |               |                                           |
| Group: B | Bottle Type:                                                                       | QPCR-P-250ML   | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | PCR-FILTER                                                                         |                |                 |               |               |                                           |
| Group: B | Bottle Type:                                                                       | BG-1L          | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab _____ |
|          | W-SUC-AA-R                                                                         |                |                 |               |               |                                           |

Group: B

Bottle Type:

BG-1L

# of Bottles: 1

Preservative:

ICE

Enter Number of Bottles Sent to Lab

1

W-UHERB-AA

Date of Request: 29-DEC-2016  
 Created By: FREDERIC\_N On: 29-DEC-2016  
 Modified By: MATTHEWS\_D On: 17-JAN-2017  
 Customer: NE-DIST  
 Project: SMP  
 Division:  
 District: Northeast District  
 Sampling Event: Gainesville 1

**Send Coolers To:**

Phone: 904-807-3300  
 8800 Baymeadows Way  
 Suite 100  
 Jacksonville, FL 32256-7577  
 Attn: Nicole Frederick

Program Module Number:

Priority: 3  
 Event Status: S  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 12-JAN-2017  
 Biology Request Reviewed By: MATTHEWS\_D On: 17-JAN-2017  
 Sampling Kit Required: YES Ship on: 03-FEB-2017  
 Sampling Kit Shipped: YES On: 02-FEB-2017  
 Sampling Kit Packed By: SHAIK\_A  
 Preservatives Needed: NO  
 Date to Receive Samples: 06-FEB-2017  
 Received By:

**Send Final Report To:**

8800 Baymeadows Way  
 Suite 100  
 Jacksonville, FL 32256-7577  
 Attn: Nicole Frederick

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals w/ bacteria; tracer/markers

**Bottle Group A (Water) With 4 Samples:**

|                                   |                      |                                                                                                                                               |
|-----------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L                 | Number of Bottles: 4 | Preserved With: ICE                                                                                                                           |
| ALKALINITY                        | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                                                      |
| TURBIDITY                         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                                            |
| W-CL-IC                           | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                                             |
| W-COLOR                           | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                                                     |
| Color (true)                      |                      |                                                                                                                                               |
| W-F                               | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                                          |
| W-SO <sub>4</sub> -IC             | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                                              |
| W-TDS                             | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                                     |
| W-TSS                             | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                                     |
| Bottle Type: BP-1L                | Number of Bottles: 4 | Preserved With: ICE                                                                                                                           |
| CHLSUITE-W                        | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry                            |
| Bottle Type:                      | Number of Bottles: 4 | Preserved With: ICE                                                                                                                           |
| NED-AEG-EC                        | Template: DEFAULT    | (EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Gainesville Overflow Laboratories for NED |
| Bottle Type: QPCR-P-250ML         | Number of Bottles: 8 | Preserved With: ICE                                                                                                                           |
| PCR-FILTER                        | Template: DEFAULT    | (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis                                                                 |
| Bottle Type: P-500ML              | Number of Bottles: 4 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>                                                                                        |
| W-NH <sub>3</sub>                 | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                                    |
| W-NO <sub>2</sub> NO <sub>3</sub> | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                                            |
| W-S-A-TP                          | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                                           |
| W-TKN                             | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                                              |
| W-TOC                             | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                                                |
| Bottle Type: P-125ML              | Number of Bottles: 4 | Preserved With: ICE-FLTR                                                                                                                      |
| W-PO <sub>4</sub> -F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                                      |
| Bottle Type: BG-1L                | Number of Bottles: 4 | Preserved With: ICE                                                                                                                           |
| W-SUC-AA-R                        | Template: DEFAULT    | (EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS                                                                             |

**Bottle Group A (Water) With 4 Samples:**

Bottle Type: BG-1L      Number of Bottles: 4      Preserved With: ICE  
W-UHERB-AA      Template: DEFAULT      (USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

**Bottle Group B (Water) With 1 Samples:**

Bottle Type: BG-1L      Number of Bottles: 1      Preserved With: ICE  
W-SUC-AA-R      Template: DEFAULT      (EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS  
W-UHERB-AA      Template: DEFAULT      (USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS  
Bottle Type:      Number of Bottles: 1      Preserved With: ICE  
NED-AEG-EC      Template: DEFAULT      (EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced  
Environmental Gainesville Overflow Laboratories for NED  
Bottle Type: QPCR-P-250ML      Number of Bottles: 2      Preserved With: ICE  
PCR-FILTER      Template: DEFAULT      (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

2017-02-06-17(31)  
RQ- 2017-02-06-15(1)

## Log-in Checklist

Shipping Method: Fedex

Date/Time of Receipt: 10:05 am 02/09/17

| Cooler ID | Cooler Temperature* | No. Sample Containers in Cooler | Evidence Tape |    |          |    | Tracking # (fill out only if waybill copy is damaged) |
|-----------|---------------------|---------------------------------|---------------|----|----------|----|-------------------------------------------------------|
|           |                     |                                 | Present?      |    | *Intact? |    |                                                       |
|           |                     |                                 | Yes           | No | Yes      | No |                                                       |
| Red       | -1.1                | 14                              |               | ✓  |          |    | 810392837148                                          |
| Red       | -0.8                | 18                              |               | ✓  |          |    | 810392837148                                          |
|           |                     |                                 |               |    |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |
|           |                     |                                 |               |    |          |    |                                                       |

\*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**\*\*Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**\*\*Chain of Custody/ Field Sheet(s) Included?** Yes ✓ No   

### CONTAINER CHECK

**\*\*Evidence Tape on Bottles?** Yes    No ✓ **If yes, is it intact?** Yes    No   

**\*\*Caps on tight?** Yes ✓ No    **\*\*Containers intact?** Yes ✓ No   

**\*\*Sufficient Sample Volume:** Yes ✓ No   

### CHLORINE CHECK (Blue dot on container)

| Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required. |     |    |               |     |    |
|------------------------------------------------------------------------------------------------------|-----|----|---------------|-----|----|
| Analysis                                                                                             | Yes | No | Analysis      | Yes | No |
| W-1,4 DIOX                                                                                           |     |    | W-PC-AA-SF    |     |    |
| W-AHERB-AA (-AHB-AA-R)                                                                               |     |    | W-PCL-SQ (-R) |     |    |
| W-BNA (-625, -R)                                                                                     |     |    | W-PDQUAT      |     |    |
| W-CARB-AA (-CAB-AA-R)                                                                                |     |    | W-PESTNP-R    |     |    |
| W-ENDO-AA                                                                                            |     |    | W-PSCL-TQ     |     |    |
| W-GLYPH                                                                                              |     |    | W-PSNP-TQ     |     |    |
| W-NP-AA-SF                                                                                           |     |    | W-PST-CL-R    |     |    |
| W-PAH (-R)                                                                                           |     |    | W-TR-TQ       |     |    |
| W-PCB-R                                                                                              |     |    | W-CT-CI-R     |     |    |

### PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**\*\*Acid Preserved Samples:** pH ≤ 2.0? Yes ✓ No    NA    Init: JK

**\*\*W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes    No    NA ✓ Init: JK

Coolers Unpacked/Checked by: JK Date: 02/09/17 NCRs (Y/N)? N

Event ID: NE-DIST-2017-02-09-02 NCR #

## Log-in Checklist

### Samples with Incorrect pH Preservation or presence of Chlorine

| Field ID | Bottle Test ID(s) | pH / Cl | Action Taken |
|----------|-------------------|---------|--------------|
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |

### Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

| Cooler ID | Field ID | Bottle Test ID(s) |
|-----------|----------|-------------------|
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |

### Bottles Not Intact

| Field ID | Bottle Test ID(s) | Loose Cap | Damaged Cap |    | Damaged Container |    | Evidence Tape Not Intact |
|----------|-------------------|-----------|-------------|----|-------------------|----|--------------------------|
|          |                   |           | CK          | BR | CK                | BR |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |

### Samples with Insufficient Volume for Analyses

| Field ID | Bottle Test ID(s) | Action Taken |
|----------|-------------------|--------------|
|          |                   |              |
|          |                   |              |
|          |                   |              |
|          |                   |              |

## ENCORE SAMPLES

**S-VOC-MS samples in Encores must be frozen within 48 hours of collection.**

Were Encore samples received? Yes \_\_\_\_\_ No ☒ \_\_\_\_\_

Date and time placed in freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection? Yes \_\_\_\_\_ No \_\_\_\_\_

If no, were samples shipped on dry ice? Yes \_\_\_\_\_ No \_\_\_\_\_

**FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):**

Samples preserved within 48 hours? Yes \_\_\_\_\_ No \_\_\_\_\_

Date and time samples preserved: \_\_\_\_\_

**Additional Comments:**