

Chemical Analysis Report

NE-DIST-2017-10-18-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **LSJR SW**
Request ID: **RQ-2017-10-09-07**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Jacksonville, FL 32256-7577
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 07-NOV-2017 14:04

A handwritten signature in black ink, appearing to read "Liang Lin", is written on a light-colored, textured background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals, Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ST.JOHNS RIVER @ ALPINE GROVE DOCK

Collection Date/Time: 10/17/2017 08:35

Field ID: G2NE1129 10172017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1937839	EPA 180.1 Rev. 2.0	Turbidity	26		NTU	P333629	
	EPA 300.0 Rev. 2.1	Chloride	120		mg Cl/L	P333835	
		Sulfate	36		mg SO4/L	P333839	
	SM 2120 B	Color (true)	220		PCU	P333638	
	SM 2320 B-97	Total Alkalinity	56		mg CaCO3/L	P333853	
	SM 2540 C-97	TDS	361		mg/L	P334033	
	SM 2540 D-97	TSS	49		mg/L	P334329	
	SM 4500 F-C-97	Fluoride	0.11		mg F/L	P333857	
1937840	EPA 350.1 Rev. 2.0	Ammonia-N	0.020		mg N/L	P333967	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P333876	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.22		mg N/L	P334003	
	EPA 365.1 Rev. 2.0	Total-P	0.20		mg P/L	P333944	
	SM 5310 B-00	Organic Carbon	22		mg C/L	P334243	
1937841	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.087		mg P/L	P333656	
1937853	EPA 200.7 Rev. 4.4	Calcium	32.9		mg/L	P333716	
		Iron	1.50E+03		ug/L	P333716	
		Magnesium	11.3		mg/L	P333716	
		Potassium	3.9		mg/L	P333716	
		Sodium	64.2		mg/L	P333716	
	EPA 200.8 Rev. 5.4	Zinc	13	I	ug/L	P333716	
		Arsenic	3.29		ug/L	P333716	
		Cadmium	0.035	I	ug/L	P333716	
		Chromium	3.0		ug/L	P333716	
		Copper	3.95		ug/L	P333716	
		Lead	2.54		ug/L	P333716	
		Nickel	0.82		ug/L	P333716	
		Silver	0.010	U	ug/L	P333716	

Sample Location: GREEN CREEK @ SR 315 (SHARON RD)

Collection Date/Time: 10/17/2017 09:40

Field ID: G2NE0253 10172017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1937852	EPA 8321B	Sucralose**	0.010	U	ug/L	P333672	
	USGS O-2060-01	2,4-D	0.0020	U	ug/L	P333573	
		Diuron	8.0E-04	U	ug/L	P333573	
		Fenuron	0.0080	U	ug/L	P333573	
		Imidacloprid	8.0E-04	U	ug/L	P333573	MS
		Bentazon	8.0E-04	UJ	ug/L	P333573	LCS, MS
		Linuron	0.0040	U	ug/L	P333573	
		Acetaminophen**	0.0080	U	ug/L	P333573	
		MCPD	0.0020	U	ug/L	P333573	
		Carbamazepine**	4.0E-04	U	ug/L	P333573	
		Triclopyr**	0.0040	U	ug/L	P333573	
		Primidone**	0.0040	U	ug/L	P333573	

Field ID: G2NE0253 10172017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1937852	USGS O-2060-01	Fluridone**	4.0E-04	U	ug/L	P333573	

Ref. Method and Comment:
 USGS O-2060-01: Refer to the narrative for an explanation of QC Codes.

Sample Location: PETERS CREEK @ SR 16

Collection Date/Time: 10/17/2017 10:05

Field ID: G2NE0719 10172017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1937850	EPA 8321B	Sucralose**	0.010	U	ug/L	P333672	
	USGS O-2060-01	2,4-D	0.0020	U	ug/L	P333573	
		Diuron	8.0E-04	U	ug/L	P333573	
		Fenuron	0.0080	U	ug/L	P333573	
		Imidacloprid	0.0020	I	ug/L	P333573	MS
		Bentazon	8.0E-04	UJ	ug/L	P333573	LCS, MS
		Linuron	0.0040	U	ug/L	P333573	
		Acetaminophen**	0.0080	U	ug/L	P333573	
		MCP	0.0020	U	ug/L	P333573	
		Carbamazepine**	4.0E-04	U	ug/L	P333573	
		Triclopyr**	0.0040	U	ug/L	P333573	
		Primidone**	0.0040	U	ug/L	P333573	
		Fluridone**	4.0E-04	U	ug/L	P333573	

Ref. Method and Comment:
 USGS O-2060-01: Refer to the narrative for an explanation of QC Codes.

Sample Location: GROG BRANCH @ LONG BRANCH RD

Collection Date/Time: 10/17/2017 12:20

Field ID: G2NE0841 10172017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1937836	EPA 180.1 Rev. 2.0	Turbidity	4.5		NTU	P333629	
	EPA 300.0 Rev. 2.1	Chloride	18		mg Cl/L	P333835	
		Sulfate	4.1		mg SO4/L	P333839	
	SM 2120 B	Color (true)	370		PCU	P333636	
	SM 2320 B-97	Total Alkalinity	16		mg CaCO3/L	P333853	
	SM 2540 C-97	TDS	125		mg/L	P334033	
	SM 2540 D-97	TSS	3	I	mg/L	P334329	
	SM 4500 F-C-97	Fluoride	0.039	I	mg F/L	P333857	
1937837	EPA 350.1 Rev. 2.0	Ammonia-N	0.051		mg N/L	P333967	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P333876	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.033		mg N/L	P334003	
	EPA 365.1 Rev. 2.0	Total-P	0.053		mg P/L	P333884	
	SM 5310 B-00	Organic Carbon	32		mg C/L	P334243	
1937838	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.022		mg P/L	P333655	

Sample Location: GROG BRANCH @ LONG BRANCH RD

Collection Date/Time: 10/17/2017 12:20

Field ID: G2NE0841 10172017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Field ID: G2NE0841 10172017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1937851	EPA 8321B	Sucralose**	0.18		ug/L	P333672	
	USGS O-2060-01	2,4-D	0.0020	U	ug/L	P333573	
		Diuron	8.0E-04	U	ug/L	P333573	
		Fenuron	0.0080	U	ug/L	P333573	
		Imidacloprid	0.0053		ug/L	P333573	MS
		Bentazon	8.0E-04	UJ	ug/L	P333573	LCS, MS
		Linuron	0.0040	U	ug/L	P333573	
		Acetaminophen**	0.0080	U	ug/L	P333573	
		MCP	0.0020	U	ug/L	P333573	
		Carbamazepine**	4.0E-04	U	ug/L	P333573	
		Triclopyr**	0.0040	U	ug/L	P333573	
		Primidone**	0.010	I	ug/L	P333573	
		Fluridone**	4.0E-04	U	ug/L	P333573	

Ref. Method and Comment:
 USGS O-2060-01: Refer to the narrative for an explanation of QC Codes.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P333629

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
 Batch ID: P333716

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
 Batch ID: P333716

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.20	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.20	U	ug/L
Silver	0.010	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P333835

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P333839

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P333967

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P333876

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P334003

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333884

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333944

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P333655

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P333656

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P333672

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2120 B
Batch ID: P333636

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2120 B
Batch ID: P333638

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P333853

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P334033

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P334329

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P333857

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P334243

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: USGS O-2060-01
Batch ID: P333573

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0080	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
MCPP	0.0020	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: USGS O-2060-01
Batch ID: P333573

Component	Result	Code	Units
Primidone	0.0040	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P333716

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	102		P	85 - 115
Iron	106		P	85 - 115
Magnesium	103		P	85 - 115
Potassium	98.3		P	85 - 115
Sodium	100		P	85 - 115
Zinc	100		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P333716

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	103		P	85 - 115
Cadmium	103		P	85 - 115
Chromium	99.8		P	85 - 115
Copper	99.8		P	85 - 115
Lead	98.3		P	85 - 115
Nickel	102		P	85 - 115
Silver	98.7		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P333835

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	100		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P333839

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P333967

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P333876

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P333876

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	106		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P334003

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333884

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.4		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333944

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	95.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P333655

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P333656

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	101		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P333672

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	81.5		P	40 - 150

Reference Method: SM 2320 B-97
Batch ID: P333853

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P333857

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.9		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P334243

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.5		P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P333573

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	72.0		P	40 - 150
Acetaminophen	121		P	30 - 150
Bentazon	24.3		F	30 - 150
Carbamazepine	123		P	40 - 150
Diuron	113		P	40 - 150
Fenuron	112		P	40 - 150
Fluridone	106		P	40 - 150
Imidacloprid	101		P	40 - 160
Linuron	109		P	40 - 150
MCP	66.1		P	40 - 150
Primidone	102		P	40 - 150
Triclopyr	67.8		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P333716

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937479	Calcium	105		P	80 - 120
1937479	Iron	106		P	80 - 120
1937479	Magnesium	106		P	80 - 120
1937479	Potassium	99.1		P	80 - 120
1937479	Sodium	101		P	80 - 120
1937479	Zinc	100		P	80 - 120
1937773	Calcium	101		P	80 - 120
1937773	Iron	107	105	P/P	80 - 120
1937773	Magnesium	101		P	80 - 120
1937773	Potassium	97.6		P	80 - 120
1937773	Sodium	101		P	80 - 120
1937773	Zinc	99.1	99.2	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P333716

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937479	Arsenic	103		P	80 - 120
1937479	Cadmium	105		P	80 - 120
1937479	Chromium	102		P	80 - 120
1937479	Copper	102		P	80 - 120
1937479	Lead	100		P	80 - 120
1937479	Nickel	103		P	80 - 120
1937479	Silver	97.8		P	80 - 120
1937773	Arsenic	105	107	P/P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P333716

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937773	Cadmium	105	108	P/P	80 - 120
1937773	Chromium	101	103	P/P	80 - 120
1937773	Copper	101	103	P/P	80 - 120
1937773	Lead	101	102	P/P	80 - 120
1937773	Nickel	103	104	P/P	80 - 120
1937773	Silver	102	101	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P333835

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937693	Chloride	98.6		P	90 - 110
1937785	Chloride	94.1		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P333839

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937693	Sulfate	98.0		P	90 - 110
1937785	Sulfate	96.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P333967

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937765	Ammonia-N	95.1	95.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P333876

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937694	Kjeldahl Nitrogen	106	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P334003

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937780	NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333884

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937780	Total-P	102	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333944

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937884	Total-P	101	99.9	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P333655

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937838	O-Phosphate-P	93.9	98.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P333656

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937841	O-Phosphate-P	105	99.2	P/P	90 - 110

Reference Method: EPA 8321B
 Batch ID: P333672

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937810	Sucralose	54.8	53.2	P/P	40 - 150

Reference Method: SM 4500 F-C-97
 Batch ID: P333857

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1938061	Fluoride	96.6	97.8	P/P	91 - 105

Reference Method: SM 5310 B-00
 Batch ID: P334243

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1937788	Organic Carbon	94.4	98.1	P/P	85 - 115

Reference Method: USGS O-2060-01
 Batch ID: P333573

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1938002	2,4-D	57.3	57.6	P/P	40 - 150
1938002	Acetaminophen	104	103	P/P	30 - 150
1938002	Bentazon	16.1	14.4	F/F	30 - 150
1938002	Carbamazepine	135	138	P/P	40 - 150
1938002	Diuron	102	108	P/P	40 - 150
1938002	Fenuron	101	110	P/P	40 - 150
1938002	Fluridone	105	107	P/P	40 - 150
1938002	Imidacloprid	162	164	F/F	40 - 160
1938002	Linuron	105	106	P/P	40 - 150
1938002	MCP	47.1	49.3	P/P	40 - 150
1938002	Primidone	120	109	P/P	40 - 150
1938002	Triclopyr	48.3	45.4	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P333629

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P333629

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937786	Turbidity	3.92	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P333716

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937773	Calcium	1.19	Spike	P	0 - 20
1937773	Iron	1.68	Spike	P	0 - 20
1937773	Magnesium	2.18	Spike	P	0 - 20
1937773	Potassium	0.535	Spike	P	0 - 20
1937773	Sodium	0.801	Spike	P	0 - 20
1937773	Zinc	0.101	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P333716

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937773	Arsenic	1.15	Spike	P	0 - 20
1937773	Cadmium	3.11	Spike	P	0 - 20
1937773	Chromium	1.57	Spike	P	0 - 20
1937773	Copper	2.05	Spike	P	0 - 20
1937773	Lead	1.58	Spike	P	0 - 20
1937773	Nickel	0.777	Spike	P	0 - 20
1937773	Silver	0.800	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P333835

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937785	Chloride	1.69	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P333839

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937785	Sulfate	1.62	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P333967

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937765	Ammonia-N	0.0705	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P333876

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937694	Kjeldahl Nitrogen	0.697	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P334003

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937780	NO2NO3-N	0.499	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333884

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937780	Total-P	3.70	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P333944

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937884	Total-P	1.41	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P333655

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937838	O-Phosphate-P	3.89	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P333656

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937841	O-Phosphate-P	3.13	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P333672

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937810	Sucralose	2.12	Spike	P	0 - 30

Reference Method: SM 2120 B
Batch ID: P333636

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937882	Color (true)	0.583	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2120 B
Batch ID: P333638

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937786	Color (true)	0.780	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P333853

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1938061	Total Alkalinity	0.354	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P334033

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937786	TDS	4.92	Sample	P	0 - 10

Reference Method: SM 2540 D-97
Batch ID: P334329

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937786	TSS	7.75	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P333857

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1938061	Fluoride	0.940	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P334243

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1937788	Organic Carbon	2.52	Spike	P	0 - 20

Reference Method: USGS O-2060-01
Batch ID: P333573

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1938002	2,4-D	0.627	Spike	P	0 - 30
1938002	Acetaminophen	0.988	Spike	P	0 - 30
1938002	Bentazon	11.0	Spike	P	0 - 30
1938002	Carbamazepine	1.93	Spike	P	0 - 30
1938002	Diuron	5.10	Spike	P	0 - 30
1938002	Fenuron	8.58	Spike	P	0 - 30
1938002	Fluridone	2.53	Spike	P	0 - 30
1938002	Imidacloprid	1.12	Spike	P	0 - 30
1938002	Linuron	0.284	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: USGS O-2060-01
Batch ID: P333573

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1938002	MCP	4.48	Spike	P	0 - 30
1938002	Primidone	9.77	Spike	P	0 - 30
1938002	Triclopyr	6.20	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1937850
Field Sample ID: G2NE0719 10172017

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Acetaminophen-d4	93.4	P	30 - 160
EPA 8321B	Carbamazepine-d10	119	P	30 - 160
EPA 8321B	Diuron-d6	93.2	P	30 - 160
EPA 8321B	Primidone-d5	97.4	P	30 - 160
EPA 8321B	Sucralose-d6	64.4	P	40 - 160
USGS O-2060-01	2,4-D-d3	68.8	P	40 - 160
USGS O-2060-01	Acetaminophen-d4	93.4	P	30 - 160
USGS O-2060-01	Carbamazepine-d10	119	P	30 - 160
USGS O-2060-01	Diuron-d6	93.2	P	30 - 160
USGS O-2060-01	Primidone-d5	97.4	P	30 - 160
USGS O-2060-01	Sucralose-d6	64.4	P	40 - 160

Lab Sample ID: 1937851
Field Sample ID: G2NE0841 10172017

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Acetaminophen-d4	116	P	30 - 160
EPA 8321B	Carbamazepine-d10	102	P	30 - 160
EPA 8321B	Diuron-d6	73.6	P	30 - 160
EPA 8321B	Primidone-d5	83.7	P	30 - 160
EPA 8321B	Sucralose-d6	52.2	P	40 - 160
USGS O-2060-01	2,4-D-d3	78.5	P	40 - 160
USGS O-2060-01	Acetaminophen-d4	116	P	30 - 160
USGS O-2060-01	Carbamazepine-d10	102	P	30 - 160
USGS O-2060-01	Diuron-d6	73.6	P	30 - 160
USGS O-2060-01	Primidone-d5	83.7	P	30 - 160
USGS O-2060-01	Sucralose-d6	52.2	P	40 - 160

Lab Sample ID: 1937852
Field Sample ID: G2NE0253 10172017

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Acetaminophen-d4	133	P	30 - 160
EPA 8321B	Carbamazepine-d10	90.6	P	30 - 160
EPA 8321B	Diuron-d6	64.3	P	30 - 160
EPA 8321B	Primidone-d5	67.8	P	30 - 160

Quality Assurance Report Surrogates

Lab Sample ID: 1937852
Field Sample ID: G2NE0253 10172017

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	97.5	P	40 - 160
USGS O-2060-01	2,4-D-d3	70.0	P	40 - 160
USGS O-2060-01	Acetaminophen-d4	133	P	30 - 160
USGS O-2060-01	Carbamazepine-d10	90.6	P	30 - 160
USGS O-2060-01	Diuron-d6	64.3	P	30 - 160
USGS O-2060-01	Primidone-d5	67.8	P	30 - 160
USGS O-2060-01	Sucralose-d6	97.5	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A79644
Included Lab Sample IDs: 1937836, 1937839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	100	P/P	95 - 105

Reference Method: SM 2120 B
Run ID: A79646
Included Lab Sample IDs: 1937836, 1937839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	99.2	P/P	85 - 115
Color (true)	99.2	99.6	P/P	85 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A79656
Included Lab Sample IDs: 1937838, 1937841

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	101	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4
Run ID: A79706
Included Lab Sample IDs: 1937853

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	106	108	P/P	90 - 110
Cadmium	105	106	P/P	90 - 110
Chromium	105	105	P/P	90 - 110
Copper	106	107	P/P	90 - 110
Lead	101	103	P/P	90 - 110
Nickel	106	107	P/P	90 - 110
Silver	98.8	101	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4
Run ID: A79707
Included Lab Sample IDs: 1937853

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A79707

Included Lab Sample IDs: 1937853

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	98.2	97.2	P/P	90 - 110
Iron	101	98.3	P/P	90 - 110
Magnesium	101	98.0	P/P	90 - 110
Potassium	96.7	95.3	P/P	90 - 110
Sodium	98.7	97.6	P/P	90 - 110
Zinc	97.0	93.7	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A79726

Included Lab Sample IDs: 1937836, 1937839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	102	P/P	90 - 110
Sulfate	102	100	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A79730

Included Lab Sample IDs: 1937836, 1937839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.7	102	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A79730

Included Lab Sample IDs: 1937836, 1937839

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	98.1	98.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A79759

Included Lab Sample IDs: 1937837

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A79772

Included Lab Sample IDs: 1937837, 1937840

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A79781

Included Lab Sample IDs: 1937840

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	104	98.9	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A79783
Included Lab Sample IDs: 1937837, 1937840

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: USGS O-2060-01
Run ID: A79847
Included Lab Sample IDs: 1937850, 1937851, 1937852

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	89.2	95.4	P/P	50 - 150
Acetaminophen	109	103	P/P	60 - 150
Bentazon	92.6	95.8	P/P	50 - 150
Carbamazepine	111	111	P/P	60 - 150
Diuron	113	107	P/P	60 - 150
Fenuron	104	104	P/P	60 - 150
Fluridone	110	113	P/P	60 - 160
Imidacloprid	98.7	101	P/P	60 - 150
Linuron	110	122	P/P	60 - 150
MCPP	97.9	99.7	P/P	50 - 150
Primidone	94.4	93.8	P/P	60 - 150
Triclopyr	101	87.2	P/P	50 - 150

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A79858
Included Lab Sample IDs: 1937837, 1937840

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	106	106	P/P	90 - 110

Reference Method: SM 5310 B-00
Run ID: A79871
Included Lab Sample IDs: 1937837, 1937840

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.4	96.8	P/P	90 - 110

Reference Method: EPA 8321B
Run ID: A79918
Included Lab Sample IDs: 1937850, 1937851

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	89.3	91.4	P/P	60 - 150

Reference Method: EPA 8321B
Run ID: A79920
Included Lab Sample IDs: 1937852

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	114	112	P/P	60 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						3.92	
EPA 200.7 Rev. 4.4	Calcium	102	105	101				1.19
	Iron	106	106	107	105			1.68
	Magnesium	103	106	101				2.18
	Potassium	98.3	99.1	97.6				0.535
	Sodium	100	101	101				0.801
	Zinc	100	100	99.1	99.2			0.101
EPA 200.8 Rev. 5.4	Arsenic	103	103	105	107			1.15
	Cadmium	103	105	105	108			3.11
	Chromium	99.8	102	101	103			1.57
	Copper	99.8	102	101	103			2.05
	Lead	98.3	100	101	102			1.58
	Nickel	102	103	103	104			0.777
	Silver	98.7	97.8	102	101			0.800
EPA 300.0 Rev. 2.1	Chloride	100	94.1	98.6			1.69	
	Sulfate	98.7	96.2	98.0			1.62	
EPA 350.1 Rev. 2.0	Ammonia-N	98.6	95.1	95.0				0.0705
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	106	106	105				0.697
EPA 353.2 Rev. 2.0	NO2NO3-N	103	100	100				0.499
EPA 365.1 Rev. 2.0	Total-P	99.4	102	106				3.70
	Total-P	95.2	101	99.9				1.41
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.1	93.9	98.5				3.89
	O-Phosphate-P	101	105	99.2				3.13
EPA 8321B	Sucralose	81.5	54.8	53.2				2.12
SM 2120 B	Color (true)						0.583	
	Color (true)						0.780	
SM 2320 B-97	Total Alkalinity	101					0.354	
SM 2540 C-97	TDS						4.92	
SM 2540 D-97	TSS						7.75	
SM 4500 F-C-97	Fluoride	95.9	96.6	97.8				0.940
SM 5310 B-00	Organic Carbon	97.5	94.4	98.1				2.52
USGS O-2060-01	2,4-D	72.0	57.3	57.6				0.627
	Acetaminophen	121	104	103				0.988
	Bentazon	24.3	16.1	14.4				11.0
	Carbamazepine	123	135	138				1.93
	Diuron	113	102	108				5.10
	Fenuron	112	101	110				8.58
	Fluridone	106	105	107				2.53
	Imidacloprid	101	162	164				1.12
	Linuron	109	105	106				0.284
	MCP	66.1	47.1	49.3				4.48
	Primidone	102	120	109				9.77
	Triclopyr	67.8	48.3	45.4				6.20

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1937836, 1937839
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	1937853
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	1937853

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1937836, 1937839
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1937836, 1937839
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1937837, 1937840
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1937837, 1937840
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1937837, 1937840
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1937837, 1937840
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1937838, 1937841
EPA 8321B / E31780	Analysis of sucralose in water matrices by HPLC/MS/MS	1937850, 1937851, 1937852
SM 2120 B / E31780	True Color measured at 450 nm	1937836, 1937839
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1937836, 1937839
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1937836, 1937839
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1937836, 1937839
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1937836, 1937839
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1937837, 1937840
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1937850, 1937851, 1937852
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1937850, 1937851, 1937852

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/18/2017			10/18/2017 16:16	DeAsia Armster	1937836, 1937839
EPA 200.7 Rev. 4.4	10/18/2017	10/19/2017	Elliott D. Healy	10/20/2017	Betina Topolski	1937853
EPA 200.8 Rev. 5.4	10/18/2017	10/19/2017	Elliott D. Healy	10/20/2017	Nadine Brooks	1937853
EPA 300.0 Rev. 2.1	10/18/2017			10/19/2017	Julia Storbeck	1937836, 1937839
EPA 350.1 Rev. 2.0	10/18/2017			10/24/2017	Sofia Elnemr	1937837, 1937840
EPA 351.2 Rev. 2.0	10/18/2017	10/25/2017	Adrian Shelby	10/26/2017	Joseph Suarez	1937837, 1937840
EPA 353.2 Rev. 2.0	10/18/2017			10/25/2017	Beverly Y. Sanders	1937837, 1937840
EPA 365.1 Rev. 2.0	10/18/2017	10/23/2017	Sima Feizi	10/24/2017	Lipi Saha	1937837
	10/18/2017	10/24/2017	Sima Feizi	10/25/2017	Lipi Saha	1937840
EPA 365.1 Rev. 2.0 dissolved	10/18/2017			10/18/2017 15:45	Megan Treadwell	1937838
	10/18/2017			10/18/2017 15:49	Megan Treadwell	1937841
EPA 8321B	10/18/2017	10/25/2017	Juyoung Kim	10/26/2017	Juyoung Kim	1937850, 1937851, 1937852
SM 2120 B	10/18/2017			10/18/2017 16:47	Tanya Welborn	1937839
	10/18/2017			10/18/2017 16:57	Tanya Welborn	1937836
SM 2320 B-97	10/18/2017			10/21/2017	Dale L. Simmons	1937836, 1937839
SM 2540 C-97	10/18/2017			10/20/2017	Yijie Li	1937836, 1937839
SM 2540 D-97	10/18/2017			10/20/2017	Yijie Li	1937836, 1937839
SM 4500 F-C-97	10/18/2017			10/21/2017	Dale L. Simmons	1937836, 1937839
SM 5310 B-00	10/18/2017			10/27/2017	Ping Hua	1937837, 1937840
USGS O-2060-01	10/18/2017	10/19/2017	Hoor Shaik	10/25/2017	Julie Michelle Frank	1937850, 1937851, 1937852