

Chemical Analysis Report

NE-DIST-2017-11-22-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **LSJR west**
Request ID: **RQ-2017-11-20-13**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
NE ROC
8800 Baymeadows Way
Suite 100
Jacksonville, FL 32256-7577
Attn: Nicole Frederick

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 13-DEC-2017 15:55

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Fishing Cr. S. side @ Timiquana

Collection Date/Time: 11/21/2017 08:55

Field ID: G2NE062211212017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1948318	EPA 180.1 Rev. 2.0	Turbidity	3.4	A	NTU	P335823	
	EPA 300.0 Rev. 2.1	Chloride	23	A	mg Cl/L	P336265	
		Sulfate	18	A	mg SO4/L	P336269	
	SM 2120 B	Color (true)	55		PCU	P335817	
	SM 2320 B-97	Total Alkalinity	84		mg CaCO3/L	P336243	
	SM 2540 C-97	TDS	154		mg/L	P336348	
	SM 2540 D-97	TSS	3	I	mg/L	P336298	
	SM 4500 F-C-97	Fluoride	0.082	I	mg F/L	P336247	
1948321	EPA 350.1 Rev. 2.0	Ammonia-N	0.080		mg N/L	P336340	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.53		mg N/L	P336564	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.32		mg N/L	P336060	
	EPA 365.1 Rev. 2.0	Total-P	0.076		mg P/L	P336203	
	SM 5310 B-00	Organic Carbon	9.0		mg C/L	P336196	
1948324	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.048		mg P/L	P335820	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Williamson Cr @ Hyde Park

Collection Date/Time: 11/21/2017 09:30

Field ID: G2NE009111212017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1948319	EPA 180.1 Rev. 2.0	Turbidity	4.0		NTU	P335823	
	EPA 300.0 Rev. 2.1	Chloride	31		mg Cl/L	P336265	
		Sulfate	21		mg SO4/L	P336269	
	SM 2120 B	Color (true)	50		PCU	P335817	
	SM 2320 B-97	Total Alkalinity	102		mg CaCO3/L	P336243	
	SM 2540 C-97	TDS	202		mg/L	P336348	
	SM 2540 D-97	TSS	3	I	mg/L	P336298	
	SM 4500 F-C-97	Fluoride	0.11		mg F/L	P336247	
1948322	EPA 350.1 Rev. 2.0	Ammonia-N	0.11		mg N/L	P336340	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.62		mg N/L	P336564	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.17		mg N/L	P336060	
	EPA 365.1 Rev. 2.0	Total-P	0.11		mg P/L	P336203	
	SM 5310 B-00	Organic Carbon	8.4		mg C/L	P336196	
1948325	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.061		mg P/L	P335819	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 350.1 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: McCoy Cr @ Myrtle Ave

Collection Date/Time: 11/21/2017 10:25

Field ID: G2NE070111212017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1948320	EPA 180.1 Rev. 2.0	Turbidity	4.6		NTU	P335823	

Field ID: G2NE070111212017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1948320	EPA 300.0 Rev. 2.1	Chloride	90		mg Cl/L	P336265	
		Sulfate	59		mg SO4/L	P336269	
	SM 2120 B	Color (true)	60		PCU	P335817	
	SM 2320 B-97	Total Alkalinity	186		mg CaCO3/L	P336243	
	SM 2540 C-97	TDS	463		mg/L	P336348	
	SM 2540 D-97	TSS	4	I	mg/L	P336298	
	SM 4500 F-C-97	Fluoride	0.23		mg F/L	P336247	
1948323	EPA 350.1 Rev. 2.0	Ammonia-N	0.099		mg N/L	P336341	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.54		mg N/L	P336564	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.30		mg N/L	P336060	
	EPA 365.1 Rev. 2.0	Total-P	0.096		mg P/L	P336204	
	SM 5310 B-00	Organic Carbon	8.7		mg C/L	P336196	
1948326	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.055		mg P/L	P335819	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P335823

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P336265

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P336269

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P336340

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P336341

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336564

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P336060

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336203

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336204

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335819

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335820

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P335817

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P336243

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P336348

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
Batch ID: P336298

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P336247

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P336196

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336265

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	95.0		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336269

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	95.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336340

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336341

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336564

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P336060

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P336060

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336203

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336204

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335819

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.7		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335820

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P336243

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P336247

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.1		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P336196

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.8		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336265

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336265

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948312	Chloride	93.7		P	90 - 110
1948318	Chloride	94.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336269

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948312	Sulfate	94.8		P	90 - 110
1948318	Sulfate	95.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336341

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1946910	Ammonia-N	98.7	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336564

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948445	Kjeldahl Nitrogen	99.2	99.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P336060

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948264	NO2NO3-N	103	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336203

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948313	Total-P	99.1	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336204

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948452	Total-P	101	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335819

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948267	O-Phosphate-P	97.2	99.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335820

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948324	O-Phosphate-P	96.5	98.7	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P336247

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948312	Fluoride	96.8	97.9	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P336196

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1948250	Organic Carbon	99.8	99.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P335823

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948318	Turbidity	3.56	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336265

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948318	Chloride	0.844	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336269

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948318	Sulfate	0.820	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336340

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948264	Ammonia-N	0.293	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336341

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1946910	Ammonia-N	1.42	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336564

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336564

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948445	Kjeldahl Nitrogen	0.166	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P336060

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948264	NO2NO3-N	0.554	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336203

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948313	Total-P	1.04	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P336204

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948452	Total-P	0.569	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335819

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948267	O-Phosphate-P	1.31	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335820

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948324	O-Phosphate-P	1.51	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P335817

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948272	Color (true)	2.79	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P336243

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948312	Total Alkalinity	0.323	Sample	P	0 - 4.8

Quality Assurance Report Precision

Reference Method: SM 2540 C-97
Batch ID: P336348

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948312	TDS	0.0	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P336247

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948312	Fluoride	0.953	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P336196

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1948250	Organic Carbon	0.0467	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A80477
Included Lab Sample IDs: 1948318, 1948319, 1948320

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.9	102	P/P	85 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A80478
Included Lab Sample IDs: 1948324, 1948325, 1948326

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	102	104	P/P	90 - 110
O-Phosphate-P	96.5	102	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A80479
Included Lab Sample IDs: 1948318, 1948319, 1948320

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A80582
Included Lab Sample IDs: 1948321, 1948322, 1948323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A80632

Included Lab Sample IDs: 1948318, 1948319, 1948320

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.8	100	P/P	90 - 110
Sulfate	99.6	98.7	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A80633

Included Lab Sample IDs: 1948321, 1948322, 1948323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	100	102	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A80654

Included Lab Sample IDs: 1948318, 1948319, 1948320

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	103	P/P	90 - 110
Total Alkalinity	103	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A80654

Included Lab Sample IDs: 1948318, 1948319, 1948320

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	101	P/P	90 - 110
Fluoride	101	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A80667

Included Lab Sample IDs: 1948321, 1948322, 1948323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A80695

Included Lab Sample IDs: 1948321, 1948322, 1948323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	98.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A80798

Included Lab Sample IDs: 1948321, 1948322, 1948323

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.0	98.7	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	
						SMP	MS
EPA 180.1 Rev. 2.0	Turbidity					3.56	
EPA 300.0 Rev. 2.1	Chloride	95.0	94.8	93.7		0.844	
	Sulfate	95.4	95.7	94.8		0.820	
EPA 350.1 Rev. 2.0	Ammonia-N	99.9					0.293
	Ammonia-N	100	98.7	100			1.42
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	99.2	99.0			0.166
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	104	103	102			0.554
EPA 365.1 Rev. 2.0	Total-P	101	99.1	100			1.04
	Total-P	99.5	101	100			0.569
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.7	97.2	99.3			1.31
	O-Phosphate-P	102	96.5	98.7			1.51
SM 2120 B	Color (true)					2.79	
SM 2320 B-97	Total Alkalinity	103				0.323	
SM 2540 C-97	TDS					0.0	
SM 4500 F-C-97	Fluoride	97.1	96.8	97.9			0.953
SM 5310 B-00	Organic Carbon	99.8	99.8	99.8			0.0467

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1948318, 1948319, 1948320
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1948318, 1948319, 1948320
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1948318, 1948319, 1948320
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1948321, 1948322, 1948323
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1948321, 1948322, 1948323
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1948321, 1948322, 1948323
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1948321, 1948322, 1948323
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1948324, 1948325, 1948326
SM 2120 B / E31780	True Color measured at 450 nm	1948318, 1948319, 1948320
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1948318, 1948319, 1948320
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1948318, 1948319, 1948320
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1948318, 1948319, 1948320
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1948318, 1948319, 1948320
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1948321, 1948322, 1948323

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/22/2017			11/22/2017 15:02	DeAsia Armster	1948318, 1948319, 1948320
EPA 300.0 Rev. 2.1	11/22/2017			12/01/2017	Julia Storbeck	1948318
	11/22/2017			12/02/2017	Julia Storbeck	1948319, 1948320
EPA 350.1 Rev. 2.0	11/22/2017			12/04/2017	Sofia Elnemr	1948321, 1948322, 1948323
EPA 351.2 Rev. 2.0	11/22/2017	12/07/2017	Adrian Shelby	12/08/2017	Joseph Suarez	1948321, 1948322, 1948323
EPA 353.2 Rev. 2.0	11/22/2017			11/29/2017	Lauren Bottorf	1948321, 1948322, 1948323
EPA 365.1 Rev. 2.0	11/22/2017	12/01/2017	Sima Feizi	12/04/2017	Lipi Saha	1948321, 1948322, 1948323
EPA 365.1 Rev. 2.0 dissolved	11/22/2017			11/22/2017 13:38	Megan Treadwell	1948324
	11/22/2017			11/22/2017 14:05	Megan Treadwell	1948325
	11/22/2017			11/22/2017 14:06	Megan Treadwell	1948326
SM 2120 B	11/22/2017			11/22/2017 15:53	Tanya Welborn	1948318
	11/22/2017			11/22/2017 15:54	Tanya Welborn	1948319
	11/22/2017			11/22/2017 15:55	Tanya Welborn	1948320
SM 2320 B-97	11/22/2017			12/02/2017	Dale L. Simmons	1948318, 1948319, 1948320
SM 2540 C-97	11/22/2017			11/25/2017	Yijie Li	1948318, 1948319, 1948320
SM 2540 D-97	11/22/2017			11/25/2017	Yijie Li	1948318, 1948319, 1948320
SM 4500 F-C-97	11/22/2017			12/02/2017	Dale L. Simmons	1948318, 1948319, 1948320
SM 5310 B-00	11/22/2017			11/30/2017	Ping Hua	1948321, 1948322, 1948323