

Log-in Checklist

RQ- 2017-12-04-34

Shipping Method: Fed Ex

Date/Time of Receipt: 12-19-17/10:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Real	1-1C	13		/			
Real.	2-7C	8		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes / No

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No / If yes, is it intact? Yes No

****Caps on tight?** Yes / No ****Containers intact?** Yes / No

****Sufficient Sample Volume:** Yes / No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes / No NA Init:

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA / Init:

Coolers Unpacked/Checked by: ABP Date: 12-19-17 NCRs (Y/N)? /

Event ID: Gainesville 2/3 NCR #

NE-DIST-2017-12-19-02 (SMP)
Date Received: 19-DEC-2017 10:00

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

Gainesville 2/3

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: B. Davis

Project ID: SMP

Collected By: B. Davis, J. ParrishSampling Agency: DEAR NE

L F S	Field ID:		G1NE0096 12052017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/18/17</u> Time <u>1015</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) B
	Hatchett Crk @ SR 26		20020122	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>9.10</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
	Temp (C) <u>13.89</u>	pH <u>6.53</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>91</u>			
	Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>0.04</u>	Comments				
I I	field ID		G1NE0208 12052017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/18/17</u> Time <u>1245</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	A
	Bivens Arm Outlet @ SR 331		G3NE0012	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>4.54</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
	Temp (C) <u>16.26</u>	pH <u>7.54</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>203</u>			
	Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>0.10</u>	Comments				
field ID		G1NE0862 12052017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/18/17</u> Time <u>1050</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	A	
	Calf Pond - Center		G1NE0862	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>9.14</u>	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) <u>15.55</u>	pH <u>7.44</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>207</u>			
	Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>0.1</u>	Comments				
field ID		G1NE0898 12052017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/18/17</u> Time <u>1120</u>	☒ Eastern ☐ Central	Composite end Date _____ Time _____	4B+	
	Lake Alice Outlet @ Newell Rd.		G1NE0898	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>9.10</u>	☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
	Temp (C) <u>18.57</u>	pH <u>7.79</u>	Sample Depth <u>0.1</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>439</u>			
	Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) <u>0.21</u>	Comments <u>Add Metals to RQ</u>				

Relinquished By: <u>B. Davis</u>	Date/Time: <u>12/18/17 1500</u>	Shipping Method: <u>FedEx</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>[Signature]</u>	Date/Time: <u>12-19-17 1000</u>
----------------------------------	---------------------------------	-------------------------------	-------------------------------------	---------------------------------	---------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 (to AEL)
	NED-AEG-EC						
Group: B	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	

Group: B	Bottle Type: QPCR-P-250ML PCR-FILTER PCR-HF183	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: BG-1L W-AHERB-AA W-SUC-AA-R W-UHERB-AA	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: P-500ML W-ICP W-ICPMS	# of Bottles: <u>2</u>	Preservative: HNO3	Enter Number of Bottles Sent to Lab <u>2 (add 1 Metals)</u>
Group: B	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: B	Bottle Type: P-125ML W-PO4-F	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>B7D 1</u>
Group: C	Bottle Type: P-120ML-WC-THI NED-AEG-EC	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>(3) B7D</u>
Group: C	Bottle Type: QPCR-P-250ML PCR-FILTER PCR-HF183	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>(6) B7D</u>
Group: C	Bottle Type: BG-1L W-AHERB-AA W-SUC-AA-R W-UHERB-AA	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>(3) B7D</u>
Group: D	Bottle Type: PJ-2L MI-FW-QLDC	# of Bottles: 2	Preservative: Formalin	Enter Number of Bottles Sent to Lab <u>(2) B7D</u>



☒	Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
☒	Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
☐	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☐	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9618 • Fax 813.630.4327

[illegible]

Date of Request: 27-OCT-2017
 Created By: PARRISH_J On: 27-OCT-2017
 Modified By: WALTERS_J On: 13-NOV-2017
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: Gainesville 2/3

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-NOV-2017
 Biology Request Reviewed By: WALTERS_J On: 13-NOV-2017
 Sampling Kit Required: YES Ship on: 20-NOV-2017
 Sampling Kit Shipped: YES On: 20-NOV-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 04-DEC-2017
 Received By: SHAIK_A On: 19-DEC-2017

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Magnesium
Nickel
Potassium
Sodium
Zinc

W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
---------	-----------	---

Arsenic
Cadmium
Copper
Lead
Silver

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
NED-AEG-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Gainesville Overflow Laboratories for NED

Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 3 Samples:

Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NED-AEG-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Gainesville Overflow Laboratories for NED

Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Biological) With 1 Samples:

Bottle Group D (Biological) With 1 Samples:


Bottle Type: PJ-2L Number of Bottles: 2 Preserved With: Formalin
MI-FW-QLDC Template: DEFAULT (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

From **[Redacted]**
 Date **12/13/15**
 Sender's Name **[Redacted]** Phone **850 245-8085**
 Company **[Redacted]**
 Address **2600 Blairstone Rd** Dept./Floor/Suite/Room
 City **Tallahassee** State **FL** ZIP **32309**
 Your Internal Billing Reference

To Recipient's Name **SAMPLE RECEIVING** Phone **850 245-8085**
 Company **FLORIDA DEP/CHEMISTRY SECTION**
 Address **2600 BLAIRSTONE RD** Dept./Floor/Suite/Room
 We expect delivery to P.O. boxes or P.O. ZIP codes.
 Address **[Redacted]**
 Use this line for the KOLD location address or for continuation of your shipping address.
 City **TALLAHASSEE** State **FL** ZIP **32309**

Hold Weekday
 FedEx location address
 REQUIRED. NOT available for
 FedEx First Overnight.
 Hold Saturday
 FedEx location address
 REQUIRED. Available ONLY for
 FedEx Priority Overnight and
 FedEx 2Day to select locations.



8119 7781 2191

0127857428

Form **0215**

4 Express Package Service *To meet locations. Packages up to 150 lbs. For packages over 150 lbs., use the FedEx Express Freight US Airbill.

Next Business Day	2 or 3 Business Days
☐ FedEx First Overnight Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.	☐ FedEx 2Day A.M. Second business morning. Saturday Delivery NOT available.
☒ FedEx Priority Overnight Next business morning. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.	☐ FedEx 2Day Second business afternoon. Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.
☐ FedEx Standard Overnight Next business afternoon. Saturday Delivery NOT available.	☐ FedEx Express Saver Third business day. Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without obtaining a signature for delivery.

☐ Direct Signature
Someone at recipient's address may sign for delivery.

☐ Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?
 One box must be checked.
☐ No ☐ Yes As per attached Shipper's Declaration. ☐ Yes Shipper's Declaration not required. ☐ Dry Ice Dry Ice, # UN 1845 _____ x _____ kg
 Restrictions apply for dangerous goods — see the current FedEx Service Guide. ☐ Cargo Aircraft Only

7 Payment Bill to: Enter FedEx Acct. No. or Credit Card No. below. Obtain recip. Acct. No. ☐

☐ Sender Acct. No. in Section 7 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages **2** Total Weight **2.62** lbs. Credit Card Auth. **[Redacted]**

*Our liability is limited to \$500 unless you declare a higher value. See the current FedEx Service Guide for details.

611

Rev. Date 5/15 • Part #183134 • ©1994–2015 FedEx • PRINTED IN U.S.A. SRM

From **[Redacted]**
 Date **12/13/15**
 Sender's Name **[Redacted]** Phone **850 245-8085**
 Company **[Redacted]**
 Address **2600 Blairstone Rd** Dept./Floor/Suite/Room
 City **Tallahassee** State **FL** ZIP **32309**
 Your Internal Billing Reference

To Recipient's Name **SAMPLE RECEIVING** Phone **850 245-8085**
 Company **FLORIDA DEP/CHEMISTRY SECTION**
 Address **2600 BLAIRSTONE RD** Dept./Floor/Suite/Room
 We expect delivery to P.O. boxes or P.O. ZIP codes.
 Address **[Redacted]**
 Use this line for the KOLD location address or for continuation of your shipping address.
 City **TALLAHASSEE** State **FL** ZIP **32309**

Hold Weekday
 FedEx location address
 REQUIRED. NOT available for
 FedEx First Overnight.
 Hold Saturday
 FedEx location address
 REQUIRED. Available ONLY for
 FedEx Priority Overnight and
 FedEx 2Day to select locations.



8119 7781 2170

0127857428

Form **0215**

4 Express Package Service *To meet locations. Packages up to 150 lbs. For packages over 150 lbs., use the FedEx Express Freight US Airbill.

Next Business Day	2 or 3 Business Days
☐ FedEx First Overnight Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.	☐ FedEx 2Day A.M. Second business morning. Saturday Delivery NOT available.
☒ FedEx Priority Overnight Next business morning. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.	☐ FedEx 2Day Second business afternoon. Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.
☐ FedEx Standard Overnight Next business afternoon. Saturday Delivery NOT available.	☐ FedEx Express Saver Third business day. Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without obtaining a signature for delivery.

☐ Direct Signature
Someone at recipient's address may sign for delivery.

☐ Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?
 One box must be checked.
☐ No ☐ Yes As per attached Shipper's Declaration. ☐ Yes Shipper's Declaration not required. ☐ Dry Ice Dry Ice, # UN 1845 _____ x _____ kg
 Restrictions apply for dangerous goods — see the current FedEx Service Guide. ☐ Cargo Aircraft Only

7 Payment Bill to: Enter FedEx Acct. No. or Credit Card No. below. Obtain recip. Acct. No. ☐

☐ Sender Acct. No. in Section 7 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages **2** Total Weight **2.62** lbs. Credit Card Auth. **[Redacted]**

*Our liability is limited to \$500 unless you declare a higher value. See the current FedEx Service Guide for details.

611

Rev. Date 5/15 • Part #183134 • ©1994–2015 FedEx • PRINTED IN U.S.A. SRM

FedEx.com 1800.Go.FedEx 1800.463.3339

FedEx.com 1800.Go.FedEx 1800.463.3339