

Chemical Analysis Report

CEN-DIST-2017-02-09-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Lk Loraine/Silver Lk/Apop-Beau Canal (upper)**

Request ID: **RQ-2017-01-30-57**

Customer: **CEN-DIST**

Project ID: **SMP**

Send Reports to:


FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact

Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 28-FEB-2017 13:57

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Lake Lorraine @ 50m NE of Center

Collection Date/Time: 02/08/2017 10:25

Field ID: G1CE0013

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1871091	EPA 180.1 Rev. 2.0	Turbidity	1.8		NTU	P319622	
	EPA 300.0 Rev. 2.1	Chloride	22	A	mg Cl/L	P319983	
		Sulfate	1.4	A	mg SO4/L	P319986	
	SM 2120 B	Color (true)	68		PCU	P319626	
	SM 2320 B-97	Total Alkalinity	38		mg CaCO3/L	P320109	
	SM 2540 C-97	TDS	120		mg/L	P320289	
	SM 2540 D-97	TSS	4	I	mg/L	P320151	
	SM 4500 F-C-97	Fluoride	0.13		mg F/L	P319956	
1871092	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P320241	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P319709	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P319902	
	EPA 365.1 Rev. 2.0	Total-P	0.033		mg P/L	P319784	
	SM 5310 B-00	Organic Carbon	21		mg C/L	P319674	
1871093	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P319609	
1871132	EPA 8321B	Sucralose**	0.041		ug/L	P319661	
	USGS O-2060-01	Diuron	0.0080	U	ug/L	P319725	
		Fenuron	0.016	U	ug/L	P319725	
		Imidacloprid	0.0080	U	ug/L	P319725	
		Linuron	0.0080	U	ug/L	P319725	
		Acetaminophen**	0.0040	U	ug/L	P319725	
		Carbamazepine**	4.0E-04	U	ug/L	P319725	
		Primidone**	0.0080	U	ug/L	P319725	
		Fluridone**	0.086		ug/L	P319725	RPD

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

USGS O-2060-01: 2,4-D = 0.011 I ug/L. MDL's for some parameters elevated due to matrix interference.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P319622

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P319983

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P319986

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P320241

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P319709

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P319902

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P319784

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P319609

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P319661

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2120 B
Batch ID: P319626

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P320109

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P320289

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
 Batch ID: P320151

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
 Batch ID: P319956

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
 Batch ID: P319674

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: USGS O-2060-01
 Batch ID: P319725

Component	Result	Code	Units
Acetaminophen	0.0040	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	0.0040	U	ug/L
Fenuron	0.0080	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	0.0040	U	ug/L
Linuron	0.0040	U	ug/L
Primidone	0.0080	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P319983

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	106		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P319986

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P320241

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.3		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P319709

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P319902

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P319784

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.8		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P319609

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P319661

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	104		P	40 - 140

Reference Method: SM 2320 B-97
Batch ID: P320109

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P319956

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	103		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P319674

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.8		P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P319725

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acetaminophen	79.2		P	40 - 140
Carbamazepine	116		P	40 - 140
Diuron	76.0		P	40 - 140
Fenuron	96.4		P	40 - 140

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: USGS O-2060-01
 Batch ID: P319725

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluridone	62.4		P	40 - 140
Imidacloprid	84.0		P	40 - 160
Linuron	85.6		P	40 - 140
Primidone	76.8		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P319983

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1871091	Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P319986

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1871091	Sulfate	99.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P320241

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1872659	Ammonia-N	99.7	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P319709

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1870868	Kjeldahl Nitrogen	103	108	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P319902

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1870866	NO2NO3-N	104	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P319784

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1871111	Total-P	100	96.1	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P319609

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1871093	O-Phosphate-P	98.4	98.6	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P319661

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1872479	Sucralose	61.3	75.1	P/P	40 - 140

Reference Method: SM 4500 F-C-97
Batch ID: P319956

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1870833	Fluoride	101	99.6	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P319674

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1870819	Organic Carbon	92.2	93.2	P/P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P319725

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1872083	Acetaminophen	55.6	57.2	P/P	40 - 140
1872083	Carbamazepine	56.0	59.2	P/P	40 - 140
1872083	Diuron	44.4	42.4	P/P	40 - 140
1872083	Fenuron	54.4	53.2	P/P	40 - 140
1872083	Fluridone	64.0	46.8	P/P	40 - 140
1872083	Imidacloprid	90.4	80.0	P/P	40 - 160
1872083	Linuron	68.8	69.6	P/P	40 - 140
1872083	Primidone	44.4	58.4	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P319622

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1871039	Turbidity	0.228	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P319983

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1871091	Chloride	0.987	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P319986

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1871091	Sulfate	0.772	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P320241

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1872659	Ammonia-N	0.465	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P319709

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1870868	Kjeldahl Nitrogen	4.24	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P319902

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1870866	NO2NO3-N	1.61	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P319784

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1871111	Total-P	3.36	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P319609

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1871093	O-Phosphate-P	0.203	Spike	P	0 - 20

Reference Method: EPA 8321B
 Batch ID: P319661

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1872479	Sucralose	14.1	Spike	P	0 - 30

Reference Method: SM 2120 B
 Batch ID: P319626

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1871147	Color (true)	3.51	Sample	P	0 - 20

Reference Method: SM 2320 B-97
 Batch ID: P320109

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1870833	Total Alkalinity	0.623	Sample	P	0 - 4.8

Quality Assurance Report Precision

Reference Method: SM 2540 C-97
 Batch ID: P320289

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1871039	TDS	0.837	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P319956

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1870833	Fluoride	1.04	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
 Batch ID: P319674

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1870819	Organic Carbon	0.940	Spike	P	0 - 20

Reference Method: USGS O-2060-01
 Batch ID: P319725

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1872083	Acetaminophen	2.84	Spike	P	0 - 30
1872083	Carbamazepine	5.56	Spike	P	0 - 30
1872083	Diuron	4.61	Spike	P	0 - 30
1872083	Fenuron	2.23	Spike	P	0 - 30
1872083	Fluridone	31.0	Spike	F	0 - 30
1872083	Imidacloprid	12.2	Spike	P	0 - 30
1872083	Linuron	1.16	Spike	P	0 - 30
1872083	Primidone	27.2	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1871132
 Field Sample ID: G1CE0013

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	80.0	P	40 - 150
USGS O-2060-01	Acetaminophen-d4	43.4	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	42.2	P	40 - 160
USGS O-2060-01	Diuron-d6	56.8	P	40 - 150
USGS O-2060-01	Primidone-d5	46.0	P	40 - 150

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A74375

Included Lab Sample IDs: 1871093

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.9	101	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A74381

Included Lab Sample IDs: 1871091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	98.5	P/P	95 - 105

Reference Method: SM 2120 B

Run ID: A74382

Included Lab Sample IDs: 1871091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	96.7	99.0	P/P	85 - 115

Reference Method: SM 5310 B-00

Run ID: A74405

Included Lab Sample IDs: 1871092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.2	97.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A74459

Included Lab Sample IDs: 1871092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.1	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A74493

Included Lab Sample IDs: 1871092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A74504

Included Lab Sample IDs: 1871092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.8	98.8	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A74518

Included Lab Sample IDs: 1871091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	106	105	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A74527

Included Lab Sample IDs: 1871091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	106	P/P	90 - 110
Sulfate	97.7	92.5	P/P	90 - 110

Reference Method: USGS O-2060-01

Run ID: A74555

Included Lab Sample IDs: 1871132

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acetaminophen	96.0	119	P/P	60 - 150
Carbamazepine	107	128	P/P	60 - 150
Diuron	127	126	P/P	60 - 150
Fenuron	136	134	P/P	60 - 150
Fluridone	121	122	P/P	60 - 150
Imidacloprid	110	99.2	P/P	60 - 150
Linuron	118	110	P/P	60 - 150
Primidone	109	114	P/P	60 - 150

Reference Method: SM 2320 B-97

Run ID: A74571

Included Lab Sample IDs: 1871091

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	104	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A74627

Included Lab Sample IDs: 1871092

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	101	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: P74502

Included Lab Sample IDs: 1871132

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	77.8	115	P/P	60 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.
 Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				0.228	
EPA 300.0 Rev. 2.1	Chloride	106	102		0.987	
	Sulfate	98.9	99.2		0.772	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 350.1 Rev. 2.0	Ammonia-N	96.3	99.7	100			0.465
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	105	103	108			4.24
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	106	104	106			1.61
EPA 365.1 Rev. 2.0	Total-P	99.8	100	96.1			3.36
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	102	98.4	98.6			0.203
EPA 8321B	Sucralose	104	61.3	75.1			14.1
SM 2120 B	Color (true)					3.51	
SM 2320 B-97	Total Alkalinity	104				0.623	
SM 2540 C-97	TDS					0.837	
SM 4500 F-C-97	Fluoride	103	101	99.6			1.04
SM 5310 B-00	Organic Carbon	95.8	92.2	93.2			0.940
USGS O-2060-01	Acetaminophen	79.2	55.6	57.2			2.84
	Carbamazepine	116	56.0	59.2			5.56
	Diuron	76.0	44.4	42.4			4.61
	Fenuron	96.4	54.4	53.2			2.23
	Fluridone	62.4	64.0	46.8			31.0
	Imidacloprid	84.0	90.4	80.0			12.2
	Linuron	85.6	68.8	69.6			1.16
	Primidone	76.8	44.4	58.4			27.2

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1871091
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1871091
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1871091
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1871092
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1871092
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1871092
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1871092
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1871093
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1871132
SM 2120 B / E31780	True Color measured at 450 nm	1871091
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1871091
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1871091
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1871091
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1871091
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1871092
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1871132

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	02/09/2017			02/09/2017 16:21	Julie Michelle Frank	1871091
EPA 300.0 Rev. 2.1	02/09/2017			02/16/2017	Ping Hua	1871091
EPA 350.1 Rev. 2.0	02/09/2017			02/21/2017	Sofia Elnemr	1871092
EPA 351.2 Rev. 2.0	02/09/2017	02/13/2017	Adrian Shelby	02/14/2017	Joseph Suarez	1871092
EPA 353.2 Rev. 2.0	02/09/2017			02/15/2017	Beverly Y. Sanders	1871092
EPA 365.1 Rev. 2.0	02/09/2017	02/14/2017	Adrian Shelby	02/15/2017	Lipi Saha	1871092
EPA 365.1 Rev. 2.0 dissolved	02/09/2017			02/09/2017 14:02	Lipi Saha	1871093
EPA 8321B	02/09/2017	02/14/2017	Mohammad Ghaffari	02/15/2017	Mohammad Ghaffari	1871132
SM 2120 B	02/09/2017			02/09/2017 17:22	Julie Michelle Frank	1871091
SM 2320 B-97	02/09/2017			02/19/2017	Dale L. Simmons	1871091
SM 2540 C-97	02/09/2017			02/14/2017	Sima Feizi	1871091
SM 2540 D-97	02/09/2017			02/14/2017	Sima Feizi	1871091
SM 4500 F-C-97	02/09/2017			02/15/2017	Dale L. Simmons	1871091
SM 5310 B-00	02/09/2017			02/10/2017	Julie Michelle Frank	1871092
USGS O-2060-01	02/09/2017	02/14/2017	Hoor Shaik	02/16/2017	Juyoung Kim	1871132