

Lk Beauclair X3

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Terry Riordan

Project ID: SMP

Collected By: Terry Riordan / Leif Boman

Sampling Agency: 21 FLCEN

Location	RQ-2017-02-06-57 Lake Beauclair @ North End of	G1CE0048 Field ID ↑ STORET ↓ G1CE0048	☐ Comp	Collection (comp begin or grab)	☒ Grab	Date 2-21-17	Time 1122	☒ Eastern	Composite end	Bottle Group(s) (See pg 2) A
Field ID	East Lobe Date: 02/21/2017		Matrix (type, e.g., Salt, (Fresh) etc)	Diss. Oxygen	☒ mg/L	Total Res. Chlorine	☐ % sat	(mg/L)		
STORET #	Time:		Temp (C) 20.8	pH 8.2	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 442	☒ m		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.2	Comments					
Location	RQ-2017-02-06-57 Lake Beauclair @ Center	G1CE0047 Field ID ↑ STORET ↓ G1CE0047	☐ Comp	Collection (comp begin or grab)	☒ Grab	Date 2-21-17	Time 1137	☒ Eastern	Composite end	Bottle Group(s) A
Field ID	Date: 02/21/2017		Matrix (type, e.g., Salt, (Fresh) etc)	Diss. Oxygen	☒ mg/L	Total Res. Chlorine	☐ % sat	(mg/L)		
STORET #	Time:		Temp (C) 21.1	pH 8.8	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 434	☒ m		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.2	Comments					
Location	RQ-2017-02-06-57 Lake Beauclair @ South End of	G1CE0049 Field ID ↑ STORET ↓ G1CE0049	☐ Comp	Collection (comp begin or grab)	☒ Grab	Date 2-21-17	Time 1150	☒ Eastern	Composite end	Bottle Group(s) A
Field ID	East Lobe Date: 02/21/2017		Matrix (type, e.g., Salt, (Fresh) etc)	Diss. Oxygen	☒ mg/L	Total Res. Chlorine	☐ % sat	(mg/L)		
STORET #	Time:		Temp (C) 21.0	pH 8.7	Sample Depth 0.3	☐ ft	Sp. Conductance (umho/cm) 437	☒ m		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.2	Comments					
Location			☐ Comp	Collection (comp begin or grab)	☐ Grab	Date	Time	☒ Eastern	Composite end	Bottle Group(s)
Field ID	ALGAL-ID FOR		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L	Total Res. Chlorine	☐ % sat	(mg/L)		
STORET #	TRAINING		Temp (C)	pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)	☐ m		
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments					

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Terry Riordan	2-21-17/1330	Fed Ex	1	HAJ	02/22/17 10:17am

3

ALKALINITY
 TURBIDITY
 W-CL-IC
 W-COLOR
 W-F
 W-SO4-IC
 W-TDS
 W-TSS

3

CHLSUITE-W

3

W-ICP
W-ICPMS

3

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

3

W-PO4-F

Date of Request: 19-JAN-2017
 Created By: LINGER_M On: 19-JAN-2017
 Modified By: MATTHEWS_D On: 25-JAN-2017
 Customer: CEN-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Central District
 Sampling Event: Lk Beauclair X3

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 24-JAN-2017
 Biology Request Reviewed By: MATTHEWS_D On: 25-JAN-2017
 Sampling Kit Required: YES Ship on: 06-FEB-2017
 Sampling Kit Shipped: YES On: 03-FEB-2017
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 06-FEB-2017
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-500ML Number of Bottles: 3 Preserved With: HNO3
W-ICPMS Template: (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples
supporting Clean Water Act Projects

Cadmium
Copper
Lead
Silver

Bottle Type: P-500ML Number of Bottles: 3 Preserved With: ICE And H2SO4
W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 3 Preserved With: ICE-FLTR
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ- 2017-02-06-57

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 10:17 am 02/22/17

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)	
			Present? Yes	No	*Intact? Yes	No
<u>Red</u>	<u>-0.6</u>	<u>15</u>		☒		<u>811171119999</u>

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ML

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: ML

Coolers Unpacked/Checked by: ML Date: 02/22/17

NCRs (Y/N)? N

Event ID: CEN-DIST-2017-02-22-02

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ☒

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: