

Eau Gallie/Crane Crk 3058A

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Mike Linger

Project ID: SMP

Collected By: Mike Linger, Mike Drennan

Sampling Agency: FOEP

CE-Roc

Location	Eau Gallie River @ Boat Ramp	G5CE0088 Field ID STORET 20011116	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2/15/17 Time 10:55	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 7.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET #	RQ-2017-02-13-55 Date: 02/15/17		Temp (C) 23.4	pH 7.7	Sample Depth 0.3	Sp. Conductance (umho/cm) 23,506	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Crane Creek @ 65m Upstream of US-1 bridge	G5CE0089 Field ID STORET 20011108	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2/15/17 Time 11:22	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 5.2	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET #	RQ-2017-02-13-55 Date: 02/15/17		Temp (C) 23.0	pH 7.7	Sample Depth 0.3	Sp. Conductance (umho/cm) 35,901	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: MKL	Date/Time 2/15/17 14:10	Shipping Method FedEx	Number of Coolers Shipped: 1	Received By: J.A.	Date/Time 2/16/17 10:05
-------------------------	----------------------------	--------------------------	---------------------------------	----------------------	----------------------------

Group: A	Bottle Type: P-250ML-WI-THI CD-FLR-ENQ	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2 bottle sent to contract Lab</u>
Group: A	Bottle Type: QPCR-P-250ML PCR-FILTER	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>4</u>
Group: A	Bottle Type: BG-1L W-SUC-AA-R W-UHERB-AA	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>

Date of Request: 26-JAN-2017
Created By: LINGER_M On: 26-JAN-2017
Modified By: MATTHEWS_D On: 27-JAN-2017
Customer: CEN-DIST
Project: SMP
Division:
District: Central District
Sampling Event: Eau Gallie/Crane Crk 3058A

Send Coolers To:

Phone: 407-897-4180
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

Program Module Number: 1306
Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 27-JAN-2017
Biology Request Reviewed By: MATTHEWS_D On: 27-JAN-2017
Sampling Kit Required: YES Ship on: 10-FEB-2017
Sampling Kit Shipped: YES On: 10-FEB-2017
Sampling Kit Packed By: SHAIK_A
Preservatives Needed: NO
Date to Receive Samples: 13-FEB-2017
Received By:

Send Final Report To:

FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments:**Bottle Group A (Water) With 2 Samples:**

Bottle Type: CD-FLR-ENQ	Number of Bottles: 2	Preserved With: ICE
Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method by Flowers Overflow Laboratory for Central District	
Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS	
W-SUC-AA-R	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-02-13-55

Shipping Method: Fed Ex

Date/Time of Receipt: 2/16/17 10:05

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
WHITE	2.1°C	6		✓			8111 7111 5640

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No ✓ If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes No NA ✓ Init: J.D.

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA ✓ Init: J.D.

Coolers Unpacked/Checked by: J.D. Date: 2/16/17 NCRs (Y/N)?

Event ID: CEU-DIST-2017-02-16-02 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ☒

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: