

Smith/Six/Gee/Howell/ Soldier/Bear/ Wekiva Rvr

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By:

Mike Linger

Project ID: SMP

Collected By:

Mike Linger, Lawrence Dorman

Sampling Agency:

FOEP CE-ROC

Lo	Gee Creek @ SR Hwy 419	G2CE0075 Field ID ↑ STORET ↓ G2CE0075	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>5/2/17</u> Time <u>12:22</u>	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
File			Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>5.8</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
ST	Date: 05/02/2017 RQ-2017-05-01-67		Temp (C) <u>24.3</u>	pH <u>7.3</u>	Sample Depth <u>0.2</u>	Sp. Conductance (umho/cm) <u>274</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Soldier Creek @ 150m Upstream of SR Hwy 419	G2CE0071 Field ID ↑ STORET ↓ G2CE0071	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>5/2/17</u> Time <u>12:40</u>	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>5.8</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
STORE	Date: 05/02/2017 RQ-2017-05-01-67		Temp (C) <u>25.0</u>	pH <u>7.4</u>	Sample Depth <u>0.2</u>	Sp. Conductance (umho/cm) <u>223</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location	Bear Crk just north of Winter Springs Blvd in Bear Crk Park	G2CE0069 Field ID ↑ STORET ↓ G2CE0069	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>5/2/17</u> Time <u>13:23</u>	Eastern ☒ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field			Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>5.4</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORE	Date: 05/02/2017 RQ-2017-05-01-67		Temp (C) <u>24.8</u>	pH <u>7.3</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>316</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		
Location			☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
MKL	5/2/17 1500	Fed Ex	1	Tyler Reynolds	05/03/17 @

09:45am

Group: A	Bottle Type: P-250ML-WI-THI CD-FLR-ECQ	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	2 sent to contract lab
Group: A	Bottle Type: QPCR-P-250ML PCR-FILTER	# of Bottles: 12	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
Group: A	Bottle Type: BG-1L W-AHERB-AA W-SUC-AA-R W-UHERB-AA	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: P-250ML-WI-THI CD-FLR-ECQ	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1 sent to contract lab
Group: B	Bottle Type: QPCR-P-250ML PCR-HF183	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: BG-1L W-AHERB-AA W-SUC-AA-R W-UHERB-AA	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1

Date of Request: 13-APR-2017
 Created By: LINGER_M On: 13-APR-2017
 Modified By: MATTHEWS_D On: 17-APR-2017
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Smith/Six/Gee/Howell/ Soldier/Bear/ Wekiva Rvr

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 17-APR-2017
 Biology Request Reviewed By: MATTHEWS_D On: 17-APR-2017
 Sampling Kit Required: YES Ship on: 24-APR-2017
 Sampling Kit Shipped: YES On: 24-APR-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 01-MAY-2017
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: A: Smith/Six/Gee/Howell/ Bear/ Wekiva Rvr
 B: Soldier

Bottle Group A (Water) With 6 Samples:

Bottle Type:	Number of Bottles: 6	Preserved With: ICE
CD-FLR-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District
Bottle Type: QPCR-P-250ML	Number of Bottles: 12	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 6	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
CD-FLR-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-05-01-67

Shipping Method: Fedex

Date/Time of Receipt: 05/03/17 @ 9:45 am

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	0.0°C	9		✓			811595514985

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)		☒	W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☐ No ☐ NA ☒ Init: ML

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: ML

Coolers Unpacked/Checked by: ML Date: 05/03/17

NCRs (Y/N)? N

Event ID: CEN-DIST-2017-05-03-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: