

Chemical Analysis Report

CEN-DIST-2017-05-04-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Smith/Six/Gee/Howell/ Soldier/Bear/ Wekiva Rvr**
Request ID: **RQ-2017-05-01-67**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 24-MAY-2017 14:47

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Little Wekiva River @

Collection Date/Time: 05/03/2017 10:39

Field ID: G2CE0087

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1896303	EPA 8321B	Sucralose**	0.55		ug/L	P324480	
	USGS O-2060-01	2,4-D	0.031		ug/L	P324481	
		Diuron	0.0013	I	ug/L	P324481	
		Fenuron	0.0040	U	ug/L	P324481	
		Imidacloprid	0.014		ug/L	P324481	MS
		Bentazon	0.045		ug/L	P324481	
		Linuron	0.0040	U	ug/L	P324481	
		Acetaminophen**	0.0080	U	ug/L	P324481	
		MCP	0.011		ug/L	P324481	
		Carbamazepine**	0.0045		ug/L	P324481	
		Triclopyr**	0.0040	U	ug/L	P324481	
		Primidone**	0.0051	I	ug/L	P324481	
		Fluridone**	0.0028		ug/L	P324481	MS

Ref. Method and Comment:

USGS O-2060-01: MS accuracy and precision for bentazon could not be assessed due to high concentration of parameter in the spiked sample.

Sample Location: Elder Springs Run @

Collection Date/Time: 05/03/2017 11:56

Field ID: G2CE0120

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1896304	EPA 8321B	Sucralose**	0.099		ug/L	P324480	
	USGS O-2060-01	2,4-D	0.010		ug/L	P324481	
		Diuron	8.8E-04	I	ug/L	P324481	
		Fenuron	0.0040	U	ug/L	P324481	
		Imidacloprid	0.019		ug/L	P324481	MS
		Bentazon	0.20		ug/L	P324481	
		Linuron	0.0040	U	ug/L	P324481	
		Acetaminophen**	0.0080	U	ug/L	P324481	
		MCP	0.0022	I	ug/L	P324481	
		Carbamazepine**	9.6E-04	I	ug/L	P324481	
		Triclopyr**	0.0040	U	ug/L	P324481	
		Primidone**	0.0045	I	ug/L	P324481	
		Fluridone**	0.0021		ug/L	P324481	MS

Ref. Method and Comment:

USGS O-2060-01: MS accuracy and precision for bentazon could not be assessed due to high concentration of parameter in the spiked sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B

Batch ID: P324480

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: USGS O-2060-01
 Batch ID: P324481

Component	Result	Code	Units
2,4-D	8.0E-04	U	ug/L
Acetaminophen	0.0080	U	ug/L
Bentazon	8.0E-04	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0040	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
MCP	8.0E-04	U	ug/L
Primidone	0.0040	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
 Batch ID: P324480

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	107		P	40 - 140

Reference Method: USGS O-2060-01
 Batch ID: P324481

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	72.6		P	40 - 140
Acetaminophen	97.6		P	40 - 140
Bentazon	73.0		P	40 - 140
Carbamazepine	99.2		P	40 - 140
Diuron	105		P	40 - 140
Fenuron	105		P	40 - 140
Fluridone	90.9		P	40 - 140
Imidacloprid	109		P	40 - 160
Linuron	89.8		P	40 - 140
MCP	70.0		P	40 - 140
Primidone	110		P	40 - 140
Triclopyr	63.2		P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
 Batch ID: P324480

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1896109	Sucralose	118	95.0	P/P	40 - 140

Quality Assurance Report Matrix Spike Accuracy

Reference Method: USGS O-2060-01
 Batch ID: P324481

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1895708	2,4-D	67.9	68.7	P/P	40 - 140
1895708	Acetaminophen	92.2	101	P/P	40 - 140
1895708	Carbamazepine	85.4	79.5	P/P	40 - 140
1895708	Diuron	73.5	70.2	P/P	40 - 140
1895708	Fenuron	64.6	69.4	P/P	40 - 140
1895708	Fluridone	38.4	27.6	F/F	40 - 140
1895708	Imidacloprid	151	162	P/F	40 - 160
1895708	Linuron	75.5	67.2	P/P	40 - 140
1895708	MCP	56.3	58.6	P/P	40 - 140
1895708	Primidone	84.5	90.3	P/P	40 - 140
1895708	Triclopyr	52.1	53.3	P/P	40 - 140

Quality Assurance Report Precision

Reference Method: EPA 8321B
 Batch ID: P324480

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1896109	Sucralose	21.0	Spike	P	0 - 30

Reference Method: USGS O-2060-01
 Batch ID: P324481

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1895708	2,4-D	0.954	Spike	P	0 - 30
1895708	Acetaminophen	9.39	Spike	P	0 - 30
1895708	Carbamazepine	7.18	Spike	P	0 - 30
1895708	Diuron	4.45	Spike	P	0 - 30
1895708	Fenuron	7.28	Spike	P	0 - 30
1895708	Fluridone	29.6	Spike	P	0 - 30
1895708	Imidacloprid	5.93	Spike	P	0 - 30
1895708	Linuron	11.6	Spike	P	0 - 30
1895708	MCP	3.78	Spike	P	0 - 30
1895708	Primidone	6.68	Spike	P	0 - 30
1895708	Triclopyr	2.35	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1896303
 Field Sample ID: G2CE0087

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	106	P	40 - 150
USGS O-2060-01	2,4-D-d3	75.0	P	30 - 150

Quality Assurance Report Surrogates

Lab Sample ID: 1896303
Field Sample ID: G2CE0087

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
USGS O-2060-01	Acetaminophen-d4	105	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	119	P	30 - 160
USGS O-2060-01	Diuron-d6	113	P	30 - 150
USGS O-2060-01	Primidone-d5	120	P	30 - 150

Lab Sample ID: 1896304
Field Sample ID: G2CE0120

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Sucralose-d6	79.5	P	40 - 150
USGS O-2060-01	2,4-D-d3	71.3	P	30 - 150
USGS O-2060-01	Acetaminophen-d4	94.2	P	30 - 150
USGS O-2060-01	Carbamazepine-d10	87.0	P	30 - 160
USGS O-2060-01	Diuron-d6	77.5	P	30 - 150
USGS O-2060-01	Primidone-d5	102	P	30 - 150

Quality Assurance Report Calibration Verification

Reference Method: USGS O-2060-01
Run ID: A76477
Included Lab Sample IDs: 1896303, 1896304

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	105	89.6	P/P	50 - 150
Acetaminophen	114	110	P/P	60 - 150
Bentazon	91.0	108	P/P	50 - 150
Carbamazepine	107	118	P/P	60 - 150
Diuron	116	129	P/P	60 - 150
Fenuron	101	105	P/P	60 - 150
Fluridone	116	105	P/P	60 - 150
Imidacloprid	96.0	116	P/P	60 - 150
Linuron	112	109	P/P	60 - 150
MCP	98.0	93.2	P/P	50 - 150
Primidone	87.6	100	P/P	60 - 150
Triclopyr	103	97.6	P/P	50 - 150

Reference Method: EPA 8321B
Run ID: A76559
Included Lab Sample IDs: 1896303, 1896304

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	110	96.1	P/P	60 - 150
Sucralose	148	88.4	P/P	60 - 150

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 8321B	Sucralose	107	118	95.0			21.0
USGS O-2060-01	2,4-D	72.6	67.9	68.7			0.954
	Acetaminophen	97.6	92.2	101			9.39
	Bentazon	73.0					
	Carbamazepine	99.2	85.4	79.5			7.18
	Diuron	105	73.5	70.2			4.45
	Fenuron	105	64.6	69.4			7.28
	Fluridone	90.9	38.4	27.6			29.6
	Imidacloprid	109	151	162			5.93
	Linuron	89.8	75.5	67.2			11.6
	MCP	70.0	56.3	58.6			3.78
	Primidone	110	84.5	90.3			6.68
	Triclopyr	63.2	52.1	53.3			2.35

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 8321B / E31780	Water soluble organic compounds by HPLC/MS/MS	1896303, 1896304
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1896303, 1896304
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1896303, 1896304

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 8321B	05/04/2017	05/17/2017	Mohammad Ghaffari	05/18/2017	Mohammad Ghaffari	1896303
	05/04/2017	05/17/2017	Mohammad Ghaffari	05/19/2017	Mohammad Ghaffari	1896304
USGS O-2060-01	05/04/2017	05/08/2017	Fe-Val Siddell	05/16/2017	Juyoung Kim	1896303, 1896304