

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By: Katie Williams

Project ID: SMP

Collected By: Terry Rodan

Sampling Agency: 2IFCEN

|          |                                                             |                                |                                                                                      |                                                          |                                                                            |                                   |                                  |
|----------|-------------------------------------------------------------|--------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------|-----------------------------------|----------------------------------|
| Location | Mizner's Branch @ 50m<br>Upstream of Main Trail Rd.         | G5CE0093<br>Field ID<br>STORET | <input checked="" type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 5/4/17 Time 1138 | Eastern<br>Central                                                         | Composite end<br>Date Time        | Bottle<br>Group(s)<br>(See pg 2) |
| Field ID |                                                             |                                | Matrix (type, e.g., Salt, Fresh, etc)                                                | Diss. Oxygen<br>3.3                                      | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) n/a | B                                |
| STORET # | RQ-2017-05-01-69<br>Date: 05/04/17                          |                                | Temp<br>(C) 22.7                                                                     | pH 7.4                                                   | Sample<br>Depth 0.3                                                        | Sp. Conductance<br>(umho/cm) 677  |                                  |
| Latitude | <input type="checkbox"/> dd<br><input type="checkbox"/> dms | Longitude                      | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity<br>(ppt) 0.33                                   | Comments                                                                   |                                   |                                  |
| Location | Spruce Creek at Spruce<br>Creek Blvd.                       | G5CE0023<br>Field ID<br>STORET | <input checked="" type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 5/4/17 Time 1230 | Eastern<br>Central                                                         | Composite end<br>Date Time        | Bottle<br>Group(s)               |
| Field ID |                                                             |                                | Matrix (type, e.g., Salt, Fresh, etc)                                                | Diss. Oxygen<br>6.8                                      | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L) n/a | A                                |
| STORET # | RQ-2017-05-01-69<br>Date: 05/04/17                          |                                | Temp<br>(C) 23.1                                                                     | pH 7.4                                                   | Sample<br>Depth 0.05                                                       | Sp. Conductance<br>(umho/cm) 718  |                                  |
| Latitude | <input type="checkbox"/> dd<br><input type="checkbox"/> dms | Longitude                      | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity<br>(ppt) 0.35                                   | Comments                                                                   |                                   |                                  |
| Location |                                                             |                                | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab                       | Collection (comp begin or grab)<br>Date Time             | Eastern<br>Central                                                         | Composite end<br>Date Time        | Bottle<br>Group(s)               |
| Field ID |                                                             |                                | Matrix (type, e.g., Salt, Fresh, etc)                                                | Diss. Oxygen                                             | <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat            | Total Res. Chlorine<br>(mg/L)     |                                  |
| STORET # |                                                             |                                | Temp<br>(C)                                                                          | pH                                                       | Sample<br>Depth                                                            | Sp. Conductance<br>(umho/cm)      |                                  |
| Latitude | <input type="checkbox"/> dd<br><input type="checkbox"/> dms | Longitude                      | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity<br>(ppt)                                        | Comments                                                                   |                                   |                                  |
| Location |                                                             |                                | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab                       | Collection (comp begin or grab)<br>Date Time             | Eastern<br>Central                                                         | Composite end<br>Date Time        | Bottle<br>Group(s)               |
| Field ID |                                                             |                                | Matrix (type, e.g., Salt, Fresh, etc)                                                | Diss. Oxygen                                             | <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat            | Total Res. Chlorine<br>(mg/L)     |                                  |
| STORET # |                                                             |                                | Temp<br>(C)                                                                          | pH                                                       | Sample<br>Depth                                                            | Sp. Conductance<br>(umho/cm)      |                                  |
| Latitude | <input type="checkbox"/> dd<br><input type="checkbox"/> dms | Longitude                      | <input type="checkbox"/> dd<br><input type="checkbox"/> dms                          | Salinity<br>(ppt)                                        | Comments                                                                   |                                   |                                  |

|                           |                        |                        |                              |                             |                               |
|---------------------------|------------------------|------------------------|------------------------------|-----------------------------|-------------------------------|
| Relinquished By: Williams | Date/Time: 5/4/17 1420 | Shipping Method: FedEx | Number of Coolers Shipped: 1 | Received By: Tyler Reynolds | Date/Time: 05/05/17 @ 10:15am |
|---------------------------|------------------------|------------------------|------------------------------|-----------------------------|-------------------------------|

|          |                                                                                    |                |                 |               |               |                                     |              |
|----------|------------------------------------------------------------------------------------|----------------|-----------------|---------------|---------------|-------------------------------------|--------------|
| Group: A | Bottle Type:                                                                       | P-1L           | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1            |
|          | ALKALINITY<br>TURBIDITY<br>W-CL-IC<br>W-COLOR<br>W-F<br>W-SO4-IC<br>W-TDS<br>W-TSS |                |                 |               |               |                                     |              |
| Group: A | Bottle Type:                                                                       | P-250ML-WI-THI | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1 to Flowers |
|          | CD-FLR-ECQ                                                                         |                |                 |               |               |                                     |              |
| Group: A | Bottle Type:                                                                       | BP-1L          | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1            |
|          | CHLSUITE-W                                                                         |                |                 |               |               |                                     |              |
| Group: A | Bottle Type:                                                                       | QPCR-P-250ML   | # of Bottles: 2 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 2            |
|          | PCR-FILTER                                                                         |                |                 |               |               |                                     |              |
| Group: A | Bottle Type:                                                                       | BG-1L          | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1            |
|          | W-AHERB-AA<br>W-SUC-AA-R<br>W-UHERB-AA                                             |                |                 |               |               |                                     |              |
| Group: A | Bottle Type:                                                                       | P-500ML        | # of Bottles: 1 | Preservative: | HNO3          | Enter Number of Bottles Sent to Lab | 1            |
|          | W-ICP<br>W-ICPMS                                                                   |                |                 |               |               |                                     |              |
| Group: A | Bottle Type:                                                                       | P-500ML        | # of Bottles: 1 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 1            |
|          | W-NH3<br>W-NO2NO3<br>W-S-A-TP<br>W-TKN<br>W-TOC                                    |                |                 |               |               |                                     |              |
| Group: A | Bottle Type:                                                                       | P-125ML        | # of Bottles: 1 | Preservative: | ICE-FLTR      | Enter Number of Bottles Sent to Lab | 1            |
|          | W-PO4-F                                                                            |                |                 |               |               |                                     |              |
| Group: B | Bottle Type:                                                                       | P-1L           | # of Bottles: 1 | Preservative: | ICE           | Enter Number of Bottles Sent to Lab | 1            |
|          | ALKALINITY<br>TURBIDITY                                                            |                |                 |               |               |                                     |              |

|          |              |      |                 |               |     |                                     |   |
|----------|--------------|------|-----------------|---------------|-----|-------------------------------------|---|
| Group: B | Bottle Type: | P-1L | # of Bottles: 1 | Preservative: | ICE | Enter Number of Bottles Sent to Lab | 1 |
|          | W-CL-IC      |      |                 |               |     |                                     |   |
|          | W-COLOR      |      |                 |               |     |                                     |   |
|          | W-F          |      |                 |               |     |                                     |   |
|          | W-SO4-IC     |      |                 |               |     |                                     |   |
|          | W-TDS        |      |                 |               |     |                                     |   |
|          | W-TSS        |      |                 |               |     |                                     |   |

---

|          |              |                |                 |               |     |                                     |   |
|----------|--------------|----------------|-----------------|---------------|-----|-------------------------------------|---|
| Group: B | Bottle Type: | P-250ML-WI-THI | # of Bottles: 1 | Preservative: | ICE | Enter Number of Bottles Sent to Lab | 1 |
|          | CD-FLR-ECQ   |                |                 |               |     |                                     |   |

---

|          |              |       |                 |               |     |                                     |   |
|----------|--------------|-------|-----------------|---------------|-----|-------------------------------------|---|
| Group: B | Bottle Type: | BP-1L | # of Bottles: 1 | Preservative: | ICE | Enter Number of Bottles Sent to Lab | 1 |
|          | CHLSUITE-W   |       |                 |               |     |                                     |   |

---

|          |              |         |                 |               |               |                                     |   |
|----------|--------------|---------|-----------------|---------------|---------------|-------------------------------------|---|
| Group: B | Bottle Type: | P-500ML | # of Bottles: 1 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 1 |
|          | W-NH3        |         |                 |               |               |                                     |   |
|          | W-NO2NO3     |         |                 |               |               |                                     |   |
|          | W-S-A-TP     |         |                 |               |               |                                     |   |
|          | W-TKN        |         |                 |               |               |                                     |   |
|          | W-TOC        |         |                 |               |               |                                     |   |

---

|          |              |         |                 |               |          |                                     |   |
|----------|--------------|---------|-----------------|---------------|----------|-------------------------------------|---|
| Group: B | Bottle Type: | P-125ML | # of Bottles: 1 | Preservative: | ICE-FLTR | Enter Number of Bottles Sent to Lab | 1 |
|          | W-PO4-F      |         |                 |               |          |                                     |   |

Date of Request: 13-APR-2017  
 Created By: LINGER\_M On: 13-APR-2017  
 Modified By: MATTHEWS\_D On: 17-APR-2017  
 Customer: CEN-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: Central District  
 Sampling Event: Spruce (F)/Groover

**Send Coolers To:**

Phone: 407-897-4180  
 FL Dept. of Environmental Protection  
 3319 Maguire Blvd., Suite 232  
 Orlando, FL 32803-3767  
 Attn: Mike Linger

Program Module Number: 1306  
 Priority: 3  
 Event Status: S  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 17-APR-2017  
 Biology Request Reviewed By: MATTHEWS\_D On: 17-APR-2017  
 Sampling Kit Required: YES Ship on: 24-APR-2017  
 Sampling Kit Shipped: YES On: 24-APR-2017  
 Sampling Kit Packed By: SHAIK\_A  
 Preservatives Needed: NO  
 Date to Receive Samples: 01-MAY-2017  
 Received By:

**Send Final Report To:**

FL Dept. of Environmental Protection  
 3319 Maguire Blvd., Suite 232  
 Orlando, FL 32803-3767  
 Attn: Mike Linger

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: A: Spruce  
 B: Groover

**Bottle Group A (Water) With 1 Samples:**

|                           |                      |                                                                                                                                                |
|---------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L         | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| ALKALINITY                | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                                                       |
| TURBIDITY                 | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                                             |
| W-CL-IC                   | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                                              |
| W-COLOR                   | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                                                      |
| Color (true)              |                      |                                                                                                                                                |
| W-F                       | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                                           |
| W-SO <sub>4</sub> -IC     | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                                               |
| W-TDS                     | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                                      |
| W-TSS                     | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                                      |
| Bottle Type:              | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| CD-FLR-ECQ                | Template: DEFAULT    | (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District                    |
| Bottle Type: BP-1L        | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| CHLSUITE-W                | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry                             |
| Bottle Type: QPCR-P-250ML | Number of Bottles: 2 | Preserved With: ICE                                                                                                                            |
| PCR-FILTER                | Template: DEFAULT    | (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis                                                                  |
| Bottle Type: BG-1L        | Number of Bottles: 1 | Preserved With: ICE                                                                                                                            |
| W-AHERB-AA                | Template: DEFAULT    | (USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS                                                         |
| W-SUC-AA-R                | Template: DEFAULT    | (EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS                                                                              |
| W-UHERB-AA                | Template: DEFAULT    | (USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS                                                           |
| Bottle Type: P-500ML      | Number of Bottles: 1 | Preserved With: HNO <sub>3</sub>                                                                                                               |
| W-ICP                     | Template:            | (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects |

Calcium

**Bottle Group A (Water) With 1 Samples:**

|                      |                      |                                                                                                                                                |
|----------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: HNO3                                                                                                                           |
| W-ICP                | Template:            | (EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects |
| Chromium             |                      |                                                                                                                                                |
| Iron                 |                      |                                                                                                                                                |
| Magnesium            |                      |                                                                                                                                                |
| Nickel               |                      |                                                                                                                                                |
| Potassium            |                      |                                                                                                                                                |
| Sodium               |                      |                                                                                                                                                |
| Zinc                 |                      |                                                                                                                                                |
| W-ICPMS              | Template:            | (EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects                    |
| Arsenic              |                      |                                                                                                                                                |
| Cadmium              |                      |                                                                                                                                                |
| Copper               |                      |                                                                                                                                                |
| Lead                 |                      |                                                                                                                                                |
| Silver               |                      |                                                                                                                                                |
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                                                  |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                                     |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                                             |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                                            |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                                               |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                                                 |
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: ICE-FLTR                                                                                                                       |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                                       |

**Bottle Group B (Water) With 1 Samples:**

|                      |                      |                                                                                                                             |
|----------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Bottle Type:         | Number of Bottles: 1 | Preserved With: ICE                                                                                                         |
| CD-FLR-ECQ           | Template: DEFAULT    | (SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by FlowersOverflow Laboratory for Central District |
| Bottle Type: BP-1L   | Number of Bottles: 1 | Preserved With: ICE                                                                                                         |
| CHLSUITE-W           | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry          |
| Bottle Type: P-500ML | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                               |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                                  |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                          |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                                         |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                                            |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                                              |
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: ICE-FLTR                                                                                                    |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                                    |
| Bottle Type: P-1L    | Number of Bottles: 1 | Preserved With: ICE                                                                                                         |
| ALKALINITY           | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                                 |
| TURBIDITY            | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                          |
| W-CL-IC              | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                           |
| W-COLOR              | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                                   |
| Color (true)         |                      |                                                                                                                             |
| W-F                  | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)                        |
| W-SO4-IC             | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                            |
| W-TDS                | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                                   |
| W-TSS                | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                                   |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

# Log-in Checklist

RQ- 2017-05-01-69

Shipping Method: Fedex

Date/Time of Receipt: 05/05/17 @ 10:15 am

| Cooler ID | Cooler Temperature* | No. Sample Containers in Cooler | Evidence Tape |   |          |  | Tracking # (fill out only if waybill copy is damaged) |
|-----------|---------------------|---------------------------------|---------------|---|----------|--|-------------------------------------------------------|
|           |                     |                                 | Present?      |   | *Intact? |  |                                                       |
| Yes       | No                  | Yes                             | No            |   |          |  |                                                       |
| Red       | 1.1°C               | 12                              |               | ✓ |          |  | 811595515087                                          |
|           |                     |                                 |               |   |          |  |                                                       |
|           |                     |                                 |               |   |          |  |                                                       |
|           |                     |                                 |               |   |          |  |                                                       |
|           |                     |                                 |               |   |          |  |                                                       |

\*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**\*\*Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

\*\*Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

## CONTAINER CHECK

\*\*Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

\*\*Caps on tight? Yes ☒ No ☐ \*\*Containers intact? Yes ☒ No ☐

\*\*Sufficient Sample Volume: Yes ☒ No ☐

## CHLORINE CHECK (Blue dot on container)

| Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required. |     |                                     |               |     |    |
|------------------------------------------------------------------------------------------------------|-----|-------------------------------------|---------------|-----|----|
| Analysis                                                                                             | Yes | No                                  | Analysis      | Yes | No |
| W-1,4 DIOX                                                                                           |     |                                     | W-PC-AA-SF    |     |    |
| W-AHERB-AA (-AHB-AA-R)                                                                               |     | <input checked="" type="checkbox"/> | W-PCL-SQ (-R) |     |    |
| W-BNA (-625, -R)                                                                                     |     |                                     | W-PDQUAT      |     |    |
| W-CARB-AA (-CAB-AA-R)                                                                                |     |                                     | W-PESTNP-R    |     |    |
| W-ENDO-AA                                                                                            |     |                                     | W-PSCL-TQ     |     |    |
| W-GLYPH                                                                                              |     |                                     | W-PSNP-TQ     |     |    |
| W-NP-AA-SF                                                                                           |     |                                     | W-PST-CL-R    |     |    |
| W-PAH (-R)                                                                                           |     |                                     | W-TR-TQ       |     |    |
| W-PCB-R                                                                                              |     |                                     | W-CT-CI-R     |     |    |

## PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

\*\*Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: MR

\*\*W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: MR

Coolers Unpacked/Checked by: MR Date: 05/05/17 NCRs (Y/N)? N

Event ID: CEN-2017-05-05-01 NCR #

## Log-in Checklist

### Samples with Incorrect pH Preservation or presence of Chlorine

| Field ID | Bottle Test ID(s) | pH / Cl | Action Taken |
|----------|-------------------|---------|--------------|
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |

### Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

| Cooler ID | Field ID | Bottle Test ID(s) |
|-----------|----------|-------------------|
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |

### Bottles Not Intact

| Field ID | Bottle Test ID(s) | Loose Cap | Damaged Cap |    | Damaged Container |    | Evidence Tape Not Intact |
|----------|-------------------|-----------|-------------|----|-------------------|----|--------------------------|
|          |                   |           | CK          | BR | CK                | BR |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |

### Samples with Insufficient Volume for Analyses

| Field ID | Bottle Test ID(s) | Action Taken |
|----------|-------------------|--------------|
|          |                   |              |
|          |                   |              |
|          |                   |              |
|          |                   |              |

## ENCORE SAMPLES

**S-VOC-MS samples in Encores must be frozen within 48 hours of collection.**

Were Encore samples received? Yes \_\_\_\_\_ No ☒ \_\_\_\_\_

Date and time placed in freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection? Yes \_\_\_\_\_ No \_\_\_\_\_

If no, were samples shipped on dry ice? Yes \_\_\_\_\_ No \_\_\_\_\_

**FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):**

Samples preserved within 48 hours? Yes \_\_\_\_\_ No \_\_\_\_\_

Date and time samples preserved: \_\_\_\_\_

**Additional Comments:**