

Chemical Analysis Report

CEN-DIST-2017-07-25-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Hatchineha Canal / Kiss River**
Request ID: **RQ-2017-07-24-34**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 07-AUG-2017 14:06

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: HATCHINEHA CANAL @ 1.1 KM US OF LAKE KISSIMMEE

Collection Date/Time: 07/24/2017 11:20

Field ID: G4CE0143

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1915854	EPA 180.1 Rev. 2.0	Turbidity	7.1		NTU	P329069	
	EPA 300.0 Rev. 2.1	Chloride	22		mg Cl/L	P329119	
		Sulfate	9.1		mg SO4/L	P329122	
	SM 2120 B	Color (true)	55		PCU	P329059	
	SM 2320 B-97	Total Alkalinity	40		mg CaCO3/L	P329181	
	SM 2540 C-97	TDS	133		mg/L	P329362	
	SM 2540 D-97	TSS	12		mg/L	P329367	
	SM 4500 F-C-97	Fluoride	0.090	I	mg F/L	P329185	
1915856	EPA 350.1 Rev. 2.0	Ammonia-N	0.005	I	mg N/L	P329227	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P329112	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P329130	
	EPA 365.1 Rev. 2.0	Total-P	0.042		mg P/L	P329220	
	SM 5310 B-00	Organic Carbon	13		mg C/L	P329478	
1915858	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P329071	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: KISSIMMEE RIVER @ 500M US OF LAKE KISSIMMEE

Collection Date/Time: 07/24/2017 11:52

Field ID: G4CE0141

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1915855	EPA 180.1 Rev. 2.0	Turbidity	6.3		NTU	P329069	
	EPA 300.0 Rev. 2.1	Chloride	22		mg Cl/L	P329119	
		Sulfate	9.4		mg SO4/L	P329122	
	SM 2120 B	Color (true)	56		PCU	P329059	
	SM 2320 B-97	Total Alkalinity	40	A	mg CaCO3/L	P329182	
	SM 2540 C-97	TDS	132	A	mg/L	P329362	
	SM 2540 D-97	TSS	10		mg/L	P329367	
	SM 4500 F-C-97	Fluoride	0.092	I	mg F/L	P329186	
1915857	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P329227	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P329447	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P329130	
	EPA 365.1 Rev. 2.0	Total-P	0.043		mg P/L	P329220	
	SM 5310 B-00	Organic Carbon	14		mg C/L	P329478	
1915859	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P329071	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P329069

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329119

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329122

Component	Result	Code	Units
Sulfate	0.20	U	mg SO ₄ /L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P329227

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329112

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329447

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P329130

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329220

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329071

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2120 B
Batch ID: P329059

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P329181

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2320 B-97
Batch ID: P329182

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P329362

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P329367

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P329185

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P329186

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P329478

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329119

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329119

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.5		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329122

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	95.3		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P329227

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329112

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	98.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329447

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P329130

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO ₂ NO ₃ -N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329220

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	98.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329071

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.1		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P329181

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 108

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 2320 B-97
Batch ID: P329182

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P329185

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	94.5		P	92 - 103

Reference Method: SM 4500 F-C-97
Batch ID: P329186

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.5		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P329478

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.9		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329119

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915598	Chloride	96.4		P	90 - 110
1915794	Chloride	92.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329122

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915598	Sulfate	94.0		P	90 - 110
1915794	Sulfate	92.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P329227

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915781	Ammonia-N	98.3	97.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329447

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915918	Kjeldahl Nitrogen	98.2	93.4	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P329130

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915856	NO2NO3-N	104	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329220

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915843	Total-P	97.4	96.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329071

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915858	O-Phosphate-P	93.0	95.2	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P329185

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915865	Fluoride	98.4	102	P/P	91 - 105

Reference Method: SM 4500 F-C-97
Batch ID: P329186

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1915855	Fluoride	97.0	98.3	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P329478

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1914798	Organic Carbon	98.7	97.2	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P329069

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915794	Turbidity	2.85	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329119

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915598	Chloride	2.25	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329122

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915598	Sulfate	3.51	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P329227

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915781	Ammonia-N	0.630	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329112

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915602	Kjeldahl Nitrogen	1.88	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329447

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915918	Kjeldahl Nitrogen	3.78	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P329130

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915856	NO2NO3-N	1.45	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329220

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915843	Total-P	1.16	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329071

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915858	O-Phosphate-P	2.34	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P329059

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915794	Color (true)	0.652	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
Batch ID: P329181

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915865	Total Alkalinity	0.516	Sample	P	0 - 4.8

Reference Method: SM 2320 B-97
Batch ID: P329182

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915855	Total Alkalinity	0.170	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P329362

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915855	TDS	3.03	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P329185

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915865	Fluoride	2.39	Spike	P	0 - 3.0

Reference Method: SM 4500 F-C-97
Batch ID: P329186

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1915855	Fluoride	1.02	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P329478

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1914798	Organic Carbon	0.884	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A77934
Included Lab Sample IDs: 1915854, 1915855

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.0	99.2	P/P	85 - 115

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A77936
Included Lab Sample IDs: 1915854, 1915855

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.5	99.5	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A77937
Included Lab Sample IDs: 1915858, 1915859

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.0	99.2	P/P	90 - 110
O-Phosphate-P	99.2	98.6	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A77948
Included Lab Sample IDs: 1915854, 1915855

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	95.8	P/P	90 - 110
Sulfate	101	95.1	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A77954
Included Lab Sample IDs: 1915856, 1915857

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	101	P/P	90 - 110

Reference Method: SM 2320 B-97
Run ID: A77980
Included Lab Sample IDs: 1915854, 1915855

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	100	102	P/P	90 - 110
Total Alkalinity	102	100	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A77980
Included Lab Sample IDs: 1915854, 1915855

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	96.4	96.7	P/P	90 - 110
Fluoride	96.7	97.4	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A77993
Included Lab Sample IDs: 1915856, 1915857

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	102	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A77995

Included Lab Sample IDs: 1915856

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A78022

Included Lab Sample IDs: 1915856, 1915857

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.0	97.2	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A78087

Included Lab Sample IDs: 1915856, 1915857

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.2	99.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A78114

Included Lab Sample IDs: 1915857

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	97.5	99.7	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				2.85	
EPA 300.0 Rev. 2.1	Chloride	97.5	96.4 92.3		2.25	
	Sulfate	95.3	94.0 92.2		3.51	
EPA 350.1 Rev. 2.0	Ammonia-N	103	98.3 97.6			0.630
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	98.6				1.88
	Kjeldahl Nitrogen	103	98.2 93.4			3.78
EPA 353.2 Rev. 2.0	NO2NO3-N	104	104 102			1.45
EPA 365.1 Rev. 2.0	Total-P	98.1	97.4 96.2			1.16
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.1	93.0 95.2			2.34
SM 2120 B	Color (true)				0.652	
SM 2320 B-97	Total Alkalinity	102			0.516	
	Total Alkalinity	102			0.170	
SM 2540 C-97	TDS				3.03	
SM 4500 F-C-97	Fluoride	94.5	98.4 102			2.39
	Fluoride	95.5	97.0 98.3			1.02
SM 5310 B-00	Organic Carbon	96.9	98.7 97.2			0.884

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1915854, 1915855
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1915854, 1915855
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1915854, 1915855
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1915856, 1915857
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1915856, 1915857
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1915856, 1915857
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1915856, 1915857
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1915858, 1915859
SM 2120 B / E31780	True Color measured at 450 nm	1915854, 1915855
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1915854, 1915855
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1915854, 1915855
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1915854, 1915855
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1915854, 1915855
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1915856, 1915857

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	07/25/2017			07/25/2017 15:29	DeAsia Armster	1915854, 1915855
EPA 300.0 Rev. 2.1	07/25/2017			07/25/2017	Julia Storbeck	1915854, 1915855
EPA 350.1 Rev. 2.0	07/25/2017			07/26/2017	Sofia Elnemr	1915856, 1915857
EPA 351.2 Rev. 2.0	07/25/2017	07/26/2017	Adrian Shelby	07/27/2017	Joseph Suarez	1915856
	07/25/2017	08/01/2017	Adrian Shelby	08/02/2017	Joseph Suarez	1915857
EPA 353.2 Rev. 2.0	07/25/2017			07/26/2017	Beverly Y. Sanders	1915856, 1915857
EPA 365.1 Rev. 2.0	07/25/2017	07/27/2017	Adrian Shelby	07/28/2017	Lipi Saha	1915856, 1915857
EPA 365.1 Rev. 2.0 dissolved	07/25/2017			07/25/2017 14:49	Ping Hua	1915858
	07/25/2017			07/25/2017 15:00	Ping Hua	1915859
SM 2120 B	07/25/2017			07/25/2017 14:49	Tanya Welborn	1915854
	07/25/2017			07/25/2017 14:50	Tanya Welborn	1915855
SM 2320 B-97	07/25/2017			07/26/2017	Dale L. Simmons	1915854, 1915855
SM 2540 C-97	07/25/2017			07/26/2017	Yijie Li	1915854, 1915855
SM 2540 D-97	07/25/2017			07/26/2017	Yijie Li	1915854, 1915855
SM 4500 F-C-97	07/25/2017			07/26/2017	Dale L. Simmons	1915854, 1915855
SM 5310 B-00	07/25/2017			08/01/2017	Sofia Elnemr	1915856, 1915857