

Chemical Analysis Report

CEN-DIST-2017-08-04-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Tiger Creek + D&B**
Request ID: **RQ-2017-07-31-29**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 28-AUG-2017 11:53

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Tiger Creek 1.45 km Downstream of Lake Kissimmee

Collection Date/Time: 08/03/2017 11:30

Field ID: G4CE0070

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1919015	EPA 180.1 Rev. 2.0	Turbidity	5.0		NTU	P329742	
	EPA 300.0 Rev. 2.1	Chloride	23		mg Cl/L	P329754	
		Sulfate	9.1		mg SO4/L	P329756	
	SM 2120 B	Color (true)	67	A	PCU	P329736	
	SM 2320 B-97	Total Alkalinity	37		mg CaCO3/L	P329843	
	SM 2540 C-97	TDS	111		mg/L	P330222	
	SM 2540 D-97	TSS	7	I	mg/L	P330230	
	SM 4500 F-C-97	Fluoride	0.092	I	mg F/L	P329844	
1919016	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P329940	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P329871	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P330099	
	EPA 365.1 Rev. 2.0	Total-P	0.072		mg P/L	P329788	
	SM 5310 B-00	Organic Carbon	14		mg C/L	P329960	
1919017	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P329733	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Tiger Creek 1.45 km Downstream of Lake Kissimmee (Duplicate)

Collection Date/Time: 08/03/2017 11:30

Field ID: G4CE0070_D

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1919018	EPA 180.1 Rev. 2.0	Turbidity	5.0		NTU	P329742	
	EPA 300.0 Rev. 2.1	Chloride	22		mg Cl/L	P329754	
		Sulfate	8.8		mg SO4/L	P329756	
	SM 2120 B	Color (true)	66		PCU	P329736	
	SM 2320 B-97	Total Alkalinity	37		mg CaCO3/L	P329843	
	SM 2540 C-97	TDS	119		mg/L	P330222	
	SM 2540 D-97	TSS	8	I	mg/L	P330230	
	SM 4500 F-C-97	Fluoride	0.093	I	mg F/L	P329844	
1919020	EPA 350.1 Rev. 2.0	Ammonia-N	0.007		mg N/L	P329940	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P329871	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P330099	
	EPA 365.1 Rev. 2.0	Total-P	0.070		mg P/L	P329788	
	SM 5310 B-00	Organic Carbon	14		mg C/L	P329960	
1919022	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P329733	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Field Blank

Collection Date/Time: 08/03/2017 11:55

Field ID: Field Blank

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1919019	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P329742	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P329754	
		Sulfate	0.20	U	mg SO4/L	P329756	
	SM 2120 B	Color (true)	2.5	U	PCU	P329736	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P329843	
	SM 2540 C-97	TDS	15	U	mg/L	P330221	
	SM 2540 D-97	TSS	2	U	mg/L	P330229	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P329844	
1919021	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P329940	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P329872	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P330099	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P329788	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P329960	
1919023	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P329733	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P329742

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P329754

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P329756

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P329940

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P329871

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329872

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330099

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329788

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329733

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P329736

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P329843

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P330221

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 C-97
Batch ID: P330222

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P330229

Component	Result	Code	Units
TSS	2	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
Batch ID: P330230

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P329844

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P329960

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329754

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	93.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329756

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.1		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P329940

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329871

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329872

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330099

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330099

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329788

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.3		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329733

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.4		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P329843

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P329844

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	94.4		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P329960

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329754

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1919061	Chloride	99.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329756

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1919061	Sulfate	96.3		P	90 - 110
1919064	Sulfate	98.2		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P329940

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1918970	Ammonia-N	102	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329871

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1918936	Kjeldahl Nitrogen	95.6	99.9	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329872

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1919041	Kjeldahl Nitrogen	96.0	94.8	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330099

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1919016	NO2NO3-N	105	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329788

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1918970	Total-P	95.4	94.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329733

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1918941	O-Phosphate-P	93.5	95.9	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P329844

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1918929	Fluoride	94.5	92.8	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P329960

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1918875	Organic Carbon	95.4	94.8	P/P	85 - 115

Quality Assurance Report Precision

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P329742

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919040	Turbidity	6.15	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329754

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919064	Chloride	0.0162	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P329756

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919064	Sulfate	0.781	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P329940

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918970	Ammonia-N	0.972	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329871

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918936	Kjeldahl Nitrogen	3.38	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P329872

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919041	Kjeldahl Nitrogen	0.697	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330099

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919016	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P329788

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918970	Total-P	0.730	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P329733

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918941	O-Phosphate-P	2.53	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P329736

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919015	Color (true)	0.534	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P329843

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918929	Total Alkalinity	1.27	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P330221

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918929	TDS	1.79	Sample	P	0 - 10

Reference Method: SM 2540 C-97
Batch ID: P330222

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918969	TDS	6.64	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P329844

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918929	Fluoride	1.49	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P329960

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1918875	Organic Carbon	0.371	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A78163

Included Lab Sample IDs: 1919015, 1919018, 1919019

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	94.7	96.8	P/P	90 - 110
Chloride	97.6	94.7	P/P	90 - 110
Sulfate	102	96.4	P/P	90 - 110
Sulfate	96.4	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A78204

Included Lab Sample IDs: 1919017, 1919022, 1919023

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.3	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A78208

Included Lab Sample IDs: 1919015, 1919018, 1919019

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.0	99.1	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A78212

Included Lab Sample IDs: 1919015, 1919018, 1919019

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A78242

Included Lab Sample IDs: 1919016, 1919020

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.8	98.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A78248

Included Lab Sample IDs: 1919021

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	98.2	97.8	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A78258

Included Lab Sample IDs: 1919015, 1919018, 1919019

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	100	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: SM 4500 F-C-97

Run ID: A78258

Included Lab Sample IDs: 1919015, 1919018, 1919019

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	94.7	98.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A78297

Included Lab Sample IDs: 1919016, 1919020, 1919021

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	98.8	100	P/P	90 - 110
Ammonia-N	98.8	98.8	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A78301

Included Lab Sample IDs: 1919016, 1919020, 1919021

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	98.4	99.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A78340

Included Lab Sample IDs: 1919016, 1919020

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A78349

Included Lab Sample IDs: 1919016, 1919020, 1919021

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A78351

Included Lab Sample IDs: 1919021

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	99.7	98.8	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
 Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				6.15	
EPA 300.0 Rev. 2.1	Chloride	93.7	99.3		0.0162	
	Sulfate	97.1	98.2 96.3		0.781	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 350.1 Rev. 2.0	Ammonia-N	100	102	101			0.972
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103	95.6	99.9			3.38
	Kjeldahl Nitrogen	103	96.0	94.8			0.697
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	104	105	105			0.0
EPA 365.1 Rev. 2.0	Total-P	96.3	95.4	94.6			0.730
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.4	93.5	95.9			2.53
SM 2120 B	Color (true)					0.534	
SM 2320 B-97	Total Alkalinity	102				1.27	
SM 2540 C-97	TDS					1.79	
	TDS					6.64	
SM 4500 F-C-97	Fluoride	94.4	94.5	92.8			1.49
SM 5310 B-00	Organic Carbon	97.1	95.4	94.8			0.371

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1919015, 1919018, 1919019
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1919015, 1919018, 1919019
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1919015, 1919018, 1919019
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1919016, 1919020, 1919021
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1919016, 1919020, 1919021
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1919016, 1919020, 1919021
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1919016, 1919020, 1919021
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1919017, 1919022, 1919023
SM 2120 B / E31780	True Color measured at 450 nm	1919015, 1919018, 1919019
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1919015, 1919018, 1919019
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1919015, 1919018, 1919019
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1919015, 1919018, 1919019
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1919015, 1919018, 1919019
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1919016, 1919020, 1919021

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/04/2017			08/04/2017 16:09	DeAsia Armster	1919015, 1919018, 1919019
EPA 300.0 Rev. 2.1	08/04/2017			08/05/2017	Julia Storbeck	1919015, 1919018, 1919019
EPA 350.1 Rev. 2.0	08/04/2017			08/09/2017	Sofia Elnemr	1919016, 1919020, 1919021
EPA 351.2 Rev. 2.0	08/04/2017	08/09/2017	Adrian Shelby	08/10/2017	Joseph Suarez	1919016, 1919020
	08/04/2017	08/09/2017	Adrian Shelby	08/11/2017	Joseph Suarez	1919021
EPA 353.2 Rev. 2.0	08/04/2017			08/11/2017	Beverly Y. Sanders	1919016, 1919020, 1919021
EPA 365.1 Rev. 2.0	08/04/2017	08/07/2017	Sima Feizi	08/08/2017	Lipi Saha	1919016, 1919020, 1919021
EPA 365.1 Rev. 2.0 dissolved	08/04/2017			08/04/2017 14:26	Ping Hua	1919017
	08/04/2017			08/04/2017 14:27	Ping Hua	1919022
	08/04/2017			08/04/2017 14:28	Ping Hua	1919023
SM 2120 B	08/04/2017			08/04/2017 14:59	Tanya Welborn	1919015
	08/04/2017			08/04/2017 15:00	Tanya Welborn	1919018
	08/04/2017			08/04/2017 15:01	Tanya Welborn	1919019
SM 2320 B-97	08/04/2017			08/07/2017	Dale L. Simmons	1919015, 1919018, 1919019
SM 2540 C-97	08/04/2017			08/09/2017	Yijie Li	1919015, 1919018, 1919019
SM 2540 D-97	08/04/2017			08/09/2017	Yijie Li	1919015, 1919018, 1919019
SM 4500 F-C-97	08/04/2017			08/07/2017	Dale L. Simmons	1919015, 1919018, 1919019
SM 5310 B-00	08/04/2017			08/09/2017	Ping Hua	1919016, 1919020, 1919021