

Chemical Analysis Report

CEN-DIST-2017-08-16-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Felter / Mirror / Bear**
Request ID: **RQ-2017-08-14-49**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 07-SEP-2017 10:48

A handwritten signature in black ink, appearing to read "Colin Wright", is displayed on a light gray rectangular background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Mirror Lake @ Center of North Lobe

Collection Date/Time: 08/15/2017 11:10

Field ID: G1CE0041

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1921676	EPA 180.1 Rev. 2.0	Turbidity	1.3		NTU	P330337	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P330469	
		Sulfate	27		mg SO4/L	P330467	
	SM 2120 B	Color (true)	9.3		PCU	P330349	
	SM 2320 B-97	Total Alkalinity	12		mg CaCO3/L	P330605	
	SM 2540 C-97	TDS	101		mg/L	P330692	
	SM 2540 D-97	TSS	2	I	mg/L	P330920	
	SM 4500 F-C-97	Fluoride	0.098	I	mg F/L	P330801	
1921678	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P330513	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.62		mg N/L	P330357	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P330477	
	EPA 365.1 Rev. 2.0	Total-P	0.008		mg P/L	P330418	
	SM 5310 B-00	Organic Carbon	6.1		mg C/L	P330561	
1921680	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P330345	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Bear Lake @ Center

Collection Date/Time: 08/15/2017 12:43

Field ID: G1CE0002

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1921677	EPA 180.1 Rev. 2.0	Turbidity	2.0		NTU	P330337	
	EPA 300.0 Rev. 2.1	Chloride	15		mg Cl/L	P330469	
		Sulfate	0.44	I	mg SO4/L	P330467	
	SM 2120 B	Color (true)	120	A	PCU	P330349	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P330606	
	SM 2540 C-97	TDS	60		mg/L	P330692	
	SM 2540 D-97	TSS	3	I	mg/L	P330920	
	SM 4500 F-C-97	Fluoride	0.059	I	mg F/L	P330609	
1921679	EPA 350.1 Rev. 2.0	Ammonia-N	0.004	I	mg N/L	P330514	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.92		mg N/L	P330357	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P330477	
	EPA 365.1 Rev. 2.0	Total-P	0.019		mg P/L	P330418	
	SM 5310 B-00	Organic Carbon	18		mg C/L	P330561	
1921681	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P330345	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P330337

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Quality Assurance Report

Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330467

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330469

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330513

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330514

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330357

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330477

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330418

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P330345

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P330349

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P330605

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2320 B-97
Batch ID: P330606

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P330692

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P330920

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P330609

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 4500 F-C-97
Batch ID: P330801

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P330561

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330467

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	94.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330469

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330469

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	95.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330513

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330514

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330357

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330477

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330418

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	97.1		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P330345

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.1		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P330605

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 108

Reference Method: SM 2320 B-97
Batch ID: P330606

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 108

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P330609

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	95.3		P	92 - 103

Reference Method: SM 4500 F-C-97
Batch ID: P330801

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.7		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P330561

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.5		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330467

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921642	Sulfate	97.8		P	90 - 110
1921643	Sulfate	92.9		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330469

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921642	Chloride	98.5		P	90 - 110
1921643	Chloride	93.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330513

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921605	Ammonia-N	101	103	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330514

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921679	Ammonia-N	100	99.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330357

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921645	Kjeldahl Nitrogen	107	108	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P330477

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921645	NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P330418

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921691	Total-P	95.8	94.2	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P330345

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921680	O-Phosphate-P	91.0	93.0	P/P	90 - 110

Reference Method: SM 4500 F-C-97
 Batch ID: P330609

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921686	Fluoride	98.0	98.0	P/P	91 - 105

Reference Method: SM 4500 F-C-97
 Batch ID: P330801

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921904	Fluoride	94.6	96.5	P/P	91 - 105

Reference Method: SM 5310 B-00
 Batch ID: P330561

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921560	Organic Carbon	90.5	90.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P330337

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921664	Turbidity	9.91	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P330467

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921642	Sulfate	4.98	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330469

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921642	Chloride	1.69	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330513

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921605	Ammonia-N	1.35	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330514

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921679	Ammonia-N	0.811	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330357

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921645	Kjeldahl Nitrogen	0.722	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330477

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921645	NO2NO3-N	0.0	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330418

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921691	Total-P	1.68	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P330345

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921680	O-Phosphate-P	2.17	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P330349

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921677	Color (true)	0.156	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-97
Batch ID: P330605

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921904	Total Alkalinity	0.908	Sample	P	0 - 4.8

Reference Method: SM 2320 B-97
Batch ID: P330606

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921686	Total Alkalinity	0.213	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P330692

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921664	TDS	5.50	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P330609

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921686	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 4500 F-C-97
Batch ID: P330801

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921904	Fluoride	0.946	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P330561

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921560	Organic Carbon	0.230	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A78421
Included Lab Sample IDs: 1921676, 1921677

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	96.8	98.5	P/P	90 - 110
Sulfate	97.2	98.8	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A78439

Included Lab Sample IDs: 1921676, 1921677

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A78443

Included Lab Sample IDs: 1921680, 1921681

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	101	99.8	P/P	90 - 110
O-Phosphate-P	99.1	99.6	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A78444

Included Lab Sample IDs: 1921676, 1921677

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	103	P/P	85 - 115

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A78496

Included Lab Sample IDs: 1921678, 1921679

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A78501

Included Lab Sample IDs: 1921678, 1921679

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	101	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A78513

Included Lab Sample IDs: 1921678, 1921679

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	103	P/P	90 - 110
Ammonia-N	103	102	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A78526

Included Lab Sample IDs: 1921678, 1921679

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.0	96.3	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A78532

Included Lab Sample IDs: 1921678, 1921679

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
-----------	---------	---------	------------	----------------

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A78532
Included Lab Sample IDs: 1921678, 1921679

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	108	P/P	90 - 110

Reference Method: SM 2320 B-97
Run ID: A78552
Included Lab Sample IDs: 1921676, 1921677

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	99.8	P/P	90 - 110
Total Alkalinity	99.8	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A78552
Included Lab Sample IDs: 1921677

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	98.5	97.5	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Run ID: A78604
Included Lab Sample IDs: 1921676

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	97.0	99.1	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				9.91	
EPA 300.0 Rev. 2.1	Chloride	95.7	98.5 93.4		1.69	
	Sulfate	94.8	97.8 92.9		4.98	
EPA 350.1 Rev. 2.0	Ammonia-N	98.9	101 103			1.35
	Ammonia-N	99.4	100 99.4			0.811
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	107 108			0.722
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	104	104 104			0.0
EPA 365.1 Rev. 2.0	Total-P	97.1	95.8 94.2			1.68
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.1	91.0 93.0			2.17
SM 2120 B	Color (true)				0.156	
SM 2320 B-97	Total Alkalinity	102			0.908	
	Total Alkalinity	102			0.213	
SM 2540 C-97	TDS				5.50	
SM 4500 F-C-97	Fluoride	95.3	98.0 98.0			0.0
	Fluoride	97.7	94.6 96.5			0.946
SM 5310 B-00	Organic Carbon	95.5	90.5 90.8			0.230

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1921676, 1921677
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1921676, 1921677
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1921676, 1921677
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1921678, 1921679
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1921678, 1921679
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1921678, 1921679
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1921678, 1921679
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1921680, 1921681
SM 2120 B / E31780	True Color measured at 450 nm	1921676, 1921677
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1921676, 1921677
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1921676, 1921677
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1921676, 1921677
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1921676, 1921677
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1921678, 1921679

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/16/2017			08/16/2017 15:34	DeAsia Armster	1921676, 1921677
EPA 300.0 Rev. 2.1	08/16/2017			08/16/2017	Julia Storbeck	1921676, 1921677
EPA 350.1 Rev. 2.0	08/16/2017			08/17/2017	Sofia Elnemr	1921678, 1921679
EPA 351.2 Rev. 2.0	08/16/2017	08/17/2017	Adrian Shelby	08/21/2017	Joseph Suarez	1921678, 1921679
EPA 353.2 Rev. 2.0	08/16/2017			08/18/2017	Beverly Y. Sanders	1921678, 1921679
EPA 365.1 Rev. 2.0	08/16/2017	08/17/2017	Sima Feizi	08/18/2017	Lipi Saha	1921678, 1921679
EPA 365.1 Rev. 2.0 dissolved	08/16/2017			08/16/2017 14:32	Megan Treadwell	1921680
	08/16/2017			08/16/2017 15:06	Megan Treadwell	1921681
SM 2120 B	08/16/2017			08/16/2017 16:25	Tanya Welborn	1921676
	08/16/2017			08/16/2017 16:26	Tanya Welborn	1921677
SM 2320 B-97	08/16/2017			08/17/2017	Dale L. Simmons	1921676
	08/16/2017			08/18/2017	Dale L. Simmons	1921677
SM 2540 C-97	08/16/2017			08/18/2017	Yijie Li	1921676, 1921677
SM 2540 D-97	08/16/2017			08/18/2017	Yijie Li	1921676, 1921677
SM 4500 F-C-97	08/16/2017			08/18/2017	Dale L. Simmons	1921677
	08/16/2017			08/24/2017	Dale L. Simmons	1921676
SM 5310 B-00	08/16/2017			08/19/2017	Ping Hua	1921678, 1921679