

Log-in Checklist

RQ-2617-11-06-54

Shipping Method: FEDEX

Date/Time of Receipt: 11/9/17 @ 10:15

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
Red	1.20C	8		✓			811977807521

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No ✓ If yes, is it intact? Yes No

****Caps on tight?** Yes ✓ No ****Containers intact?** Yes ✓ No

****Sufficient Sample Volume:** Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ✓ No NA Init: TR

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA ✓ Init: TR

Coolers Unpacked/Checked by: Tyler R. Date: 11/9/17 NCRs (Y/N)? N

Event ID: CEW-OIST-2017-11-09-02 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Tiger / Kiss River

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger


Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	RQ-2017-11-06-54 Kissimmee River @ 1.15miles upstream of Lake Kissimmee Date: 11/8/2017 Time: 1156		 G4CE0055 Field ID ↑ STORET ↓  G4CE0055		☐ Comp ☒ Grab Collection (comp begin or grab) Date 11/8/2017 Time 1156	☒ Eastern ☐ Central Composite end Date Time	☒ mg/L ☐ % sat Diss. Oxygen 6.62	☒ mg/L ☐ % sat Total Res. Chlorine (mg/L)	Bottle Group(s) (See pg 2) A	
Field ID					Matrix (type, e.g., Salt, Fresh, etc) Fresh	Temp (C) 25.50	pH 6.876	Sample Depth 0.3		☐ ft ☒ m Sp. Conductance (umho/cm) 139
STORET										
Latitude	☐ dd ☐ dms	Longitude 	☐ dd ☐ dms	Salinity (ppt) 0.06	Comments					
Location	RQ-2017-11-06-54 Tiger Creek 1.45km downstream of Lake Kissimmee Date: 11/8/2017 Time: 1123		 G4CE0070 Field ID ↑ STORET ↓  G4CE0070		☐ Comp ☒ Grab Collection (comp begin or grab) Date 11/8/2017 Time 1123	☒ Eastern ☐ Central Composite end Date Time	☒ mg/L ☐ % sat Diss. Oxygen 3.45	☒ mg/L ☐ % sat Total Res. Chlorine (mg/L)	Bottle Group(s) A	
Field ID					Matrix (type, e.g., Salt, Fresh, etc) Fresh	Temp (C) 22.98	pH 6.17	Sample Depth 0.3		☐ ft ☒ m Sp. Conductance (umho/cm) 114
STORET										
Latitude	☐ dd ☐ dms	Longitude 	☐ dd ☐ dms	Salinity (ppt) 0.05	Comments					
Location					☐ Comp ☐ Grab Collection (comp begin or grab) Date Time	☐ Eastern ☐ Central Composite end Date Time	☐ mg/L ☐ % sat Diss. Oxygen 	☐ mg/L ☐ % sat Total Res. Chlorine (mg/L)	Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)	Temp (C)	pH	Sample Depth		☐ ft ☐ m Sp. Conductance (umho/cm)
STORET #										
Latitude	☐ dd ☐ dms	Longitude 	☐ dd ☐ dms	Salinity (ppt)	Comments					
Location					☐ Comp ☐ Grab Collection (comp begin or grab) Date Time	☐ Eastern ☐ Central Composite end Date Time	☐ mg/L ☐ % sat Diss. Oxygen 	☐ mg/L ☐ % sat Total Res. Chlorine (mg/L)	Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)	Temp (C)	pH	Sample Depth		☐ ft ☐ m Sp. Conductance (umho/cm)
STORET #										
Latitude	☐ dd ☐ dms	Longitude 	☐ dd ☐ dms	Salinity (ppt)	Comments					

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	11/8/2017 1640	Fed Ex	1	Tyler R.	11/9/17 @ 10:15

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-PO4-F						

Date of Request: 19-OCT-2017
 Created By: LINGER_M On: 19-OCT-2017
 Modified By: SWANSON_C On: 23-OCT-2017
 Customer: CEN-DIST
 Project: SMP
 Division:
 District: Central District
 Sampling Event: Tiger / Kiss River

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 20-OCT-2017
 Biology Request Reviewed By: SWANSON_C On: 23-OCT-2017
 Sampling Kit Required: YES Ship on: 24-OCT-2017
 Sampling Kit Shipped: YES On: 24-OCT-2017
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 06-NOV-2017
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L