

Project Title: Powl/Bayshore

Location Code: POWLGR20

Location Coordinates: N26.683132, W-81.877392

Location Description: Just West of N Evelena Rd

Sample Collection Time: 10:29

Lab ID# AD43271

Sample Collectors: Liza Rollins & Brian Ellis

Date: 4/6/2017

	Temp (°C)	SpCond (µS/cm)	D.O. (%)	D.O. (mg/L)	pH	Velocity (ft/s)	DFTOSTWS (ft)	Sample Depth (m)	Total Depth (m)
Field Parameters	25.25	5582	7.2	0.59	7.34	0.1	9.51	0.5	0.6
Qualifiers						✓			

*Nitric Acid added upon return to Lab

**Pre-Preserved with Sodium Thiosulfate by Thermo Scientific

SAMP = Regular Sample

PP = Polypropylene

FB = Field Blank

PE = Polyethylene

FCEB = Field Cleaned

CG = Clear Glass

Equipment Blank

G = Grab

SWF = Surface Water Fresh

GV = Grab Van Dorn

Flow Calculation (if Applicable):

Flow (ft³/s):

Flow MDL:

Flow Qualifier:

Collection Method: G

Sample Type: SAMP

Sample Matrix: SWF

Equipment Used

YSI Data Logger and/or Sonde ID# 5D

Calibrated: 1/0/1900 (see Field Equipment Calibration Log)

Opaque Horizontal Van Dorn # (if applicable): N/A

Velocity Meter ID# 1C

Distance Measuring Tool ID# 4994

0.45µm Filter, 47mm PP Filter Holder, & 60mL Syringe

Filter Lot # R6AA99050 Exp Date: 5/10/2017

30mL FEP Drop Bottle w/Sulfuric Acid (see preservatives)

0.0-3.0 pH Test Paper for pH Verification

Containers of Analyte Free Water for Rinsing and Blank

- ☒ DFTOSTWS taken from middle of structure
- ☒ Samples submerged in ice within 15min.
- ☒ Samples preserved with Sulfuric Acid acidified in field within 15min.
- ☒ Filtered sample filtered on site
- ☒ Equipment & Bottles cleaned according to DEP
- ☒ FC1000 and LCEL Field Sampling Quality Manual
- ☒ Velocity not detectable and/or is lower than MDL
- ☒ Acidified samples pH verified in field (quarterly)

Quarterly Months: January, April, July, October

☐ @NP bottle used to fill all other bottles.

Preservatives	Lot #	Exp. Date
H ₂ SO ₄	3114100	11/13/2017
HNO ₃ *	1115041	4/29/2017
Na ₂ S ₂ O ₃	160903	1/31/2020

Misc: _____

Signature of Sample Collector(s) and Date:

[Signature] 4/6/17
[Signature] 4/6/17

[Signature] 4-7-17
10:25

Project Title: Powl/Bayshore

Location Code: 22-7GR

Location Coordinates: N26.715253, W-81.821958

Location Description: Bayshore Cr @ SR78; Just East of Railroad Tracks

Sample Collection Time: 0938

Lab ID# AD43264

Sample Collectors: Liza Rollins & Brian Ellis

Date: 4/6/2017

Bottles	Number	Size	Material	Pre-Preserved	Lab ID#
@CHLORO	1	1L	PE	N/A	AD43264
@NP	1	1L	PE	N/A	AD43264
@NPFIL	1	250mL	PE	N/A	AD43264
@H2SO4	1	250mL	PE	No	AD43264
@HNO3	1	250mL	PE	No*	AD43264
@BACT	2	100mL	PP	Yes**	AD43264

	Temp (°C)	SpCond (µS/cm)	D.O. (%)	D.O. (mg/L)	pH	Velocity (ft/s)	DFTOSTWS (ft)	Sample Depth (m)	Total Depth (m)
Field Parameters									
Qualifiers									

*Nitric Acid added upon return to Lab

**Pre-Preserved with Sodium Thiosulfate by Thermo Scientific

SAMP = Regular Sample

PP = Polypropylene

FB = Field Blank

PE = Polyethylene

FCEB = Field Cleaned

CG = Clear Glass

Equipment Blank

G = Grab

SWF = Surface Water Fresh

GV = Grab Van Dorn

Flow Calculation (if Applicable):

Flow (ft³/s):

Flow MDL:

Flow Qualifier:

Collection Method: G

Sample Type: SAMP

Sample Matrix: SWF

Preservatives	Lot #	Exp. Date
H ₂ SO ₄	3114100	11/13/2017
HNO ₃ *	1115041	4/29/2017
Na ₂ S ₂ O ₃	160903	1/31/2020

Equipment Used

YSI Data Logger and/or Sonde ID# 5D

Calibrated: 1/0/1900 (see Field Equipment Calibration Log)

Opaque Horizontal Van Dorn # (if applicable): N/A

Velocity Meter ID# 1C

Distance Measuring Tool ID# 4994

0.45µm Filter, 47mm PP Filter Holder, & 60mL Syringe

Filter Lot # R6AA99050 Exp Date: 5/10/2017

30mL FEP Drop Bottle w/Sulfuric Acid (see preservatives)

0.0-3.0 pH Test Paper for pH Verification

Containers of Analyte Free Water for Rinsing and Blank

- ☐ DFTOSTWS taken from middle of structure
- ☐ Samples submerged in ice within 15min.
- ☐ Samples preserved with Sulfuric Acid acidified in field within 15min.
- ☐ Filtered sample filtered on site
- ☐ Equipment & Bottles cleaned according to DEP FC1000 and LCEL Field Sampling Quality Manual
- ☐ Velocity not detectable and/or is lower than MDL
- ☐ Acidified samples pH verified in field (quarterly)
Quarterly Months: January, April, July, October
- ☐ @NP bottle used to fill all other bottles.

Misc: Dry site

Signature of Sample Collector(s) and Date:

[Signature] 4/6/17
[Signature] 4/6/17

Date of Request: 14-FEB-2017
Created By: ANDERSON_C On: 14-FEB-2017
Modified By: MATTHEWS_D On: 28-FEB-2017
Customer: SO-DIST
Project: SMP
Division: Not Applicable
District:
Sampling Event: Lee Co Tracers & Markers

Send Coolers To:

Phone: (239) 533-8600
Lee County Environmental Lab
60-2 Danley Dr
Fort Myers, FL 33907
Attn: Rick Armstrong

Program Module Number:
Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 27-FEB-2017
Biology Request Reviewed By: MATTHEWS_D On: 28-FEB-2017
Sampling Kit Required: YES Ship on: 06-MAR-2017
Sampling Kit Shipped: YES On: 06-MAR-2017
Sampling Kit Packed By: SHAIK_A
Preservatives Needed: NO
Date to Receive Samples: 20-MAR-2017
Received By:

Send Final Report To:

FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Corey Anderson

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments: DEP Lab: please send at least 3 coolers

Lee county providing bacteria analysis and results.

Waterbodies:
Chapel (Bayshore) Creek
Cypress Creek
Powell Creek
Owl Creek
Telegraph Creek
Trout Creek
Whiskey Creek

Bottle Group A (Water) With 7 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 14	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 7	Preserved With: ICE
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

RQ-2017-03-20-20

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 4-7-17/10:25

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Evidence Tape		Tracking # (fill out only if waybill copy is damaged)
			Present?	*Intact?	Present?	*Intact?	
Yes	No	Yes	No	Yes	No		
Blue	0.6	3		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☒ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH $\leq$ 2.0? Yes ☐ No ☐ NA ☒ Init: SR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: SR

Coolers Unpacked/Checked by: SR Date: 4-7-17

NCRs (Y/N)? N

Event ID: SO-DIST-2017-04-07-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments:

00742

01000

03324

fedex.com 1.800.GoFedEx 1.800.463.3339

06325007

FedEx Package
Express US Airbill
FedEx
Tracking
Number

8111 7111 7437

1 From Please print and press hard.

Date 4/6/11 Sender's FedEx
Account NumberSender's
Name LEE COUNTY ENV LAB Phone ()

Company

Address 60 Danley Dr #2

City Ft. Myers State FL ZIP 33907

2 Your Internal Billing Reference

First 24 characters will appear on invoice.

3 To

Recipient's
Name Phone (850) 245-8085

Company FLORIDA DEP/CHEMISTRY SECTION

Address 2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City TALLAHASSEE State FL ZIP 32399-6542

0125636852


Ship it. Track it. Pay for it. All online.
Go to fedex.com.

MUR4

Form
ID No. 0215

4 Express Package Service *To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
Next business morning * Friday shipments will be
delivered on Monday unless Saturday Delivery
is selected.

☐ FedEx Standard Overnight
Next business afternoon.*
Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.*
Saturday Delivery NOT available.

☐ FedEx 2Day
Second business afternoon.* Thursday shipments
will be delivered on Monday unless Saturday
Delivery is selected.

☐ FedEx Express Saver
Third business day.*
Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx
Box ☐ FedEx
Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without
obtaining a signature for delivery.

☐ Direct Signature
Someone at recipient's address
may sign for delivery.

☐ Indirect Signature
If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked

☐ No ☐ Yes
As per attached
Shipper's Declaration. ☐ Yes
Shipper's Declaration
not required.

☐ Dry Ice
Dry Ice, 9 UN 1845 x kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only

7 Payment Bill to:

 Sender
Acct. No. in Section
I will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

 FedEx Acct. No.
Credit Card No. 4490-2262-7
Exp.
Date

Total Packages Total Weight Total Declared Value†

lbs. \$.00

 †Our liability is limited to US\$100 unless you declare a higher value. See back for details. By using this airbill you
agree to the service conditions on the back of this airbill and in the current FedEx Service Guide, including terms
that limit our liability.

Rev. Date 5/15 • Part #163134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

611

PULL AND RETAIN THIS COPY BEFORE AFFIXING TO THE PACKAGE. NO POUCH NEEDED.