

Date of Request: 06-FEB-2017  
 Created By: PASWATER\_B On: 06-FEB-2017  
 Modified By: MATTHEWS\_D On: 28-FEB-2017  
 Customer: SO-DIST  
 Project: SMP  
 Division: Division of Environmental Assessment and Restoration  
 District: South District  
 Sampling Event: SMP: Bay of Florida

**Send Coolers To:**

Phone: 239-332-6975 SC 748-6975  
 FLDEP South District Office  
 2295 Victoria Ave. Suite 364  
 Fort Myers, FL 33901  
 Attn: Ben Paswater

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 27-FEB-2017  
 Biology Request Reviewed By: MATTHEWS\_D On: 28-FEB-2017  
 Sampling Kit Required: YES Ship on: 06-MAR-2017  
 Sampling Kit Shipped: YES On: 06-MAR-2017  
 Sampling Kit Packed By: SHAIK\_A  
 Preservatives Needed: NO  
 Date to Receive Samples: 20-MAR-2017  
 Received By: SHAIK\_A On: 21-MAR-2017

**Send Final Report To:**

FLDEP South District Office  
 2295 Victoria Ave. Suite 364  
 Fort Myers, FL 33901  
 Attn: Ben Paswater

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments: SMP: Bay of Florida

**Bottle Group A (Water) With 11 Samples:**

|                               |                       |                                                                                                              |
|-------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L             | Number of Bottles: 11 | Preserved With: ICE                                                                                          |
| ALKALINITY                    | Template: DEFAULT     | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                  |
| Total Alkalinity              |                       |                                                                                                              |
| TURBIDITY                     | Template: DEFAULT     | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| Turbidity                     |                       |                                                                                                              |
| W-F                           | Template: DEFAULT     | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| Fluoride                      |                       |                                                                                                              |
| W-TSS                         | Template: DEFAULT     | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                    |
| TSS                           |                       |                                                                                                              |
| Bottle Type: BP-1L            | Number of Bottles: 11 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                    | Template:             | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Chlorophyll/Phaeophytin Ratio |                       |                                                                                                              |
| Chlorophyll-a, Corrected      |                       |                                                                                                              |
| Chlorophyll-a, Uncorrected    |                       |                                                                                                              |
| Phaeophytin-a                 |                       |                                                                                                              |
| Bottle Type: P-500ML          | Number of Bottles: 11 | Preserved With: ICE And H2SO4                                                                                |
| W-NH3                         | Template: DEFAULT     | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| Ammonia-N                     |                       |                                                                                                              |
| W-NO2NO3                      | Template: DEFAULT     | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| NO2NO3-N                      |                       |                                                                                                              |
| W-S-A-TP                      | Template: DEFAULT     | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| Total-P                       |                       |                                                                                                              |
| W-TKN                         | Template: DEFAULT     | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| Kjeldahl Nitrogen             |                       |                                                                                                              |
| W-TOC                         | Template: DEFAULT     | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                               |
| Organic Carbon                |                       |                                                                                                              |
| Bottle Type: P-125ML          | Number of Bottles: 11 | Preserved With: ICE-FLTR                                                                                     |

**Bottle Group A (Water) With 11 Samples:**

Bottle Type: P-125ML      Number of Bottles: 11      Preserved With: ICE-FLTR  
W-PO4-F      Template: DEFAULT      (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L  
O-Phosphate-P