



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

March 29, 2017

Arielle Taylor-Manges
DEP-Bureau of Labs-Biology Section
Twin Towers Lab Complex A RM 216 6515
Tallahassee, FL 32399
TEL: (850) 245-8191
FAX:

RE: DEP Fecals

Order No.: 1703827

Dear Arielle Taylor-Manges:

Sanders Laboratories, Inc received 3 sample(s) on 3/27/2017 for the analyses presented in the following report.

These pages may include, but are not limited to: Analytical Data, Chains of Custodies, Subcontracted Data and Case Narratives.

Reports are archived for a minimum of 5 years. Copies of reports are available for a fee of \$50.00. Copies will be provided within 2 weeks of the time of the request.
Laboratory PQL's are available upon request.

Test results meet all the requirements of the NELAP standards, unless otherwise noted.
Nokomis Certificate # E84380 Fort Myers Certificate # E85457

A statement of estimated uncertainty of results is available upon request.
Laboratory report shall not be reproduced except in full, without the written approval of Sanders Laboratories.
Sanders Laboratories follows DEP standard operating procedures for field sampling, unless otherwise noted.

Katie Strothman
Laboratory Director



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

Definition Only

WO#: 1703827
Date: 3/29/2017

Definitions:

B: Results based upon colony counts outside the acceptable range.

G: Sample value indicates that the analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10% of the associated sample value. The value in the blank shall not be subtracted from associated samples.

I: The reported value is greater than or equal to the laboratory MDL but less than the laboratory PQL.

J: Estimated Value.

J7: Excessive amounts of Sodium Sulfite used to dechlorinate the sample due to high levels of chlorine present.

K: Off scale low, actual value is known to be less than the value given.

L: Off scale high, actual value is known to be greater than the value given.

NC: Not Certified. Parameter was ran but is not covered under laboratory accredited scopes.

Q: Sample held beyond acceptable holding time.

U: The compound was analyzed for, but not detected.

V: Indicates that the analyte was detected at or above the MDL in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value.

Y: The laboratory analysis was from an improperly preserved sample.

Z: Too many colonies were present for accurate counting.

Original



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 1703827

Date Reported: 3/29/2017

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 1703827

Project: DEP Fecals

Lab ID: 1703827-001

Collection Date: 3/27/2017 10:00:00 AM

Client Sample ID: G2SD032717-3 ALLIGATOR CREEK @UPSTREAM Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: LEA

Enterococcus	97	2		MPN/100mL	1	3/27/2017 3:25:00 PM
--------------	----	---	--	-----------	---	----------------------

Lab ID: 1703827-002

Collection Date: 3/27/2017 10:30:00 AM

Client Sample ID: G2SD032717-4 CANAL AT HERON ROAD

Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: LEA

Enterococcus	921	2		MPN/100mL	1	3/27/2017 3:25:00 PM
--------------	-----	---	--	-----------	---	----------------------

Lab ID: 1703827-003

Collection Date: 3/27/2017 11:10:00 AM

Client Sample ID: G2SD032717-5 GOTTFRIED CREEK @ DEER CREE Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: LEA

Enterococcus	146	2		MPN/100mL	1	3/27/2017 3:25:00 PM
--------------	-----	---	--	-----------	---	----------------------

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
U Samples with CalcVal < MDL



CHAIN OF CUSTODY RECORD

Project #
(Lab Use Only)

1703 827

Project Name: Strategic Monitoring Program

s Project Location: WBID's 2030A, 2042, 2049

Customer Type:

Kit #:

Requested Due Date:

Client Florida Department of Environmental Protection

Report To: Overflow Micro@dep.state.fl

Address 2600 Blairstone Rd, Tallahassee

Bill to: Carina Tull

FL 32399

P.O. # LAB #039

Phone 650-245-8085

Preservative: HCL = H, HNO₃ = N, Na₂S₂O₃ = ST

Fax

$$\text{H}_2\text{SO}_4 = \text{S}, \text{NaOH} = \text{SH}, \text{NH}_4\text{Cl} = \text{NH}$$

Analysis Requested

Sampled By (PRINT) Veronica Ruge, Corey Anderson

Preservatives

Sampler Signature *[Signature]*

Sample

[illegible]

Bottle Lot #		Relinquished By/Affiliation	Date	Time	Accepted By/Affiliation	Date	Time
Samples are ambient + RQ-2017-03-27-17 4.9	Okay to Run As Is...	DEP Corey Anderson	3/27/17	1309		3/27	1309
	Client Initial:						
	Samples On Ice						
	☒ Yes ☐ No						