



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

May 02, 2017

Arielle Taylor-Manges
DEP-Bureau or Labs-Biology Section
Twin Towers Lab Complex A RM 216 6515
Tallahassee, FL 32399
TEL: (850) 245-8191
FAX:

RE:

Order No.: 1704896

Dear Arielle Taylor-Manges:

Sanders Laboratories, Inc received 3 sample(s) on 4/24/2017 for the analyses presented in the following report.

These pages may include, but are not limited to: Analytical Data, Chains of Custodies, Subcontracted Data and Case Narratives.

Reports are archived for a minimum of 5 years. Copies of reports are available for a fee of \$50.00. Copies will be provided within 2 weeks of the time of the request.
Laboratory PQL's are available upon request.

Test results meet all the requirements of the NELAP standards, unless otherwise noted.
Nokomis Certificate # E84380 Fort Myers Certificate # E85457

A statement of estimated uncertainty of results is available upon request.
Laboratory report shall not be reproduced except in full, without the written approval of Sanders Laboratories.
Sanders Laboratories follows DEP standard operating procedures for field sampling, unless otherwise noted.

Katie Strothman
Laboratory Director



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

Definition Only

WO#: 1704896
Date: 5/2/2017

Definitions:

B: Results based upon colony counts outside the acceptable range.

G: Sample value indicates that the analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10% of the associated sample value. The value in the blank shall not be subtracted from associated samples.

I: The reported value is greater than or equal to the laboratory MDL but less than the laboratory PQL.

J: Estimated Value.

J7: Excessive amounts of Sodium Sulfite used to dechlorinate the sample due to high levels of chlorine present.

K: Off scale low, actual value is known to be less than the value given.

L: Off scale high, actual value is known to be greater than the value given.

NC: Not Certified. Parameter was ran but is not covered under laboratory accredited scopes.

Q: Sample held beyond acceptable holding time.

U: The compound was analyzed for, but not detected.

V: Indicates that the analyte was detected at or above the MDL in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value.

Y: The laboratory analysis was from an improperly preserved sample.

Z: Too many colonies were present for accurate counting.



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 1704896

Date Reported: 5/2/2017

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 1704896

Project:

Lab ID: 1704896-001

Collection Date: 4/24/2017 2:00:00 PM

Client Sample ID: SD010917 - IN

Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS		ENTEROLERT				Analyst: LA
Enterococcus	2,420	2	z	MPN/100mL	1	4/24/2017 3:07:00 PM
FECAL COLIFORM		A9222D				Analyst: LA
Coliform, Fecal	720,000	10,000	B	CFU/100ml	1	4/24/2017 4:26:00 PM
TOTAL COLIFORM MMO-MUG		A9223B				Analyst: LA
Coliform, Total	870	1		MPN/100ml	1	4/24/2017 4:45:00 PM
Escherichia Coli	816	1		MPN/100ml	1	4/24/2017 4:45:00 PM

Lab ID: 1704896-002

Collection Date: 4/24/2017 1:45:00 PM

Client Sample ID: SD010917 - EF

Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
ENTEROCOCCUS		ENTEROLERT				Analyst: LA
Enterococcus	ND	2	U	MPN/100mL	1	4/24/2017 3:07:00 PM
FECAL COLIFORM		A9222D				Analyst: LA
Coliform, Fecal	ND	10,000	U	CFU/100ml	1	4/24/2017 4:26:00 PM
TOTAL COLIFORM MMO-MUG		A9223B				Analyst: LA
Coliform, Total	ND	1	U	MPN/100ml	1	4/24/2017 4:45:00 PM
Escherichia Coli	ND	1	U	MPN/100ml	1	4/24/2017 4:45:00 PM

Qualifiers:
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
RL Reporting Detection Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
PL Permit Limit
U Samples with CalcVal < MDL



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 1704896

Date Reported: 5/2/2017

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 1704896

Project:

Lab ID: 1704896-003

Collection Date: 4/24/2017 11:30:00 AM

Client Sample ID: G3SDO42417-1

Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

TOTAL COLIFORM MMO-MUG

A9223B

Analyst: LA

Coliform, Total	ND	1	U	MPN/100ml	1	4/24/2017 4:45:00 PM
Escherichia Coli	ND	1	U	MPN/100ml	1	4/24/2017 4:45:00 PM

Qualifiers:	H	Holding times for preparation or analysis exceeded	M	Manual Integration used to determine area response
	ND	Not Detected at the Reporting Limit	PL	Permit Limit
	RL	Reporting Detection Limit	U	Samples with CalcVal < MDL
	W	Sample container temperature is out of limit as specified at testcode		

