



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

June 22, 2017

Arielle Taylor-Manges
DEP-Bureau of Labs-Biology Section
Twin Towers Lab Complex A RM 216 6515
Tallahassee, FL 32399
TEL: (850) 245-8191
FAX:

RE: DEP Fecals

Order No.: 1706462

Dear Arielle Taylor-Manges:

Sanders Laboratories, Inc received 3 sample(s) on 6/19/2017 for the analyses presented in the following report.

These pages may include, but are not limited to: Analytical Data, Chains of Custodies, Subcontracted Data and Case Narratives.

Reports are archived for a minimum of 5 years. Copies of reports are available for a fee of \$50.00. Copies will be provided within 2 weeks of the time of the request.
Laboratory PQL's are available upon request.

Test results meet all the requirements of the NELAP standards, unless otherwise noted.
Nokomis Certificate # E84380 Fort Myers Certificate # E85457

A statement of estimated uncertainty of results is available upon request.
Laboratory report shall not be reproduced except in full, without the written approval of Sanders Laboratories.
Sanders Laboratories follows DEP standard operating procedures for field sampling, unless otherwise noted.

Katie Strothman
Laboratory Director



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

Definition Only

WO#: 1706462
Date: 6/22/2017

Definitions:

B: Results based upon colony counts outside the acceptable range.

G: Sample value indicates that the analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10% of the associated sample value. The value in the blank shall not be subtracted from associated samples.

I: The reported value is greater than or equal to the laboratory MDL but less than the laboratory PQL.

J: Estimated Value.

J7: Excessive amounts of Sodium Sulfite used to dechlorinate the sample due to high levels of chlorine present.

K: Off scale low, actual value is known to be less than the value given.

L: Off scale high, actual value is known to be greater than the value given.

NC: Not Certified. Parameter was ran but is not covered under laboratory accredited scopes.

Q: Sample held beyond acceptable holding time.

U: The compound was analyzed for, but not detected.

V: Indicates that the analyte was detected at or above the MDL in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value.

Y: The laboratory analysis was from an improperly preserved sample.

Z: Too many colonies were present for accurate counting.



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 1706462

Date Reported: 6/22/2017

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 1706462

Project: DEP Fecals

Lab ID: 1706462-001

Collection Date: 6/19/2017 11:50:00 AM

Client Sample ID: G2SD061917-3

Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: KL

Enterococcus	195	2		MPN/100mL	1	6/19/2017 3:30:00 PM
--------------	-----	---	--	-----------	---	----------------------

Lab ID: 1706462-002

Collection Date: 6/19/2017 12:10:00 PM

Client Sample ID: G2SD061917-4

Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: KL

Enterococcus	103	2		MPN/100mL	1	6/19/2017 3:30:00 PM
--------------	-----	---	--	-----------	---	----------------------

Lab ID: 1706462-003

Collection Date: 6/19/2017 12:30:00 PM

Client Sample ID: G2SD061917-5

Matrix: AQUEOUS

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: KL

Enterococcus	2,420	2	J	MPN/100mL	1	6/19/2017 3:30:00 PM
--------------	-------	---	---	-----------	---	----------------------

NOTES:

All Quanti-Tray wells were positive. Result may be higher than reported

Qualifiers:

H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
RL	Reporting Detection Limit
W	Sample container temperature is out of limit as specified at testcode

M	Manual Integration used to determine area response
PL	Permit Limit
U	Samples with CalcVal < MDL



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 1706462

Date Reported: 6/22/2017

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 1706462

Project: DEP Fecals

Qualifiers:

H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
RL	Reporting Detection Limit
W	Sample container temperature is out of limit as specified at testcode

M	Manual Integration used to determine area response
PL	Permit Limit
U	Samples with CalcVal < MDL

Project #
(Lab Use Only)

1706462

Fax

P.O. # LAB #039

Preservative: HCL = H, HNO₃ = N, Na₂S₂O₃ = ST

$$\text{H}_2\text{SO}_4 = \text{S}, \text{NaOH} = \text{SH}, \text{NH}_4\text{Cl} = \text{NH}$$

Customer Type: FLDER

Kit #: _____

Requested Due Date:

[illegible]