

SMP: Bay of Florida

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SO-DIST

Requester: Benjamin Paswater

Field Report Prepared By: Rosemary Murphy

Project ID: SMP

Collected By: Rosemary Murphy, Chase ConleySampling Agency: SPCC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>6/26/17</u> Time <u>1515</u>	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
RQ-2017-06-19-06 6/26/2017 WBID 8066 8066 - ENRE10		Matrix (type, e.g. <u>Salt</u> , Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Field ID G5SD062617-5 STORET # G5SD0079		Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
☐ dd ☐ dms		Salinity (ppt)	Comments <u>NO READINGS - YSI disconnection problems</u>			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>6/26/17</u> Time <u>1520</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
RQ-2017-06-19-06 6/26/2017 WBID 8066 8066 - ENRE10 - DUP		Matrix (type, e.g. <u>Salt</u> , Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Field ID G5SD062617-6 STORET # G5SD0079 - DUP		Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
☐ dd ☐ dms		Salinity (ppt)	Comments			
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>6/26/17</u> Time <u>1240</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
RQ-2017-06-19-06 6/26/2017 WBID 8070 8070 - North		Matrix (type, e.g. <u>Salt</u> , Fresh, etc)		Diss. Oxygen <u>6.1</u> ☒ mg/L <u>100.1</u> ☒ % sat	Total Res. Chlorine (mg/L)	A
Field ID G5SD062617-7 STORET # G5SD0075		Temp (C) <u>30.2</u>	pH <u>8.1</u>	Sample Depth <u>0.3</u> ☐ ft ☒ m	Sp. Conductance (umho/cm) <u>63665</u>	
☐ dd ☐ dms		Salinity (ppt)	Comments			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms				
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #		Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		
Comments						

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

[Signature]6/26/17UPS2[Signature]6-28-17/9:50

Group: A	Bottle Type:	P-1L	# of Bottles: 11	Preservative:	ICE	Enter Number of Bottles Sent to Lab	11
	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						

Group: A	Bottle Type:	BP-1L	# of Bottles: 11	Preservative:	ICE	Enter Number of Bottles Sent to Lab	11
	CHLSUITE-W						

Group: A	Bottle Type:	P-500ML	# of Bottles: 11	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab	11
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						

Group: A	Bottle Type:	P-125ML	# of Bottles: 11	Preservative: ICE-FLTR		Enter Number of Bottles Sent to Lab	11
	W-PO4-F						

SMP: Bay of Florida

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SO-DIST

Requester: Benjamin Paswater

Field Report Prepared By:

Rosemary Murphy

Project ID: SMP

Collected By:

Rosemary Murphy, Chae Conley

Sampling Agency:

SROC

Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>6/26/17</u> Time <u>1325</u>		<u>Eastern</u> Central	Composite end Date _____ Time _____		Bottle Group(s) (See pg 2)
RQ-2017-06-19-06 6/26/2017 WBID 3289R ENRE9 Harney River		Matrix (type, e.g., <u>Salt</u> , Fresh, etc)		Diss. Oxygen <u>3.3</u> ☒ mg/L <u>50.3</u> ☒ % sat	Total Res. Chlorine (mg/L)		A	
G5SD062617-1 Field ID STORET G5SD0040		Temp (C) <u>30.1</u>	pH <u>7.5</u>	Sample Depth <u>0.3</u> ☐ ft ☒ m	Sp. Conductance (umho/cm) <u>51587</u>			
☐ dd ☐ dms		Salinity (ppt)	Comments <u>6/26/17 RM</u>					
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>6/26/17</u> Time <u>1330</u>		<u>Eastern</u> Central	Composite end Date _____ Time _____		Bottle Group(s)
RQ-2017-06-19-06 6/26/2017 WBID 3289R ENRE14 Harney River		Matrix (type, e.g., <u>Salt</u> , Fresh, etc)		Diss. Oxygen <u>2.3</u> ☒ mg/L <u>38</u> ☒ % sat	Total Res. Chlorine (mg/L)		A	
G5SD062617-2 Field ID STORET G5SD0077		Temp (C) <u>29.7</u>	pH <u>7.4</u>	Sample Depth <u>0.3</u> ☐ ft ☒ m	Sp. Conductance (umho/cm) <u>41577</u>			
☐ dd ☐ dms		Salinity (ppt)	Comments					
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>6/26/17</u> Time <u>1410</u>		<u>Eastern</u> Central	Composite end Date _____ Time _____		Bottle Group(s)
RQ-2017-06-19-06 6/26/2017 WBID 3289H ENRE9 Lostmans Bay		Matrix (type, e.g., <u>Salt</u> , Fresh, etc)		Diss. Oxygen <u>5.0</u> ☒ mg/L <u>70</u> ☒ % sat	Total Res. Chlorine (mg/L)		A	
G5SD062617-3 Field ID STORET G5SD0041		Temp (C) <u>30.8</u>	pH <u>7.8</u>	Sample Depth <u>0.3</u> ☐ ft ☒ m	Sp. Conductance (umho/cm) <u>17298</u>			
☐ dd ☐ dms		Salinity (ppt)	Comments					
Location		☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>6/26/17</u> Time <u>1420</u>		<u>Eastern</u> Central	Composite end Date _____ Time _____		Bottle Group(s)
RQ-2017-06-19-06 6/26/2017 WBID 3289H ENRE12 Lostmans Bay		Matrix (type, e.g., <u>Salt</u> , Fresh, etc)		Diss. Oxygen <u>5.0</u> ☒ mg/L <u>69</u> ☒ % sat	Total Res. Chlorine (mg/L)		A	
G5SD062617-4 Field ID STORET G5SD0078		Temp (C) <u>30.7</u>	pH <u>7.8</u>	Sample Depth <u>0.3</u> ☐ ft ☒ m	Sp. Conductance (umho/cm) <u>15784</u>			
☐ dd ☐ dms		Salinity (ppt)	Comments					

Relinquished By: <u>[Signature]</u>	Date/Time: <u>6/26/17</u>	Shipping Method: <u>UPS</u>	Number of Coolers Shipped: <u>2</u>	Received By: <u>[Signature]</u>	Date/Time: <u>6-28-17/G-SD</u>
-------------------------------------	---------------------------	-----------------------------	-------------------------------------	---------------------------------	--------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 11	Preservative:	ICE	Enter Number of Bottles Sent to Lab	11
	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						

Group: A	Bottle Type:	BP-1L	# of Bottles: 11	Preservative:	ICE	Enter Number of Bottles Sent to Lab	11
	CHLSUITE-W						

Group: A	Bottle Type:	P-500ML	# of Bottles: 11	Preservative: ICE And H2SO4		Enter Number of Bottles Sent to Lab	11
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						

Group: A	Bottle Type:	P-125ML	# of Bottles: 11	Preservative: ICE-FLTR		Enter Number of Bottles Sent to Lab	11
	W-PO4-F						

Date of Request: 06-FEB-2017
 Created By: PASWATER_B On: 06-FEB-2017
 Modified By: MATTHEWS_D On: 06-JUN-2017
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: SMP: Bay of Florida

Send Coolers To:

Phone: 239-332-6975 SC 748-6975
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: CLONE_TEMP On: 02-JUN-2017
 Biology Request Reviewed By: MATTHEWS_D On: 06-JUN-2017
 Sampling Kit Required: YES Ship on: 07-JUN-2017
 Sampling Kit Shipped: YES On: 07-JUN-2017
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 19-JUN-2017
 Received By: SHAIK_A On: 28-JUN-2017

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP: Bay of Florida

Bottle Group A (Water) With 11 Samples:

Bottle Type: P-1L	Number of Bottles: 11	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 11	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 11	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 11	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ- 2017-06-19-06

Shipping Method: UPS

Date/Time of Receipt: 6-28-17/9:50

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1-1C	14		/			5462 287 0891
Red	2-9C	14		/			5462 287 09 17

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☐ No ☐

**Sufficient Sample Volume: Yes ☐ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ABP

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init:

Coolers Unpacked/Checked by: ABP Date: 6-28-17 NCRs (Y/N)?

Event ID: - SMP: Bay of Florida
SO-DIST-2017-06-28-01 (SMP)
 Date Received: 28-JUN-2017 09:56

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments: