

Biological Analysis Report

SO-DIST-2017-07-03-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Sanders Laboratories
10090 Bavaria Road
Ft. Myers, FL 33913
DOH Accreditation E85457

Event Description: **SMP: Peace River Streams**
Request ID: **RQ-2017-07-17-07**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901-3381
Attn: Ben Paswater

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

This Report replaces the previous Report Serial Number: 0098553

Revision certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 27-MAR-2018 08:31



NON-CONFORMANCE REPORT INCLUDED

Report Comments:

Removed data qualifiers other than O-qualifier from samples reported as No Result to meet data quality reporting requirements.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Bobcat Creek in Preserve East

Collection Date/Time: 06/29/2017 10:40

Field ID: G3SD062917-5

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910888	SM 10200 H (mod.)	Chlorophyll-a, Corrected	No Result	O	ug/L		
		Phaeophytin-a	No Result	O	ug/L		
		Chlorophyll/Phaeophytin Ratio	No Result	O			
		Chlorophyll-a, Uncorrected	No Result	O	ug/L		

Ref. Method and Comment:
SM 10200 H (mod.): See Non-Conformance Report # 6536.

Sample Location: Hawthorne Creek @ Reynolds St.

Collection Date/Time: 06/29/2017 11:50

Field ID: G3SD062917-7

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910893	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray**	326		MPN/100 mL		

Sample Location: Myrtle Slough @ SR31

Collection Date/Time: 06/29/2017 09:00

Field ID: G3SD062917-1

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910890	SM 10200 H (mod.)	Chlorophyll-a, Corrected	No Result	O	ug/L		
		Phaeophytin-a	No Result	O	ug/L		
		Chlorophyll/Phaeophytin Ratio	No Result	O			
		Chlorophyll-a, Uncorrected	No Result	O	ug/L		

Ref. Method and Comment:
SM 10200 H (mod.): See Non-Conformance Report # 6536.

Sample Location: Myrtle 1995 @ Pine Island St.

Collection Date/Time: 06/29/2017 12:25

Field ID: G3SD062917-2

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910891	SM 10200 H (mod.)	Chlorophyll-a, Corrected	No Result	O	ug/L		
		Phaeophytin-a	No Result	O	ug/L		
		Chlorophyll/Phaeophytin Ratio	No Result	O			
		Chlorophyll-a, Uncorrected	No Result	O	ug/L		

Ref. Method and Comment:
SM 10200 H (mod.): See Non-Conformance Report # 6536.

Sample Location: Myrtle 1995 @ Pine Island St.

Collection Date/Time: 06/29/2017 12:25

Field ID: G3SD062917-2

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910895	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray**	1300		MPN/100 mL		

Sample Location: Hog Bay @ CR 763

Collection Date/Time: 06/29/2017 09:50

Field ID: G3SD062917-3

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910889	SM 10200 H (mod.)	Chlorophyll-a, Corrected	No Result	O	ug/L		
		Phaeophytin-a	No Result	O	ug/L		

Field ID: G3SD062917-3

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910889	SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio	No Result	O			
		Chlorophyll-a, Uncorrected	No Result	O	ug/L		

Ref. Method and Comment:
 SM 10200 H (mod.): See Non-Conformance Report # 6536.

Sample Location: Shell Cr. @ SR 31

Collection Date/Time: 06/29/2017 14:10

Field ID: G3SD062917-4

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1910892	SM 10200 H (mod.)	Chlorophyll-a, Corrected	No Result	O	ug/L		
		Phaeophytin-a	No Result	O	ug/L		
		Chlorophyll/Phaeophytin Ratio	No Result	O			
		Chlorophyll-a, Uncorrected	No Result	O	ug/L		

Ref. Method and Comment:
 SM 10200 H (mod.): See Non-Conformance Report # 6536.

Non-Conformance Report

NCR ID: 6535

Event(s)

SO-DIST-2017-07-03-03

Job(s)

TLH-2017-07-03-07

Sample(s)

1910876

Test(s)

NCR Type: SAMPLING

NCR Category: General

Observation: Sample 1910876 appears to be preserved with nitric acid. Sample has a nitrite/nitrate concentration of 390 mg N/L and there is less than 1 mg N/L in the unpreserved aliquot (laboratory ID 1910874).

Resolution: Customer (Kirby Wolfe) was contacted and he requested that the affected tests be cancelled (Field ID G3SD062917-3).

Authorized by/Date: Colin Wright 7/28/2017

NCR ID: 6536

Event(s)

SO-DIST-2017-07-03-03

Job(s)

Sample(s)

Test(s)

NCR Type: SHIPPING/RECEIVING

NCR Category: Preservation Not Intact

Observation: 1. Samples arrived one or more days late, by common carrier.
 UPS Code: J4586463347
 2. Samples received outside the acceptable temperature range.

Resolution: The customer (Ben Paswater) requested that the data be appropriately qualified.

Authorized by/Date: Colin Wright 7/17/2017

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
 Please address questions to:

Chemistry	Colin Wright	(850) 245-8085
Biology	Cheryl Swanson	(850) 245-8177

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1910888, 1910889, 1910890, 1910891, 1910892
SM 9223 Quanti-Tray / E85457	Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories for South District	1910893, 1910895

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	07/03/2017	07/03/2017 13:30	Morgan Lane	07/03/2017	Morgan Lane	1910888, 1910889, 1910890, 1910891, 1910892
SM 9223 Quanti-Tray	06/29/2017	06/29/2017 16:30		06/30/2017 10:50	Sanders-Fort Myers	1910893, 1910895