

Date of Request: 02-MAR-2017
 Created By: PASWATER_B On: 02-MAR-2017
 Modified By: SWANSON_C On: 05-SEP-2017
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: SMP: 2030A - Alligator Cr.

Send Coolers To:

Phone: 239-332-6975 SC 748-6975
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Ben Paswater

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-SEP-2017
 Biology Request Reviewed By: SWANSON_C On: 05-SEP-2017
 Sampling Kit Required: YES Ship on: 13-SEP-2017
 Sampling Kit Shipped: YES On: 13-SEP-2017
 Sampling Kit Packed By: REAVES_S
 Preservatives Needed: NO
 Date to Receive Samples: 25-SEP-2017
 Received By:

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901-3381
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: SMP: 2030A - Alligator Cr.

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N		
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P		
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen		
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon		
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P		

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template:	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
*Triclopyr		
2,4,5-T		
2,4-D		
2,4-DB		
Acifluorfen		
Bentazon		
Dichlorprop		
Dinoseb		
MCPA		
MCPP		
Picloram		
Silvex		
W-GLYPH	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
*Glyphosate		
W-PYR-AA-R	Template: DEFAULT	(EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS
*Pyraclostrobin		
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
*Sucralose		
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
*Acetaminophen		
*Carbamazepine		
*Fluridone		
*Primidone		
Diuron		
Fenuron		
Imidacloprid		
Linuron		
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-500ML Number of Bottles: 4 Preserved With: ICE
 W-CT-CI-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

*Chlordane

*Toxaphene

W-PCL-SQ-R Template: DEFAULT (EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM

Aldrin

Alpha-BHC

Alpha-Chlordane

Beta-BHC

Carbophenothion

Chlorothalonil

Cypermethrin

DDD-p,p'

DDE-p,p'

DDT-p,p'

Delta-BHC

Dicofol

Dieldrin

Endosulfan I

Endosulfan II

Endosulfan Sulfate

Endrin

Endrin Aldehyde

Endrin Ketone

Gamma-BHC

Gamma-Chlordane

Heptachlor

Heptachlor Epoxide

Methoxychlor

Mirex

Permethrin

Trifluralin

Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
 W-PSNP-TQ Template: DEFAULT (EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Acetochlor

Alachlor

Ametryn

Atrazine

Atrazine Desethyl

Azinphos Methyl

Bromacil

Butylate

Chlorpyrifos Ethyl

Chlorpyrifos Methyl

Cyanazine

Demeton

Diazinon

Disulfoton

EPTC

Ethion

Ethoprop

Fenamiphos

Fipronil

Fipronil Sulfide

Fipronil Sulfone

Fonofos

Hexazinone

Malathion

Metalaxyl

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L Number of Bottles: 4 Preserved With: ICE
 W-PSNP-TQ Template: DEFAULT (EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Metolachlor
 Metribuzin
 Mevinphos
 Molinate
 Norflurazon
 Parathion Ethyl
 Parathion Methyl
 Pendimethalin
 Phorate
 Prometon
 Prometryn
 Simazine
 Terbufos
 Terbutylazine

Bottle Group C (Water) With 3 Samples:

Bottle Type: Number of Bottles: 3 Preserved With: ICE
 SD-SND-ENT Template: DEFAULT (Enterolert/QT) Enterococci by MPN method by Sanders Laboratories Overflow Laboratory for SD ENTEROCOCCI-ENTEROLERT

Bottle Type: BG-1L Number of Bottles: 3 Preserved With: ICE
 W-AHERB-AA Template: DEFAULT (USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS

*Triclopyr
 2,4-D
 Bentazon
 MCPP

W-SUC-AA-R Template: DEFAULT (EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
 *Sucralose

W-UHERB-AA Template: DEFAULT (USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

*Acetaminophen
 *Carbamazepine
 *Fluridone
 *Primidone
 Diuron
 Fenuron
 Imidacloprid
 Linuron

Bottle Type: QPCR-P-250ML Number of Bottles: 6 Preserved With: ICE
 PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
 *HF183 - Human Source Marker

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.