From: Katie
To: DEP-Overflowmicro
Subject: Re: Analytical Report: DEP Fecals,1710485,10/12/2017
Date: Thursday, November 2, 2017 11:21:02 AM
Attachments: image001.png

It was <1 I will adjust EDD I think Tami saw 2 on MDL for Entero when she typed, sorry about that.

Katie Strothman
Laboratory Director/ QCM
Sanders Laboratories, Inc.
10090 Bavaria Rd
Ft Myers, FL 33913

941-915-7447 C
239-590-0337 O
239-590-0536 F
Monday - Thursday : 8:30 am - 4:00 pm
Friday: 8:30 am - 1:00 pm
Saturday / Sunday: By appointment only
Closed Holidays

Sanders is dedicated to always putting our clients first. We pride ourselves on having quality data, great customer service, and competitive pricing. Sanders always strives to match or beat any local competitor's pricing. As always thanks for choosing Sanders Laboratories.

The information contained in this email is privileged and confidential information, intended only for the use of the individual (s) distributed to. If the reader of this message is not the intended recipient, you are hereby notified that any distribution or copying of this is strictly prohibited. If you have received this in error, please notify promptly.

From: DEP-Overflowmicro
Sent: Thursday, November 2, 2017 11:03 AM
To: Katie
Cc: Savage, Jacqueline ; Wood-McGrath, Avril
Subject: RE: Analytical Report: DEP Fecals,1710485,10/12/2017

Good Morning Katie,

Could you confirm this E. Coli result? I am unsure because the EDD shows 2U but the report has it as ND "1U" .

Thank You!
Carina.

Contract Lab Test ID	Contract Lab Compound	Units	Result	Qualifier	Dilution Factor	MDL	PQL	Comments
ENTEOLOERT	Enterococcus	MPN/100mL	21.4			2	2	
SM9223B	E-Coli	MPN/100mL	2	U		1	1	

ENTEROCOCCUS				**ENTEROLERT**		Analyst: **TC**
Enterococcus	21.4	2.00		MPN/100mL	1	10/12/2017 3:11:00 PM
TOTAL COLIFORM MMO-MUG				**A9223B**		Analyst: **TC**
Escherichia Coli	ND	1.00	U	MPN/100mL	1	10/12/2017 3:50:00 PM

Carina Tull
Environmental Specialist I
FDEP Laboratory - Biology Program
Florida Department of Environmental Protection
Carina.Tull@Floridadep.gov
Office: 850.245.8174

-----Original Message-----
From: reporting@sanderslabs.net [mailto:reporting@sanderslabs.net]
Sent: Thursday, October 19, 2017 3:47 PM
To: DEP-Overflowmicro <DEP-Overflowmicro@dep.state.fl.us>
Cc: Tami@sanderslabs.net
Subject: Analytical Report: DEP Fecals,1710485,10/12/2017

Please note this a NO reply outgoing emailer only. If you have questions in response to this email. Send your email to Katie@sanderslabs.net or Jeff@sanderslabs.net.

Your sample(s) has (have) been tested in accordance with NELAP requirements unless stated otherwise.

Your report has been emailed by electronic format. A hard copy of the report can be obtained by contacting our offfice for a fee of $25 per initial report.

Best Regards,

Tami Bright
Office Manager
Tami@sanderslabs.net
10090 Bavaria Rd.
Fort Myers, FL 33913

TEL: (239) 590-0337
www.sanderslabs.net

Sanders is dedicated to always putting our clients first. We pride ourselves on having quality data, great customer service, and competitive pricing. Sanders always strives to match or beat any local competitor's pricing. As always thanks for choosing Sanders Laboratories.

The information contained in this email is privileged and confidential information, intended only for the use of the individual (s) distributed to. If the reader of this message is not the intended recipient, you are hereby notified that any distribution or copying of this is strictly prohibited. If you have received this in error, please notify promptly.