

Log-in Checklist

RQ- 2017-11-13-06

Shipping Method: FEDEX

Date/Time of Receipt: 11/15/17 @ 9:55 am

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
red	1.6°C	9		✓			811977807608
Red	2.1°C	12		✓			8118595516863

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No ✓ If yes, is it intact? Yes No

****Caps on tight?** Yes ✓ No ****Containers intact?** Yes ✓ No

****Sufficient Sample Volume:** Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)		<u>✓</u>	W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ✓ No NA Init: m

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA ✓ Init: m

Coolers Unpacked/Checked by: Tyler K Date: 11/15/17 NCRs (Y/N)? N

Event ID: WQAP-2017-11-15-01 NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

Pollywog OK Roberts & Telegraph

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: WQAP

Requester: Benjamin Paswater

Field Report Prepared By: MARYANN DUGAN

Project ID: SMP

Collected By: MARYANN DUGAN, STEVEN COFONE, KIRBY WOLFE

Sampling Agency: S ROC

Location RQ-2017-11-13-06 11/14/2017	Field ID WBID 3235F Pollywog Creek @ SR78	STOR SR78	G3SD111417-1 Field ID 28020268FTM	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/14/2017 Time 1320	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Matrix (type, e.g., Salt, Fresh, etc) FRESH				Diss. Oxygen 7.0 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B, C
Temp (C) 23.8		pH 7.2		Sample Depth 0.3 ☒ m		Sp. Conductance (umho/cm) 106		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms	Comments				
Location RQ-2017-11-13-06 11/14/2017	Field ID WBID 3235O OK Branch @ Eucalyptus Bld	STOR Eucalyptus Bld	G3SD111417-2 Field ID CALUSA0051FTM	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/14/2017 Time 1350	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) FRESH				Diss. Oxygen 7.0 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		B
Temp (C) 26.8		pH 7.4		Sample Depth 0.1 ☒ m		Sp. Conductance (umho/cm) 665		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms	Comments				
Location RQ-2017-11-13-06 11/14/2017	Field ID WBID 3235N Banana Branch @ Ft. Denaud Rd.	STOR Ft. Denaud Rd.	G3SD111417-3 Field ID 28020241	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/14/2017 Time 1425	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) FRESH				Diss. Oxygen 6.1 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A
Temp (C) 25.0		pH 7.4		Sample Depth 0.3 ☒ m		Sp. Conductance (umho/cm) 311		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms	Comments				
Location RQ-2017-11-13-06 11/14/2017	Field ID WBID 3236 Telegraph Swamp South Site	STOR South Site	G3SD111417-4 Field ID CALUSA0057FTM	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 11/14/2017 Time 1205	Eastern Central	Composite end Date Time	Bottle Group(s)
Matrix (type, e.g., Salt, Fresh, etc) FRESH				Diss. Oxygen 3.5 ☒ mg/L ☐ % sat		Total Res. Chlorine (mg/L)		A
Temp (C) 22.5		pH 7.2		Sample Depth 0.3 ☒ m		Sp. Conductance (umho/cm) 408		
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms		Salinity (ppt) ☐ dd ☐ dms	Comments				

Relinquished By: MARYANN DUGAN	Date/Time 11/14/2017	Shipping Method FEDEX	Number of Coolers Shipped: 2	Received By: Tyrone R	Date/Time 11/15/17 @ 9:55
-----------------------------------	-------------------------	--------------------------	---------------------------------	--------------------------	------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>2</u>
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab <u>2</u>
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
	CHLSUITE-W					
Group: B	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	HNO3	Enter Number of Bottles Sent to Lab <u>2</u>
	W-ICP					
	W-ICPMS					

Group: B	Bottle Type:	P-500ML	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: B	Bottle Type:	P-125ML	# of Bottles: 3	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-PO4-F					
Group: C	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	PCR-FILTER					
Group: C	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
	SD-SND-ECQ					
Group: C	Bottle Type:	BG-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	<u>1</u>
	W-AHERB-AA					
	W-SUC-AA-R					
	W-UHERB-AA					

Date of Request: 23-AUG-2017
 Created By: PASWATER_B On: 23-AUG-2017
 Modified By: SWANSON_C On: 25-OCT-2017
 Customer: WQAP
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: SROC
 Sampling Event: Pollywog OK Roberts & Telegraph

Send Coolers To:

Phone: 239-344-5719
 2295 Victoria Ave.
 Suite 364
 Fort Myers, FL 33901
 Attn: Chase Conley

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-OCT-2017
 Biology Request Reviewed By: SWANSON_C On: 25-OCT-2017
 Sampling Kit Required: YES Ship on: 30-OCT-2017
 Sampling Kit Shipped: YES On: 30-OCT-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: YES
 Date to Receive Samples: 13-NOV-2017
 Received By:

Send Final Report To:

2295 Victoria Ave.
 Suite 364
 Fort Myers, FL 33901
 Attn: Ben Paswater

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Pollywog OK Roberts & Telegraph
 Group A: Freshwater Kit, No Metals
 Group B: Freshwater Kit With Metals

1 - Case of Sulfuric Acid

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-1L Number of Bottles: 3 Preserved With: ICE

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-1L		Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices	
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm	
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices	
Bottle Type: BP-1L		Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: P-500ML		Number of Bottles: 3	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	
Calcium			
Chromium			
Iron			
Magnesium			
Nickel			
Potassium			
Sodium			
Zinc			
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
Arsenic			
Cadmium			
Copper			
Lead			
Silver			
Bottle Type: P-500ML		Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML		Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

Bottle Group C (Water) With 2 Samples:

Bottle Type: QPCR-P-250ML		Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type:		Number of Bottles: 2	Preserved With: ICE
SD-SND-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Sanders Laboratories for South District	
Bottle Type: BG-1L		Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS	
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.