

Biological Analysis Report

NW-DIST-2017-04-07-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
University of West Florida
11000 University Parkway
Pensacola, FL 32514
DOH Accreditation E71969

Event Description: **BacT Tracers Markers only**
Request ID: **RQ-2017-04-03-76**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Daisys Matthews,

Date Certified: 15-JUN-2017 15:36

A handwritten signature in cursive script, reading "D Matthews". The signature is written in dark ink on a white background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Rest Area Run

Collection Date/Time: 04/06/2017 11:45

Field ID: G5NW0068

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1886705	SOP-PCR-1.0	HF183-qPCR**	94	UJ	GEU/100 mL	P325771	SUR
	SOP-PCR-1.4	BacR-qPCR**	1.4E+03	T	TSC/100 mL	P325771	LCS
	SOP-PCR-4.0	HF183 - Human Source Marker**	Above Threshold				

Ref. Method and Comment:

SOP-PCR-1.0: No amplification of HF183 marker. Quality control failure(s) observed. See QA report for details.

Sample Location: Elevenmile Creek

Collection Date/Time: 04/06/2017 13:10

Field ID: G5NW0003

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1886706	SOP-PCR-4.0	HF183 - Human Source Marker**	Below Threshold				

Sample Location: G4NW0026 Big Coldwater Creek G4NW0026

Collection Date/Time: 04/06/2017 10:30

Field ID: G4NW0026 Big Coldwater Creek G

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1891131	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	203		MPN/100 mL		

Sample Location: G5NW0003 Eleven Mile Creek G5NW0003

Collection Date/Time: 04/06/2017 13:10

Field ID: G5NW0003 Eleven Mile Creek G5N

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1891132	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	228		MPN/100 mL		

Sample Location: G5NW0068 Rest Area Run - G5NW0068

Collection Date/Time: 04/06/2017 11:45

Field ID: G5NW0068 Rest Area Run - G5NW0

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1891133	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	723		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.0

Batch ID: P325771

Component	Result	Code	Units
HF183-qPCR	280	U	GEU/100 mL

Reference Method: SOP-PCR-1.4

Batch ID: P325771

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P325771

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	85.4	69.8	P/P	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P325771

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	130	35.7	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
 Batch ID: P325771

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1886655	HF183-qPCR	94.5		P	50 - 175
1886656	HF183-qPCR	99.6		P	50 - 175
1886705	HF183-qPCR	59.5		P	50 - 175
1895817	HF183-qPCR	79.7		P	50 - 175
1899395	HF183-qPCR	81.5		P	50 - 175
1901218	HF183-qPCR	94.3		P	50 - 175
1901482	HF183-qPCR	107		P	50 - 175
1902623	HF183-qPCR	90.7		P	50 - 175
1902624	HF183-qPCR	92.1		P	50 - 175
1902625	HF183-qPCR	98.6		P	50 - 175
1904119	HF183-qPCR	76.0	70.3	P/P	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P325771

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1886705	BacR-qPCR	79.4		P	50 - 175
1895817	BacR-qPCR	74.6		P	50 - 175
1899395	BacR-qPCR	87.7		P	50 - 175
1901218	BacR-qPCR	86.2	102	P/P	50 - 175
1902625	BacR-qPCR	94.9		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
 Batch ID: P325771

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1904119	HF183-qPCR	7.78	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.4
 Batch ID: P325771

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1901218	BacR-qPCR	16.6	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1886705
 Field Sample ID: G5NW0068

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	44.6	F	50 - 300
SOP-PCR-1.4	SKETA-qPCR	90.0	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SOP-PCR-1.0	HF183-qPCR	69.8	85.4	107	90.7	92.1			7.78
SOP-PCR-1.4	BacR-qPCR	35.7	130	94.9	74.6	87.7			16.6
				98.6					
				79.4					

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 9223 Quanti-Tray / E71969	Escherichia coli by Colilert 18 Quanti-Tray method by UWF Overflow Laboratory for NWD	1891131, 1891132, 1891133
SOP-PCR-1.0 / E31780	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	1886705
SOP-PCR-1.4 / E31780	Detection and quantification of Ruminant specific Bacteroidetes genetic marker with quantitative polymerase chain reaction	1886705
SOP-PCR-4.0 / E31780	Preparation of Samples by Filtration and held for qPCR Analysis	1886705, 1886706

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 9223 Quanti-Tray	04/06/2017			04/06/2017 14:24	UWF Lab	1891131
	04/06/2017			04/06/2017 14:28	UWF Lab	1891133
	04/06/2017			04/06/2017 14:30	UWF Lab	1891132
SOP-PCR-1.0	04/07/2017	04/07/2017 13:26	Avril Wood	06/12/2017	Puja Jasrotia	1886705
SOP-PCR-1.4	04/07/2017	04/07/2017 13:26	Avril Wood	06/13/2017	Sarah Menz	1886705
SOP-PCR-4.0	04/07/2017	04/07/2017 13:26	Avril Wood	06/02/2017	Puja Jasrotia	1886705, 1886706