

Central Laboratory Submittal Form

Customer: NW-DIST

Project ID: SMP

Requester: Michael King

Field Report Prepared By: S. Slade

Collected By: Nathan Mulkey

Sampling Agency: Fdap New Roc

Location	Location: Texar Bayou	G4NW0402 Field ID ↑ STORET ↓ G4NW0402	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/18/17 Time 1025	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2) A, B, C, D
Field ID	RQ-2017-06-12-32 (WBID 738)			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 108	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET #	Date: Time: CDT			Temp (C) 29.9	pH 7.5	Sample Depth 0.3	Sp. Conductance (umho/cm) 2801
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 1.4	Comments: KIT B but Fresh H ₂ O		
Location	Location: Blackwater Bay (South Segment)	G4NW0401 Field ID ↑ STORET ↓ G4NW0401	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/18/17 Time 1050	Eastern Central	Composite end Date Time	Bottle Group(s) A, B, C, D E
Field ID	RQ-2017-06-12-32 (WBID 548 GB)			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 90	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET #	Date: Time: CDT			Temp (C) 28.6	pH 6.6	Sample Depth 0.3	Sp. Conductance (umho/cm) 1085
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.5	Comments:		
Location	Location: Blackwater Bay (South Segment)	G4NW0401 DUPLICATE Field ID ↑ STORET ↓ G4NW0401	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/18/17 Time 1055	Eastern Central	Composite end Date Time	Bottle Group(s) A, B, C D, E
Field ID	RQ-2017-06-12-32 (WBID 548GB)			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET #	Date: Time: CT			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments:		
Location	Location: Blackwater Bay (south segment)	FIELD BLANK Field ID ↑	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7/18/17 Time 1100	Eastern Central	Composite end Date Time	Bottle Group(s) A, B, C D, E
Field ID	RQ-2017-06-12-32			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
STORET #	Date: Time: CDT			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments:		

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
					7-19-17

Group: A	Bottle Type:	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	ALKALINITY TURBIDITY W-F W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 4	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 4	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						
Group: B	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	NW-UWF-ENQ						
Group: C	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-AHERB-AA W-SUC-AA-R W-UHERB-AA						
Group: D	Bottle Type:	QPCR-P-250ML	# of Bottles: 8	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	PCR-FILTER						
Group: E	Bottle Type:	TEST HAS NO BOTTLE	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	NW-UWF-FC						

Date of Request: 23-MAY-2017
 Created By: KING_M On: 23-MAY-2017
 Modified By: MATTHEWS_D On: 25-MAY-2017
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: ENR D WBID 548GB 738

Send Coolers To:

Phone: SC-595-0605
 160 Government Center
 Suite 308
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-MAY-2017
 Biology Request Reviewed By: MATTHEWS_D On: 25-MAY-2017
 Sampling Kit Required: YES Ship on: 01-JUN-2017
 Sampling Kit Shipped: YES On: 01-JUN-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 12-JUN-2017
 Received By: SHAIK_A On: 19-JUL-2017

Send Final Report To:

160 Government Center
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 4 Samples:**

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template:	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 4 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 4	Preserved With: ICE
NW-UWF-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method by UWF Overflow Laboratory for NWD

Bottle Group C (Water) With 4 Samples:

Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 4 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 8	Preserved With: ICE
---------------------------	----------------------	---------------------

Bottle Group D (Water) With 4 Samples:

Bottle Type: QPCR-P-250ML Number of Bottles: 8 Preserved With: ICE
PCR-FILTER Template: DEFAULT (SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis

Bottle Group E (Water) With 3 Samples:

Bottle Type: TEST HAS NO Number of Bottles: 3 Preserved With: ICE
NW-UWF-FC Template: DEFAULT (SM 9222 D) Fecal coliforms by membrane filter method by UWF Overflow Laboratory for NWD

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ- 2017-06-12-32

Shipping Method: Fed Ex

Date/Time of Receipt: 07-19-17/10:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	1.6C	16		✓			8113 0562 7546
Red	2.9C	12		✓			8113 0562 7491

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☐ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		☒	W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: APB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init:

Coolers Unpacked/Checked by: APB Date: 7-19-17 NCRs (Y/N)?

Event ID: ENR D WBID 548GB 738 NCR #

NW-DIST-2017-07-19-02 (SMP)
Date Received: 19-JUL-2017 10:00

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: