

Chemical Analysis Report

NW-DIST-2017-08-10-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Dead River Run WBID30C 429**

Request ID: **RQ-2017-06-26-12**

Customer: **NW-DIST**

Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator

Date Certified: 01-SEP-2017 10:00



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Dead River above Yellow River

Collection Date/Time: 08/09/2017 11:20

Field ID: G4NW0408

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1920564	EPA 180.1 Rev. 2.0	Turbidity	5.8		NTU	P330067	
	EPA 300.0 Rev. 2.1	Chloride	3.2		mg Cl/L	P330084	
		Sulfate	0.79		mg SO4/L	P330086	
	SM 2120 B	Color (true)	99	A	PCU	P330049	
	SM 2320 B-97	Total Alkalinity	8.0		mg CaCO3/L	P330296	
	SM 2540 C-97	TDS	40		mg/L	P330442	
	SM 2540 D-97	TSS	2	I	mg/L	P330302	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P330611	
1920568	EPA 350.1 Rev. 2.0	Ammonia-N	0.011		mg N/L	P330158	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.34		mg N/L	P330126	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.094		mg N/L	P330216	
	EPA 365.1 Rev. 2.0	Total-P	0.017		mg P/L	P330208	
	SM 5310 B-00	Organic Carbon	6.7		mg C/L	P330409	
1920572	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P330055	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 5310 B-00: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Dead River above Yellow River Duplicate

Collection Date/Time: 08/09/2017 11:25

Field ID: G4NW0408DUPLICATE

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1920565	EPA 180.1 Rev. 2.0	Turbidity	5.7		NTU	P330067	
	EPA 300.0 Rev. 2.1	Chloride	3.3		mg Cl/L	P330084	
		Sulfate	0.83		mg SO4/L	P330086	
	SM 2120 B	Color (true)	98		PCU	P330049	
	SM 2320 B-97	Total Alkalinity	7.9		mg CaCO3/L	P330296	
	SM 2540 C-97	TDS	36		mg/L	P330442	
	SM 2540 D-97	TSS	2	I	mg/L	P330302	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P330611	
1920569	EPA 350.1 Rev. 2.0	Ammonia-N	0.011		mg N/L	P330158	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.40		mg N/L	P330127	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.094		mg N/L	P330216	
	EPA 365.1 Rev. 2.0	Total-P	0.017		mg P/L	P330209	
	SM 5310 B-00	Organic Carbon	6.5		mg C/L	P330409	
1920573	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P330055	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 5310 B-00: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: FIELD BLANK

Collection Date/Time: 08/09/2017 11:30

Field ID: FIELD BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1920566	EPA 180.1 Rev. 2.0	Turbidity	0.10	U	NTU	P330067	
	EPA 300.0 Rev. 2.1	Chloride	0.20	U	mg Cl/L	P330084	
		Sulfate	0.20	U	mg SO4/L	P330086	
		Color (true)	2.5	U	PCU	P330049	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P330296	
	SM 2540 C-97	TDS	15	U	mg/L	P330442	
	SM 2540 D-97	TSS	2	U	mg/L	P330302	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P330611	
1920570	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P330159	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.080	U	mg N/L	P330127	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P330216	
	EPA 365.1 Rev. 2.0	Total-P	0.002	U	mg P/L	P330209	
	SM 5310 B-00	Organic Carbon	0.50	U	mg C/L	P330409	
1920574	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P330055	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 5310 B-00: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Yellow River

Collection Date/Time: 08/09/2017 12:45

Field ID: G4NW0370

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1920567	EPA 180.1 Rev. 2.0	Turbidity	11		NTU	P330067	
	EPA 300.0 Rev. 2.1	Chloride	3.3		mg Cl/L	P330084	
		Sulfate	0.91		mg SO4/L	P330086	
		Color (true)	94		PCU	P330049	
	SM 2320 B-97	Total Alkalinity	9.6		mg CaCO3/L	P330296	
	SM 2540 C-97	TDS	36		mg/L	P330442	
	SM 2540 D-97	TSS	10		mg/L	P330302	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P330611	
1920571	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P330159	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.34		mg N/L	P330127	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.13		mg N/L	P330216	
	EPA 365.1 Rev. 2.0	Total-P	0.023		mg P/L	P330209	
	SM 5310 B-00	Organic Carbon	6.3		mg C/L	P330409	
1920575	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P330055	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Chloride: Batch matrix spike recoveries for one of two spiked samples are unavailable because of high analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 5310 B-00: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P330067

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330084

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330086

Component	Result	Code	Units
Sulfate	0.20	U	mg SO ₄ /L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330158

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330159

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330126

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330127

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330216

Component	Result	Code	Units
NO ₂ NO ₃ -N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330208

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330209

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P330055

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P330049

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P330296

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P330442

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P330302

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P330611

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P330409

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330084

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330084

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330086

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330158

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.0		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330159

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.5		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330126

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330127

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330216

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330208

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	94.5		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330209

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.6		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P330055

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.1		P	90 - 110

Reference Method: SM 2320 B-97
 Batch ID: P330296

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	102		P	95 - 108

Reference Method: SM 4500 F-C-97
 Batch ID: P330611

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.2		P	92 - 103

Reference Method: SM 5310 B-00
 Batch ID: P330409

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.1		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P330084

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920398	Chloride	99.0		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P330086

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1919992	Sulfate	101		P	90 - 110
1920398	Sulfate	96.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P330158

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920493	Ammonia-N	102	96.0	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P330159

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920571	Ammonia-N	95.7	94.1	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P330126

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920505	Kjeldahl Nitrogen	99.6	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P330127

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920599	Kjeldahl Nitrogen	96.2	107	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P330216

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920561	NO2NO3-N	101	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P330208

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920505	Total-P	94.4	96.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P330209

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920571	Total-P	97.0	95.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P330055

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1920551	O-Phosphate-P	93.9	93.9	P/P	90 - 110

Reference Method: SM 4500 F-C-97
 Batch ID: P330611

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1921152	Fluoride	97.1	97.1	P/P	91 - 105

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P330067

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920549	Turbidity	5.62	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330084

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919992	Chloride	3.54	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330086

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1919992	Sulfate	4.30	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330158

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920493	Ammonia-N	5.27	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P330159

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920571	Ammonia-N	1.39	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330126

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920505	Kjeldahl Nitrogen	0.808	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330127

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920599	Kjeldahl Nitrogen	8.30	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P330216

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920561	NO2NO3-N	0.830	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330208

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920505	Total-P	2.08	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P330209

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920571	Total-P	1.38	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P330055

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920551	O-Phosphate-P	0.0	Spike	P	0 - 20

Reference Method: SM 2120 B
 Batch ID: P330049

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920564	Color (true)	0.0821	Sample	P	0 - 20

Reference Method: SM 2320 B-97
 Batch ID: P330296

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921152	Total Alkalinity	0.440	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
 Batch ID: P330442

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920584	TDS	1.17	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P330611

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1921152	Fluoride	0.0	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
 Batch ID: P330409

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1920401	Organic Carbon	0.654	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A78270

Included Lab Sample IDs: 1920564, 1920565, 1920566, 1920567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	102	P/P	90 - 110
Chloride	104	102	P/P	90 - 110
Sulfate	101	102	P/P	90 - 110
Sulfate	105	101	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A78336

Included Lab Sample IDs: 1920564, 1920565, 1920566, 1920567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	101	P/P	85 - 115

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A78337

Included Lab Sample IDs: 1920572, 1920573, 1920574, 1920575

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.9	98.6	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A78339

Included Lab Sample IDs: 1920564, 1920565, 1920566, 1920567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A78369

Included Lab Sample IDs: 1920568, 1920569, 1920570, 1920571

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.6	98.1	P/P	90 - 110
Ammonia-N	98.9	97.6	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A78407

Included Lab Sample IDs: 1920568, 1920569, 1920570, 1920571

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	102	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A78427

Included Lab Sample IDs: 1920564, 1920565, 1920566, 1920567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	99.6	103	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A78432

Included Lab Sample IDs: 1920568, 1920569, 1920570, 1920571

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	99.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A78451

Included Lab Sample IDs: 1920568, 1920569, 1920570, 1920571

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	100	P/P	90 - 110
Total-P	100	100	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A78471

Included Lab Sample IDs: 1920568, 1920569, 1920570, 1920571

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	95.1	95.6	P/P	90 - 110
Organic Carbon	97.1	95.1	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A78552

Included Lab Sample IDs: 1920564, 1920565, 1920566, 1920567

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	98.0	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				5.62	
EPA 300.0 Rev. 2.1	Chloride	101	99.0		3.54	
	Sulfate	102	101 96.6		4.30	
EPA 350.1 Rev. 2.0	Ammonia-N	97.0	102 96.0			5.27
	Ammonia-N	98.5	95.7 94.1			1.39
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	99.6 100			0.808
	Kjeldahl Nitrogen	104	96.2 107			8.30
EPA 353.2 Rev. 2.0	NO2NO3-N	104	101 102			0.830
EPA 365.1 Rev. 2.0	Total-P	94.5	94.4 96.5			2.08
	Total-P	96.6	97.0 95.6			1.38
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.1	93.9 93.9			0.0
SM 2120 B	Color (true)				0.0821	
SM 2320 B-97	Total Alkalinity	102			0.440	
SM 2540 C-97	TDS				1.17	
SM 4500 F-C-97	Fluoride	97.2	97.1 97.1			0.0
SM 5310 B-00	Organic Carbon	94.1				0.654

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1920564, 1920565, 1920566, 1920567
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1920564, 1920565, 1920566, 1920567
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1920564, 1920565, 1920566, 1920567
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1920568, 1920569, 1920570, 1920571
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1920568, 1920569, 1920570, 1920571
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1920568, 1920569, 1920570, 1920571
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1920568, 1920569, 1920570, 1920571
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1920572, 1920573, 1920574, 1920575
SM 2120 B / E31780	True Color measured at 450 nm	1920564, 1920565, 1920566, 1920567
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1920564, 1920565, 1920566, 1920567
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1920564, 1920565, 1920566, 1920567
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1920564, 1920565, 1920566, 1920567
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1920564, 1920565, 1920566, 1920567
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1920568, 1920569, 1920570, 1920571

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/10/2017			08/10/2017 16:33	DeAsia Armster	1920564, 1920565, 1920566, 1920567
EPA 300.0 Rev. 2.1	08/10/2017			08/10/2017	Julia Storbeck	1920564, 1920565, 1920566, 1920567
EPA 350.1 Rev. 2.0	08/10/2017			08/11/2017	Sofia Elnemr	1920568, 1920569, 1920570, 1920571
EPA 351.2 Rev. 2.0	08/10/2017	08/14/2017	Adrian Shelby	08/16/2017	Joseph Suarez	1920568, 1920569, 1920570, 1920571
EPA 353.2 Rev. 2.0	08/10/2017			08/15/2017	Beverly Y. Sanders	1920568, 1920569, 1920570, 1920571
EPA 365.1 Rev. 2.0	08/10/2017	08/15/2017	Sima Feizi	08/16/2017	Lipi Saha	1920568, 1920569, 1920570, 1920571
EPA 365.1 Rev. 2.0 dissolved	08/10/2017			08/10/2017 15:11	Anthony C. Onicha	1920572
	08/10/2017			08/10/2017 15:12	Anthony C. Onicha	1920573
	08/10/2017			08/10/2017 15:13	Anthony C. Onicha	1920574
	08/10/2017			08/10/2017 15:14	Anthony C. Onicha	1920575
	08/10/2017			08/10/2017 15:11	Tanya Welborn	1920564
SM 2120 B	08/10/2017			08/10/2017 15:12	Tanya Welborn	1920565
	08/10/2017			08/10/2017 15:13	Tanya Welborn	1920566
	08/10/2017			08/10/2017 15:14	Tanya Welborn	1920567
SM 2320 B-97	08/10/2017			08/15/2017	Dale L. Simmons	1920564, 1920565, 1920566, 1920567
SM 2540 C-97	08/10/2017			08/11/2017	DeAsia Armster	1920564, 1920565, 1920566, 1920567
SM 2540 D-97	08/10/2017			08/11/2017	DeAsia Armster	1920564, 1920565, 1920566, 1920567
SM 4500 F-C-97	08/10/2017			08/18/2017	Dale L. Simmons	1920564, 1920565, 1920566, 1920567
SM 5310 B-00	08/10/2017			08/16/2017	Ping Hua	1920568, 1920569, 1920570, 1920571