

Biological Analysis Report

NW-DIST-2017-07-06-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Milton Run WBID10G 11A 260 18 BLANK/DUP**
Request ID: **RQ-2017-06-26-14**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 Government Center
Suite 308
Pensacola, FL 32502-5794
Attn: Cheryl Bunch

For additional information please contact
Cheryl Swanson - Administrator
J. Marshall Faircloth - Aquatic Toxicology
Jacqueline Savage - Bench Biology
Jacqueline Savage - Microbiology
Daisys Matthews - Molecular Biology
Jennifer Walters - Taxonomy (Invertebrate & Algal)
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Environmental Manager

Date Certified: 01-AUG-2017 16:28



NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Chlorophyll/Grain Size/BOD.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: CLEAR CK. @ CR 191

Collection Date/Time: 07/05/2017 10:15

Field ID: G4NW0143

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1911229	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.1	U	ug/L	P328376	
		Phaeophytin-a	0.80	U	ug/L	P328376	
		Chlorophyll/Phaeophytin Ratio	1.9			P328376	
		Chlorophyll-a, Uncorrected	0.80	U	ug/L	P328376	

Ref. Method and Comment:
 SM 10200 H (mod.): See Non-Conformance Report # 6541.

Sample Location: WEST FORK @ HWY 87

Collection Date/Time: 07/05/2017 11:15

Field ID: G4NW0017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1911228	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.92	U	ug/L	P328376	
		Phaeophytin-a	0.67	U	ug/L	P328376	
		Chlorophyll/Phaeophytin Ratio	1.8			P328376	
		Chlorophyll-a, Uncorrected	0.73	I	ug/L	P328376	

Ref. Method and Comment:
 SM 10200 H (mod.): See Non-Conformance Report # 6541.

Sample Location: SEVEN-MILE CK UPSTREAM QUINTETTE RD

Collection Date/Time: 07/05/2017 12:20

Field ID: G4NW0344DUPLICATE

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1911230	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.55	U	ug/L	P328377	
		Phaeophytin-a	0.40	U	ug/L	P328377	
		Chlorophyll/Phaeophytin Ratio	1.2			P328377	
		Chlorophyll-a, Uncorrected	0.40	U	ug/L	P328377	

Ref. Method and Comment:
 SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data. See Non-Conformance Report # 6541.

Sample Location: Seven-Mile Ck Upstream of Quintette Rd

Collection Date/Time: 07/05/2017 12:15

Field ID: G4NW0344

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1911527	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.55	U	ug/L	P328378	
		Phaeophytin-a	0.40	U	ug/L	P328378	
		Chlorophyll/Phaeophytin Ratio	1.5			P328378	
		Chlorophyll-a, Uncorrected	0.54	I	ug/L	P328378	

Sample Location: FIELD BLANK

Collection Date/Time: 07/05/2017 12:25

Field ID: FIELD BLANK

Matrix: W-FIELD-BK

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1911528	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.55	U	ug/L	P328378	
		Phaeophytin-a	0.40	U	ug/L	P328378	
		Chlorophyll/Phaeophytin Ratio	0.97			P328378	
		Chlorophyll-a, Uncorrected	0.40	U	ug/L	P328378	

Non-Conformance Report

NCR ID: 6541

Event(s)

NW-DIST-2017-07-06-01

Job(s)

Sample(s)

Test(s)

NCR Type: SHIPPING/RECEIVING

NCR Category: Samples arrived late

Observation: Coolers arrived late on 07/07/17 at 09:55, Fed Ex tracking # 8113 0563 2825 / 8113 563 2836.
 1st cooler temp was 1.4C and the 2nd cooler was >13.1C.

Resolution: 1st cooler samples were logged in, 2nd cooler samples were not logged in per customer (Mike King) request.

Authorized by/Date: Ramsey K. White 7/21/2017

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
 Please address questions to:

Chemistry Colin Wright (850) 245-8085
 Biology Cheryl Swanson (850) 245-8177

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)

Batch ID: P328376

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 10200 H (mod.)

Batch ID: P328377

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Reference Method: SM 10200 H (mod.)

Batch ID: P328378

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.55	U	ug/L
Chlorophyll-a, Uncorrected	0.40	U	ug/L
Phaeophytin-a	0.40	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)

Batch ID: P328376

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	105		P	84 - 116

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
 Batch ID: P328377

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	106		P	84 - 116

Reference Method: SM 10200 H (mod.)
 Batch ID: P328378

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	105		P	84 - 116

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P328376

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1911055	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1911055	Chlorophyll-a, Corrected	8.74	Sample	P	0 - 25
1911055	Chlorophyll-a, Uncorrected	8.43	Sample	P	0 - 25
1911055	Phaeophytin-a	6.62	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
 Batch ID: P328377

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1911242	Chlorophyll-a, Uncorrected	0.497	Sample	P	0 - 25

Reference Method: SM 10200 H (mod.)
 Batch ID: P328378

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1911535	Chlorophyll/Phaeophytin Ratio	0.0	Sample	P	0 - 25
1911535	Chlorophyll-a, Corrected	0.155	Sample	P	0 - 25
1911535	Chlorophyll-a, Uncorrected	0.581	Sample	P	0 - 25
1911535	Phaeophytin-a	4.10	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll/Phaeophytin Ratio				0.0	
	Chlorophyll-a, Corrected	105			8.74	
	Chlorophyll-a, Corrected	106				
	Chlorophyll-a, Corrected	105			0.155	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	Precision		
				LCS	SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Uncorrected				8.43	
	Chlorophyll-a, Uncorrected				0.497	
	Chlorophyll-a, Uncorrected				0.581	
	Phaeophytin-a				6.62	
	Phaeophytin-a				4.10	

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
SM 10200 H (mod.) / E31780	Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry	1911228, 1911229, 1911230, 1911527, 1911528

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	07/06/2017	07/06/2017 13:00	Morgan Lane	07/10/2017	Jennifer Mihalic	1911228, 1911229
	07/06/2017	07/06/2017 13:00	Morgan Lane	07/11/2017	Jennifer Mihalic	1911230
	07/07/2017	07/07/2017 11:05	Morgan Lane	07/11/2017	Jennifer Mihalic	1911527, 1911528