

Central Laboratory Submittal Form

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By: F. Butera

Project ID: SMP

Collected By: F. Butera, B. Russell

Sampling Agency: FL DEP - NWROC

Location	Field ID	STORET #	Latitude	Location	Field ID	STORET #	Latitude	Location	Field ID	STORET #	Latitude	Location	Field ID	STORET #	Latitude
Location: White Oak Bayou @ End of Aegean Dr.	G4NW0387	RQ-2017-07-17-31 (WBID 635)	Time: CST	Location: Jake's Bayou above Robinson Point Rd.	G4NW0394	RQ-2017-07-17-31 (WBID 537A)	Time: CST	Location: Sandy Point below Sandy Point Rd.	G4NW0080	RQ-2017-07-17-31 (WBID 534)	Time: CST	Location: Clear Creek Upstream of Pat Brown Rd.	G4NW0360	RQ-2017-07-17-31 (WBID 260)	Time: CST
Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Temp (C)	pH	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Temp (C)	pH	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Temp (C)	pH	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	Temp (C)	pH
FRESH	5.5	28.0	6.8	FRESH	77	29.0	6.2	FRESH	37	25.8	5.8	FRESH	87	23.7	7.3
Sample Depth	Sp. Conductance (umho/cm)	Salinity (ppt)	Comments	Sample Depth	Sp. Conductance (umho/cm)	Salinity (ppt)	Comments	Sample Depth	Sp. Conductance (umho/cm)	Salinity (ppt)	Comments	Sample Depth	Sp. Conductance (umho/cm)	Salinity (ppt)	Comments
0.3	792	0.4	DO sat 71%, Red Tide coll. for FURI	0.3	66	0.0	DO sat 5.9 mg/L	0.2	66	0.0	DO 3.0 mg/L	0.3	31	0.0	DO 7.3 mg/L

Relinquished By: F. Butera	Date/Time: 7-18-2017	Shipping Method: FED Ex	Number of Coolers Shipped: 3	Received By: A. Butera	Date/Time: 7-19-17 11:00
----------------------------	----------------------	-------------------------	------------------------------	------------------------	--------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
GRAVE YARD	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	But 2
GRAVE	W-AHERB-AA W-GLYPH W-PYR-AA-R W-SUC-AA-R W-UHERB-AA						
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-CT-CI-R W-PCL-SQ-R						
Group: B	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	W-PSNP-TQ						

Group: C	Bottle Type:	P-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
Other	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: C	Bottle Type:	BP-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: C	Bottle Type:	P-500ML	# of Bottles: 4	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: C	Bottle Type:	P-125ML	# of Bottles: 4	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						
Group: D	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
White Oak	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						
Group: D	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Other	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: D	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	1

Group: D	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1
Group: E	Bottle Type: NW-UWF-ECQ	TEST HAS NO BOTTLE	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1

Central Laboratory Submittal Form

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By:

Project ID: SMP

Collected By:

FRANK BUTERA BEN RUSSELL

Sampling Agency:

FL DEP- NWRCC

Location	Location: Drigler's Creek above Parkview St. RQ-2017-07-17-31 (WBID 444) Date: Time: CST		G4NW0168 Field ID STORET		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7-18-2017 Time 12:10	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 6.9	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #					Temp (C) 25.6	pH 6.9	Sample Depth 0.2	☐ ft ☒ m	Sp. Conductance (umho/cm) 56	
Latitude	☐ dd ☐ dms		☐ dd ☐ dms		Salinity (ppt) 0.0					Comments DO SAT 84%
Location	Location: Direct Runoff- Graveyard Br. @ Tradewinds Dr. RQ-2017-07-17-31 (WBID 639) Date: Time: CST		G4NW0176 Field ID STORET		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 7-18-2017 Time 12:45	Eastern Central	Composite end Date Time	Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #					Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms		☐ dd ☐ dms		Salinity (ppt)					Comments
Location					☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #					Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms		☐ dd ☐ dms		Salinity (ppt)					Comments
Location					☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)	
Field ID					Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #					Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms		☐ dd ☐ dms		Salinity (ppt)					Comments

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				ADD	7-19-17/1000

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab _____
	W-ICP					
	W-ICPMS					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-AHERB-AA					
	W-GLYPH					
	W-PYR-AA-R					
	W-SUC-AA-R					
	W-UHERB-AA					
Group: B	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-CT-CI-R					
	W-PCL-SQ-R					
Group: B	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-PSNP-TQ					

Document Reference # 05.1.0

Sampler's initials: HD

Page 1 of 1

Date/Time: 7-18-2017, 13:30

Date/Time: 7/18/2017 11:30

If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

[illegible]

Comments	sample container lot#	L15183	Exp. 07/21/2018
----------	-----------------------	--------	-----------------

RQ: 2017-07-17-31

Phone: (850) 595-8300

Sampler's name: T. BUTERA

¹Matrix: SW = surface water, PW = pore water, GW = ground water, S = soil/sediment, X = _____

³ Recorded using IRT-2

Date of Request: 26-JUN-2017
 Created By: KING_M On: 26-JUN-2017
 Modified By: WATTS_J On: 27-JUN-2017
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: South Milton Run WBID 534 444 260 639 537A 635

Send Coolers To:

Phone: 850-595-0605
 160 Government Center
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 27-JUN-2017
 Biology Request Reviewed By: WATTS_J On: 27-JUN-2017
 Sampling Kit Required: YES Ship on: 29-JUN-2017
 Sampling Kit Shipped: YES On: 28-JUN-2017
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 17-JUL-2017
 Received By: SHAIK_A On: 19-JUL-2017

Send Final Report To:

160 Government Center
 Suite 308
 Pensacola, FL 32502-5794
 Attn: Cheryl Bunch

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Suite A: Freshwater w/ metals
 Suite B: Pesticides
 Suite C: Freshwater
 Suite D: Saltwater
 Suite E: Bacteria

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template:	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic Cadmium Copper Lead Silver		

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template:	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-GLYPH	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
W-PYR-AA-R	Template: DEFAULT	(EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Bottle Group C (Water) With 4 Samples:

Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template:	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Group D (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template:	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group E (Water) With 1 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by UWF Overflow Laboratory for NWD

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

RQ- 2017-07-1731

Log-in Checklist

Shipping Method: Red ExpDate/Time of Receipt: 07-19-17/10:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	0.9C	16		 			
Red	2.1C	12		 			
Red	3.6C	7		 			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☒ No ☐ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		☒	W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)		☒	W-PCL-SQ (-R)		
W-BNA (-625, -R)		☒	W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		☒	W-PESTNP-R		
W-ENDO-AA		☒	W-PSCL-TQ		
W-GLYPH		☒	W-PSNP-TQ		
W-NP-AA-SF		☒	W-PST-CL-R		
W-PAH (-R)		☒	W-TR-TQ		
W-PCB-R		☒	W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ABP

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: ABP

Coolers Unpacked/Checked by: ABP

Date: 7/19/17

NCRs (Y/N)? ☒

Event ID: South Milton Run WBID 534 444 260
NW-DIST-2017-07-19-01 (SMP)
Date Received: 19-JUL-2017 10:00

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

7-11-2017
Frank BUTERA 850 595-8340
FL DEP - NWROE
164 W. GOVERNMENT ST.
PENSACOLA FL 32502

Internal Billing Reference
SAMPLE RECEIVING Phone 850 245-8085

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD
TALLAHASSEE FL 32399

0126912290
Barcode
8115 9551 6381

4 Express Package Service
Next Business Day
FedEx First Overnight
FedEx Priority Overnight
FedEx Standard Overnight
2 or 3 Business Days
FedEx 2Day A.M.
FedEx 2Day
FedEx Express Saver

5 Packaging
FedEx Envelope
FedEx Pak
FedEx Box
FedEx Tube
Other

6 Special Handling and Delivery Signature Options
Saturday Delivery
No Signature Required
Direct Signature
Indirect Signature
Does this shipment contain dangerous goods?
No Yes
Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:
Sender Recipient Third Party Credit Card Cash/Check
Total Packages Total Weight
Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

12-24-17
Frank BUTERA 850 595-8340
FL DEP - NWROE
164 W. GOVERNMENT ST.
PENSACOLA FL 32502

Internal Billing Reference
SAMPLE RECEIVING Phone 850 245-8085

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD
TALLAHASSEE FL 32399

0126912290
Barcode
8115 9551 6370

4 Express Package Service
Next Business Day
FedEx First Overnight
FedEx Priority Overnight
FedEx Standard Overnight
2 or 3 Business Days
FedEx 2Day A.M.
FedEx 2Day
FedEx Express Saver

5 Packaging
FedEx Envelope
FedEx Pak
FedEx Box
FedEx Tube
Other

6 Special Handling and Delivery Signature Options
Saturday Delivery
No Signature Required
Direct Signature
Indirect Signature
Does this shipment contain dangerous goods?
No Yes
Restrictions apply for dangerous goods — see the current FedEx Service Guide.

7 Payment Bill to:
Sender Recipient Third Party Credit Card Cash/Check
Total Packages Total Weight
Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

01090

FedEx
 Express **Package**
US Airbill
FedEx
Tracking
Number

8115

8115

1 From

Date 7-18-2017

Sender's
Name

F BUTERA

Phone

934 595-8340

Company

DEP - NWROC

Address

164 W. GOVERNMENT ST.

Dept./Floor/Suite/Room

City

PENSACOLA

State

FL ZIP 32542

2 Your Internal Billing Reference

3 To

Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

Dept./Floor/Suite/Room

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Address

Use this line for the KOLU location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL ZIP 32399

0126912290



8115 9551 6360

8115

Recipient's Copy

4 Express Package Service

* To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
 Earliest next business morning delivery to select
 locations. Friday shipments will be delivered on
 Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
 Next business morning.* Friday shipments will be
 delivered on Monday unless Saturday Delivery
 is selected.

☐ FedEx Standard Overnight
 Next business afternoon.*
 Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
 Second business morning.*
 Saturday Delivery NOT available.

☐ FedEx 2Day
 Second business afternoon.* Thursday shipments
 will be delivered on Monday unless Saturday
 Delivery is selected.

☐ FedEx Express Saver
 Third business day.*
 Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐ FedEx Envelope*

☐ FedEx Pak*

☐ FedEx
Box

☐ FedEx
Tube

☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
 Package may be left without
 obtaining a signature for delivery.

☐ Direct Signature
 Someone at recipient's address
 may sign for delivery.

☐ Indirect Signature
 If no one is available at recipient's
 address, someone at a neighboring
 address may sign for delivery. For
 residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No

☐ Yes
As per attached
Shipper's Declaration.

☐ Yes
Shipper's Declaration
not required.

☐ Dry Ice

Dry Ice, 8, UN 1845

kg

☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.
Acct. No.
☐ Sender
 Acct. No. in Section
 1 will be billed.

☒ Recipient

☐ Third Party

☐ Credit Card

☐ Cash/Check

Total Packages

Total Weight

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev Date 5/15 • Part #183134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SSM

fedex.com 1800.GoFedEx 1800.463.3339