

Chemical Analysis Report

NW-DIST-2017-08-24-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **TMDL Bioassessment**
Request ID: **RQ-2017-08-21-16**
Customer: **NW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 14-SEP-2017 15:30

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Deer Moss Creek downstream College Blvd

Collection Date/Time: 08/23/2017 10:50

Field ID: G3NW0138

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1924339	EPA 180.1 Rev. 2.0	Turbidity	1.5	A	NTU	P330823	
	EPA 300.0 Rev. 2.1	Chloride	13	A	mg Cl/L	P330902	
		Sulfate	9.6	A	mg SO4/L	P330906	
	SM 2120 B	Color (true)	9.0		PCU	P330819	
	SM 2320 B-97	Total Alkalinity	22		mg CaCO3/L	P331030	
	SM 2540 C-97	TDS	62		mg/L	P331079	
	SM 2540 D-97	TSS	5	I	mg/L	P330928	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331032	
1924342	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	I	mg N/L	P331099	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.25	J	mg N/L	P330896	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.1		mg N/L	P331051	
	EPA 365.1 Rev. 2.0	Total-P	0.048		mg P/L	P330901	
	SM 5310 B-00	Organic Carbon	1.6		mg C/L	P331188	
1924345	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.038		mg P/L	P330814	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Refer to the narrative for an explanation of QC Codes.

Sample Location: Deer Moss Creek upstream College Blvd

Collection Date/Time: 08/23/2017 12:45

Field ID: G3NW0045

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1924340	EPA 180.1 Rev. 2.0	Turbidity	1.6		NTU	P330823	
	EPA 300.0 Rev. 2.1	Chloride	13		mg Cl/L	P330902	
		Sulfate	9.3		mg SO4/L	P330906	
	SM 2120 B	Color (true)	8.7		PCU	P330819	
	SM 2320 B-97	Total Alkalinity	21		mg CaCO3/L	P331030	
	SM 2540 C-97	TDS	66		mg/L	P331079	
	SM 2540 D-97	TSS	4	I	mg/L	P330928	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P331032	
1924343	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P331099	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.24		mg N/L	P330896	MS
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.0		mg N/L	P331051	
	EPA 365.1 Rev. 2.0	Total-P	0.045		mg P/L	P330931	
	SM 5310 B-00	Organic Carbon	2.0		mg C/L	P331188	
1924346	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.036		mg P/L	P330814	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: Deer Moss Creek above Stormwater Pond

Collection Date/Time: 08/23/2017 13:55

Field ID: G3NW0139

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1924341	EPA 180.1 Rev. 2.0	Turbidity	1.2		NTU	P330823	
	EPA 300.0 Rev. 2.1	Chloride	15		mg Cl/L	P330902	

Field ID: G3NW0139

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1924341	EPA 300.0 Rev. 2.1	Sulfate	11		mg SO4/L	P330906	
	SM 2120 B	Color (true)	6.5		PCU	P330819	
	SM 2320 B-97	Total Alkalinity	25		mg CaCO3/L	P331030	
	SM 2540 C-97	TDS	77		mg/L	P331079	
	SM 2540 D-97	TSS	2	U	mg/L	P330928	
	SM 4500 F-C-97	Fluoride	0.036	I	mg F/L	P331032	
1924344	EPA 350.1 Rev. 2.0	Ammonia-N	0.003	I	mg N/L	P331099	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.20		mg N/L	P330897	
	EPA 353.2 Rev. 2.0	NO2NO3-N	2.5		mg N/L	P331052	
	EPA 365.1 Rev. 2.0	Total-P	0.056		mg P/L	P330931	
	SM 5310 B-00	Organic Carbon	1.5		mg C/L	P331188	
1924347	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.052		mg P/L	P330814	

Ref. Method and Comment:
 SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
 Batch ID: P330823

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P330902

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P330906

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P331099

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P330896

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P330897

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report

Method Blank Results

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330897

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331051

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331052

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330901

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330931

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P330814

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P330819

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P331030

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P331079

Component	Result	Code	Units
TDS	15	U	mg/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 D-97
Batch ID: P330928

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P331032

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P331188

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330902

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330906

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.0		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331099

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330896

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	105		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330897

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	108		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331051

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P331051

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	106		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P331052

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P330901

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P330931

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P330814

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.4		P	90 - 110

Reference Method: SM 2320 B-97
 Batch ID: P331030

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
 Batch ID: P331032

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	94.9		P	92 - 103

Reference Method: SM 5310 B-00
 Batch ID: P331188

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.0		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P330902

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330902

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924339	Chloride	97.4		P	90 - 110
1924340	Chloride	96.7		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330906

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924339	Sulfate	97.7		P	90 - 110
1924340	Sulfate	97.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331099

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924344	Ammonia-N	101	99.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330896

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924342	Kjeldahl Nitrogen	91.0	87.4	P/F	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330897

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924386	Kjeldahl Nitrogen	101	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331051

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924255	NO2NO3-N	108	107	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331052

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924447	NO2NO3-N	105	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330901

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924264	Total-P	94.8	95.9	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330931

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924343	Total-P	98.4	97.9	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P330814

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924346	O-Phosphate-P	96.4	98.0	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P331032

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924385	Fluoride	96.5	99.1	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P331188

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1924253	Organic Carbon	104	104	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P330823

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924339	Turbidity	4.53	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330902

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924339	Chloride	0.894	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P330906

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924339	Sulfate	1.99	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P331099

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924344	Ammonia-N	0.831	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330896

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924342	Kjeldahl Nitrogen	3.26	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P330897

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924386	Kjeldahl Nitrogen	0.00740	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331051

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924255	NO2NO3-N	0.466	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P331052

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924447	NO2NO3-N	0.374	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330901

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924264	Total-P	0.964	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P330931

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924343	Total-P	0.483	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P330814

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924346	O-Phosphate-P	1.20	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P330819

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924310	Color (true)	0.984	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P331030

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924385	Total Alkalinity	0.247	Sample	P	0 - 4.8

Quality Assurance Report Precision

Reference Method: SM 2540 C-97
Batch ID: P331079

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924369	TDS	0.276	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P331032

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924385	Fluoride	1.97	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P331188

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1924253	Organic Carbon	0.0	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A78584
Included Lab Sample IDs: 1924339, 1924340, 1924341

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	97.1	98.2	P/P	90 - 110
Chloride	98.2	102	P/P	90 - 110
Sulfate	98.6	104	P/P	90 - 110
Sulfate	99.0	98.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A78608
Included Lab Sample IDs: 1924345, 1924346, 1924347

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.3	99.6	P/P	90 - 110
O-Phosphate-P	99.4	99.5	P/P	90 - 110

Reference Method: SM 2120 B
Run ID: A78609
Included Lab Sample IDs: 1924339, 1924340, 1924341

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	101	P/P	85 - 115

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A78610

Included Lab Sample IDs: 1924339, 1924340, 1924341

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A78677

Included Lab Sample IDs: 1924344

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	103	105	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A78680

Included Lab Sample IDs: 1924342, 1924343

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	96.2	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A78681

Included Lab Sample IDs: 1924342, 1924343

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	102	101	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A78696

Included Lab Sample IDs: 1924339, 1924340, 1924341

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A78696

Included Lab Sample IDs: 1924339, 1924340, 1924341

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	96.5	98.0	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A78701

Included Lab Sample IDs: 1924342, 1924343, 1924344

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A78702

Included Lab Sample IDs: 1924344

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	108	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A78720

Included Lab Sample IDs: 1924342, 1924343, 1924344

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	103	103	P/P	90 - 110
Ammonia-N	103	103	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A78746

Included Lab Sample IDs: 1924342, 1924343, 1924344

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	101	99.6	P/P	90 - 110
Organic Carbon	99.6	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				4.53	
EPA 300.0 Rev. 2.1	Chloride	97.3	97.4 96.7		0.894	
	Sulfate	98.0	97.7 97.5		1.99	
EPA 350.1 Rev. 2.0	Ammonia-N	104	101 99.8			0.831
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	105	91.0 87.4			3.26
	Kjeldahl Nitrogen	108	101 101			0.0074
EPA 353.2 Rev. 2.0	NO2NO3-N	106	108 107			0.466
	NO2NO3-N	106	105 105			0.374
EPA 365.1 Rev. 2.0	Total-P	96.0	94.8 95.9			0.964
	Total-P	101	98.4 97.9			0.483
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.4	96.4 98.0			1.20
SM 2120 B	Color (true)				0.984	
SM 2320 B-97	Total Alkalinity	103			0.247	
SM 2540 C-97	TDS				0.276	
SM 4500 F-C-97	Fluoride	94.9	96.5 99.1			1.97
SM 5310 B-00	Organic Carbon	99.0	104 104			0.0

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1924339, 1924340, 1924341
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1924339, 1924340, 1924341
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1924339, 1924340, 1924341
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1924342, 1924343, 1924344
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1924342, 1924343, 1924344

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1924342, 1924343, 1924344
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1924342, 1924343, 1924344
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1924345, 1924346, 1924347
SM 2120 B / E31780	True Color measured at 450 nm	1924339, 1924340, 1924341
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1924339, 1924340, 1924341
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1924339, 1924340, 1924341
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1924339, 1924340, 1924341
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1924339, 1924340, 1924341
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1924342, 1924343, 1924344

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/24/2017			08/24/2017 16:33	DeAsia Armster	1924339, 1924340, 1924341
EPA 300.0 Rev. 2.1	08/24/2017			08/25/2017	Julia Storbeck	1924339, 1924340, 1924341
EPA 350.1 Rev. 2.0	08/24/2017			08/29/2017	Sofia Elnemr	1924342, 1924343, 1924344
EPA 351.2 Rev. 2.0	08/24/2017	08/28/2017	Adrian Shelby	08/29/2017	Joseph Suarez	1924342, 1924343
	08/24/2017	08/28/2017	Adrian Shelby	08/30/2017	Joseph Suarez	1924344
EPA 353.2 Rev. 2.0	08/24/2017			08/30/2017	Beverly Y. Sanders	1924342, 1924343, 1924344
EPA 365.1 Rev. 2.0	08/24/2017	08/28/2017	Sima Feizi	08/29/2017	Lipi Saha	1924342, 1924343, 1924344
EPA 365.1 Rev. 2.0 dissolved	08/24/2017			08/24/2017 14:49	Megan Treadwell	1924346
	08/24/2017			08/24/2017 15:17	Megan Treadwell	1924345
	08/24/2017			08/24/2017 15:18	Megan Treadwell	1924347
SM 2120 B	08/24/2017			08/24/2017 16:37	Tanya Welborn	1924339
	08/24/2017			08/24/2017 16:38	Tanya Welborn	1924340, 1924341
SM 2320 B-97	08/24/2017			08/30/2017	Dale L. Simmons	1924339, 1924340, 1924341
SM 2540 C-97	08/24/2017			08/25/2017	DeAsia Armster	1924339, 1924340, 1924341
SM 2540 D-97	08/24/2017			08/25/2017	DeAsia Armster	1924339, 1924340, 1924341
SM 4500 F-C-97	08/24/2017			08/30/2017	Dale L. Simmons	1924339, 1924340, 1924341
SM 5310 B-00	08/24/2017			08/31/2017	Ping Hua	1924342, 1924343, 1924344